

Ladedaten

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
.22 Hornet												
8	DEVA	Ballistic Tip (39510)	Nosler	2,59	40,00	296	Winchester	0,71	11,00	Federal 205 M	RWS	47,00
7	DEVA	Ballistic Tip (39510)	Nosler	2,59	40,00	R 910	Rottweil	0,61	9,40	Federal 205 M	RWS	47,00
6	DEVA	Ballistic Tip (39510)	Nosler	2,59	40,00	1680	Accurate	0,68	10,50	Remington 1 1/2	RWS	47,60
17	DEVA	X	Barnes	2,92	45,00	N 110	Vihtavuori	0,60	9,30	RWS 4033	RWS	44,60
11	DEVA	Hornet (2230)	Hornady	2,92	45,00	PCL 512	PB Clermont	0,65	10,00	Federal 205 M	RWS	44,00
12	DEVA	Hornet (2230)	Hornady	2,92	45,00	2400	Alliant	0,60	9,30	Federal 205 M	RWS	44,00
13	DEVA	Hornet (2230)	Hornady	2,92	45,00	N 110	Vihtavuori	0,57	8,80	CCI BR-4	RWS	44,00
14	DEVA	SP (1210)	Sierra	2,92	45,00	N 110	Vihtavuori	0,58	9,00	Federal 205 M	MEN	44,00
16	DEVA	SpSP (1023)	Speer	2,92	45,00	PCL 512	PB Clermont	0,62	9,50	RWS 4033	RWS	44,00
15	DEVA	SpSP (1023)	Speer	2,92	45,00	1680	Accurate	0,71	11,00	Remington 1 1/2	RWS	44,00
18	DEVA	V-Max (22261)	Hornady	3,24	50,00	No. 9	Accurate	0,52	8,00	RWS 4033	RWS	45,60
49	DEVA	PSP	Remington	3,24	50,00	IMR 4227	IMR	0,63	9,70	CCI 400	RWS	44,50
.22 K-Hornet												
22	DEVA	V-Max (22241)	Hornady	2,59	40,00	296	Winchester	0,81	12,50	CCI 400	RWS /U	48,80
21	DEVA	V-Max (22241)	Hornady	2,59	40,00	H 110	Hodgdon	0,84	13,00	CCI 400	RWS /U	47,80
19	DEVA	Ballistic Tip (39510)	Nosler	2,59	40,00	No. 9	Accurate	0,68	10,50	CCI BR-4	RWS /U	48,00
28	DEVA	Ballistic Tip (39510)	Nosler	2,59	40,00	PCL 512	PB Clermont	0,72	11,10	CCI BR-4	RWS /U	48,00
25	DEVA	X	Barnes	2,92	45,00	H 110	Hodgdon	0,78	12,00	Federal 205 M	RWS /U	45,00
24	DEVA	Hornet (2230)	Hornady	2,92	45,00	PCL 512	PB Clermont	0,68	10,50	CCI BR-4	RWS /U	45,80
23	DEVA	SP (2230)	Hornady	2,92	45,00	N 110	Vihtavuori	0,71	11,00	Federal 205 M	RWS /U	46,50
1616	DEVA	XS (22450)	Barnes	3,24	50,00	N 110	Vihtavuori	0,68	10,50	Federal 205 M	RWS /U	46,00
27	DEVA	V-Max (22261)	Hornady	3,24	50,00	H 110	Hodgdon	0,71	11,00	CCI BR-4	RWS /U	47,40
26	DEVA	V-Max (22261)	Hornady	3,24	50,00	N 110	Vihtavuori	0,68	10,50	Federal 205 M	RWS /U	48,20
29	DEVA	Ballistic Tip (39526)	Nosler	3,56	55,00	PCL 512	PB Clermont	0,65	10,00	CCI BR-4	RWS /U	46,60

.22-250 Remington

86	DEVA	XS (22450)	Barnes	3,24	50,00	IMR 4895	IMR	2,33	36,00	WLR	Federal	60,80
90	DEVA	XS (22450)	Barnes	3,24	50,00	N 140	Vihtavuori	2,33	36,00	WLR	Federal	60,80
88	DEVA	V-Max (22261)	Hornady	3,24	50,00	N 150	Vihtavuori	2,46	38,00	WLR	Federal	59,60
89	DEVA	SBT (1330)	Sierra	3,24	50,00	N 140	Vihtavuori	2,41	37,20	RWS 5341	Federal	59,30
87	DEVA	XS (22453)	Barnes	3,43	53,00	N 150	Vihtavuori	2,40	37,00	WLR	Federal	61,50

2007-05-12 21:44:32

Seite 1

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
91	DEVA	XS (22453)	Barnes	3,43	53,00	PCL 507	PB Clermont	2,35	36,20	WLR	Federal	61,50
92	DEVA	Ballistic Tip (39526)	Nosler	3,56	55,00	202	Norma	2,27	35,00	CCI 200	Federal	62,30
93	DEVA	Ballistic Tip (39526)	Nosler	3,56	55,00	N 150	Vihtavuori	2,45	37,80	WLR	Federal	60,50
94	DEVA	SMP (1350)	Sierra	3,56	55,00	IMR 4895	IMR	2,33	35,90	Remington 9 1/2	Federal	59,50
95	DEVA	SP (2270)	Hornady	3,89	60,00	N 140	Vihtavuori	2,37	36,50	RWS 5341	Remington	60,70
96	DEVA	SMP (1370)	Sierra	4,08	63,00	H 380	Hodgdon	2,37	36,50	Federal 210 M	Federal	60,00
97	DEVA	SMP (1370)	Sierra	4,08	63,00	IMR 4064	IMR	2,29	35,30	Remington 9 1/2	Federal	60,00
99	DEVA	ABC	Hirtenberger	4,54	70,00	IMR 4831	IMR	2,49	38,50	Federal 210 M	Federal	61,00
98	DEVA	SSpSP (1053)	Speer	4,54	70,00	N 160	Vihtavuori	2,53	39,00	RWS 5341	Federal	60,00
100	DEVA	KS (2146231)	RWS	4,80	74,00	R 904	Rottweil	2,53	39,00	RWS 5341	Federal	60,50

.222 Remington

32	DEVA	V-Max (22241)	Hornady	2,59	40,00	Lov. S 060	Synthesia	1,49	23,00	RWS 4033	RWS	54,00
30	DEVA	TMH (2146347)	RWS	2,59	40,00	P 803	Rottweil	0,40	6,20	CCI 400	RWS	50,00
31	DEVA	TMH (2146347)	RWS	2,59	40,00	Ba 9	SNPE	0,40	6,20	Federal 205 M	Federal	50,00
33	DEVA	X BT	Barnes	2,92	45,00	IMR 4198	IMR	1,28	19,70	RWS 4033	RWS	54,00
35	DEVA	XS (22450)	Barnes	3,24	50,00	N 120	Vihtavuori	1,21	18,70	RWS 4033	RWS	54,00
1617	DEVA	Ballistic Silv. Tip (51010)	CT / Nosler	3,24	50,00	N 130	Vihtavuori	1,37	21,20	CCI BR-4	Norma	56,50
40	DEVA	SP (2245)	Hornady	3,24	50,00	R 902	Rottweil	1,44	22,20	RWS 4033	RWS	53,00
34	DEVA	V-Max (22261)	Hornady	3,24	50,00	N 130	Vihtavuori	1,36	21,00	RWS 4033	RWS	54,00

41	DEVA	Ballistic Tip (39522)	Nosler	3,24	50,00	201	Norma	1,43	22,00	Federal 205 M	Norma	56,20
38	DEVA	SPT (1330)	Sierra	3,24	50,00	IMR 4198	IMR	1,30	20,00	Remington 6 1/2	RWS	53,50
37	DEVA	SPT (1330)	Sierra	3,24	50,00	BL/C	Hodgdon	1,62	25,00	RWS 4033	RWS	53,50
39	DEVA	SPT (1330)	Sierra	3,24	50,00	N 125	Vihtavuori	1,20	18,50	RWS 4033	Sako	53,50
36	DEVA	SpSP (1023)	Speer	3,24	50,00	N 130	Vihtavuori	1,39	21,50	RWS 4033	RWS	53,00
44	DEVA	HP (2250)	Hornady	3,43	53,00	201	Norma	1,46	22,50	CCI 400	Sako	53,50
43	DEVA	HPBT (1410)	Sierra	3,37	52,00	N 130	Vihtavuori	1,36	21,00	Federal 205 M	Federal	55,00
42	DEVA	HP (1035)	Speer	3,37	52,00	200	Norma	1,25	19,30	CCI BR-4	RWS	53,00
1618	DEVA	RN 224 HS	H&N	3,56	55,00	N 110	Vihtavuori	0,91	14,00	CCI 400	Norma	53,00
47	DEVA	Ballistic Tip (39526)	Nosler	3,56	55,00	N 120	Vihtavuori	1,20	18,50	CCI BR-4	Hirtenberger	56,20
46	DEVA	Ballistic Tip (39526)	Nosler	3,56	55,00	R 901	Rottweil	1,35	20,90	HP 1205	Hirtenberger	56,20
45	DEVA	SBT (1365)	Sierra	3,56	55,00	Reloder 7	Alliant	1,30	20,00	CCI 400	Sako	52,50
82	DEVA	Partition (16316)	Nosler	3,89	60,00	N 135	Vihtavuori	1,30	20,00	CCI 400	RWS	53,50
48	DEVA	HP (2275)	Hornady	3,89	60,00	R 903	Rottweil	1,53	23,60	Norma SR	RWS	53,50

2007-05-12

21:44:32

Seite 2

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
.222 Remington Magnum												
50	DEVA	X BT	Barnes	2,92	45,00	BL-C (2)	Hodgdon	1,94	30,00	CCI BR-4	Remington	57,40
51	DEVA	X BT	Barnes	2,92	45,00	Reloder 7	Alliant	1,49	23,00	CCI BR-4	Remington	57,40
52	DEVA	SpSP (1023)	Speer	2,92	45,00	200	Norma	1,30	20,00	CCI 400	Sako	57,00
54	DEVA	XS (22450)	Barnes	3,24	50,00	H 335	Hodgdon	1,72	26,50	CCI 450	Remington	57,20
53	DEVA	XS (22450)	Barnes	3,24	50,00	N 120	Vihtavuori	1,39	21,50	CCI BR-4	Remington	57,20
55	DEVA	V-Max (22261)	Hornady	3,24	50,00	N 133	Vihtavuori	1,68	26,00	CCI 450	Remington	58,40
61	DEVA	PSP	Remington	3,24	50,00	N 130	Vihtavuori	1,68	26,00	RWS 4033	Sako	56,00
56	DEVA	SPT (1330)	Sierra	3,24	50,00	N 125	Vihtavuori	1,42	21,90	RWS 4033	Remington	57,20
59	DEVA	XS (22453)	Barnes	3,43	53,00	IMR 4895	IMR	1,68	26,00	CCI 450	Remington	58,30
58	DEVA	XS (22453)	Barnes	3,43	53,00	N 135	Vihtavuori	1,72	26,50	CCI 450	Remington	58,30

60	DEVA	SXSP (2260)	Hornady	3,56	55,00	748	Winchester	1,75	27,00	CCI 450	Remington	57,90
57	DEVA	PSP	Remington	3,56	55,00	N 130	Vihtavuori	1,62	25,00	RWS 4033	Sako	56,00
62	DEVA	TS	Sako	3,56	55,00	N 140	Vihtavuori	1,82	28,10	RWS 4033	Sako	56,50
63	DEVA	SP (2270)	Hornady	3,89	60,00	N 135	Vihtavuori	1,68	26,00	RWS 4033	Remington	57,00
64	DEVA	SMP (1370)	Sierra	4,08	63,00	R 903	Rottweil	1,72	26,50	RWS 4033	Sako	57,50

#### .223 Remington

66	DEVA	Ballistic Tip (39510)	Nosler	2,59	40,00	N 120	Vihtavuori	1,52	23,50	RWS 4033	RWS	57,00
65	DEVA	TMH (2146347)	RWS	2,59	40,00	PCL 512	PB Clermont	0,97	15,00	RWS 4033	RWS	52,50
67	DEVA	X BT	Barnes	2,92	45,00	N 120	Vihtavuori	1,43	22,00	RWS 4033	RWS	56,00
68	DEVA	SpSP (1023)	Speer	2,92	45,00	N 110	Vihtavuori	1,10	17,00	RWS 4033	RWS	54,00
73	DEVA	MJ (2145782)	RWS	2,98	46,00	R 902	Rottweil	1,61	24,80	RWS 4033	RWS	53,50
69	DEVA	XS (22450)	Barnes	3,24	50,00	N 130	Vihtavuori	1,59	24,50	RWS 4033	RWS	57,00
72	DEVA	V-Max (22261)	Hornady	3,24	50,00	N 130	Vihtavuori	1,56	24,00	RWS 4033	RWS	57,00
71	DEVA	V-Max (22261)	Hornady	3,24	50,00	PCL 508	PB Clermont	1,81	28,00	RWS 4033	RWS	57,00
70	DEVA	XS (22453)	Barnes	3,43	53,00	200	Norma	1,56	24,10	RWS 4033	RWS	57,40
74	DEVA	XS (22453)	Barnes	3,43	53,00	N 130	Vihtavuori	1,57	24,30	RWS 4033	RWS	57,40
1619	DEVA	RN 224 HS	H&N	3,56	55,00	N 110	Vihtavuori	0,65	10,00	CCI 400	RWS	55,50
1620	DEVA	RN 224 HS	H&N	3,56	55,00	N 110	Vihtavuori	0,97	15,00	CCI 400	RWS	55,50
79	DEVA	SXSP (2260)	Hornady	3,56	55,00	PCL 508	PB Clermont	1,72	26,50	RWS 4033	RWS	56,50
78	DEVA	Ballistic Tip (39526)	Nosler	3,56	55,00	R 901	Rottweil	1,55	23,90	HP 1205	Hirtenberger	57,20
75	DEVA	Ballistic Tip (39526)	Nosler	3,56	55,00	PCL 508	PB Clermont	1,81	28,00	RWS 4033	RWS	57,00
76	DEVA	Ballistic Tip (39526)	Nosler	3,56	55,00	N 130	Vihtavuori	1,57	24,20	RWS 4033	RWS	57,20

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
77	DEVA	Ballistic Tip (39526)	Nosler	3,56	55,00	201	Norma	1,56	24,00	WSR	Remington	57,20
81	DEVA	SBT (1365)	Sierra	3,56	55,00	IMR 3031	IMR	1,62	25,00	Remington 6 1/2	Remington	56,00
80	DEVA	SBT (1365)	Sierra	3,56	55,00	IMR 4198	Dupont	1,53	23,60	Remington 6 1/2	Sako	56,00
1621	DEVA	Partition (16316)	Nosler	3,89	60,00	N 133	Vihtavuori	1,52	23,50	CCI 400	RWS	57,00
83	DEVA	SP (2270)	Hornady	3,89	60,00	2460	Accurate	1,81	28,00	Remington 7 1/2	Remington	56,00
84	DEVA	SP (2270)	Hornady	3,89	60,00	BL/C	Hodgdon	1,81	28,00	RWS 4033	Hirtenberger	56,00
85	DEVA	SMP (1370)	Sierra	4,08	63,00	N 135	Vihtavuori	1,62	25,00	CCI 400	Winchester	58,00

#### .243 Winchester

195	DEVA	Ballistic Tip (24055)	Nosler	3,56	55,00	IMR 4320	IMR	2,79	43,00	WLR	RWS	65,00
196	DEVA	Ballistic Tip (24055)	Nosler	3,60	55,60	N 110	Vihtavuori	0,65	10,00	WLR	Samereier	65,00
194	DEVA	Ballistic Tip (24055)	Nosler	3,60	55,60	N 540	Vihtavuori	2,92	45,10	WLR	RWS	65,00
197	DEVA	HP	Berger	4,40	67,90	N 150	Vihtavuori	2,66	41,00	WLR	RWS	67,80
202	DEVA	SXSP (2415)	Hornady	4,54	70,00	N 150	Vihtavuori	2,69	41,50	WLR	RWS	66,00
198	DEVA	Ballistic Tip (39532)	Nosler	4,54	70,00	N 150	Vihtavuori	2,56	39,50	WLR	RWS	69,00
199	DEVA	HPBT (1505)	Sierra	4,54	70,00	N 140	Vihtavuori	2,59	40,00	CCI BR-2	RWS	66,50
200	DEVA	HPBT (1505)	Sierra	4,54	70,00	N 110	Vihtavuori	0,55	8,50	WLR	Samereier	65,30
201	DEVA	HPBT (1505)	Sierra	4,54	70,00	N 150	Vihtavuori	2,69	41,50	WLR	RWS	66,50
203	DEVA	HP (2420)	Hornady	4,90	75,60	R 904	Rottweil	2,97	45,80	RWS 5341	Norma	65,00
1622	DEVA	TSX BT (24341)	Barnes	5,51	85,00	MRP	Norma	2,85	44,00	CCI 200	Winchester	68,50
1623	DEVA	TSX BT (24341)	Barnes	5,51	85,00	N 160	Vihtavuori	2,59	40,00	CCI 200	Winchester	68,50
205	DEVA	X BT (24310)	Barnes	5,51	85,00	4350	Accurate	2,40	37,00	WLR	RWS	68,50
204	DEVA	X BT (24310)	Barnes	5,51	85,00	N 160	Vihtavuori	2,46	38,00	WLR	RWS	68,50
210	DEVA	ABC	Hirtenberger	5,51	85,00	R 904	Rottweil	2,64	40,70	HP 1215	Hirtenberger	63,50
211	DEVA	Solid Base (16341)	Nosler	5,51	85,00	IMR 4831	IMR	2,92	45,00	Federal 210 M	Federal	66,50
212	DEVA	Solid Base (16341)	Nosler	5,51	85,00	IMR 4831	IMR	2,92	45,00	RWS 5341	RWS	66,50
206	DEVA	HPBT (1530)	Sierra	5,51	85,00	MRP	Norma	3,11	48,00	Federal 210	Federal	65,00
207	DEVA	HPBT (1530)	Sierra	5,51	85,00	N 140	Vihtavuori	2,55	39,40	Remington 9 1/2	Winchester	65,00
208	DEVA	HPBT (1530)	Sierra	5,51	85,00	R 904	Rottweil	2,88	44,50	RWS 5341	Sako	65,00
209	DEVA	SPT (1520)	Sierra	5,51	85,00	N 140	Vihtavuori	2,33	36,00	RWS 5341	RWS	64,50
213	DEVA	SP (2440)	Hornady	5,64	87,00	IMR 4895	IMR	2,49	38,50	CCI 200	Winchester	65,50

214	DEVA	SP (2440)	Hornady	5,64	87,00	N 160	Vihtavuori	2,89	44,60	RWS 5341	Sako	65,50
1624	DEVA	Ballistic Tip (24090)	Nosler	5,83	90,00	MRP	Norma	2,88	44,50	CCI 200	Winchester	68,00
215	DEVA	FMJBT (1535)	Sierra	5,83	90,00	MRP	Norma	3,11	48,00	Federal 210 M	Federal	65,00
216	DEVA	SpSP (1217)	Speer	5,83	90,00	N 140	Vihtavuori	2,49	38,50	RWS 5341	RWS	67,00

2007-05-12

21:44:32

Seite 4

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
217	DEVA	SpSP (1217)	Speer	5,83	90,00	N 150	Vihtavuori	2,79	43,10	RWS 5341	RWS	67,00
218	DEVA	X	Barnes	6,16	95,00	204	Norma	2,49	38,50	WLR	RWS	67,50
220	DEVA	Partition (16315)	Nosler	6,16	95,00	IMR 4350	IMR	2,33	36,00	CCI 200	Norma	67,00
219	DEVA	Partition (16315)	Nosler	6,16	95,00	IMR 4831	IMR	2,59	40,00	RWS 5341	RWS	67,00
221	DEVA	KS (2146436)	RWS	6,22	96,00	R 905	Rottweil	2,85	44,00	RWS 5341	RWS	63,50
224	DEVA	SP (2450)	Hornady	6,48	100,00	R 904	Rottweil	2,77	42,70	CCI 200	RWS	66,50
223	DEVA	SP (2450)	Hornady	6,48	100,00	N 160	Vihtavuori	2,59	40,00	RWS 5341	Norma	66,50
226	DEVA	Solid Base (30390)	Nosler	6,48	100,00	R 905	Rottweil	2,86	44,10	HP 1215	Hirtenberger	67,00
225	DEVA	SMP (1550)	Sierra	6,48	100,00	204	Norma	2,66	41,00	CCI 200	Sako	66,50
222	DEVA	GSSP (1222)	Speer	6,48	100,00	N 560	Vihtavuori	2,84	43,80	RWS 5341	RWS	66,00
227	DEVA	PP	Winchester	6,48	100,00	760	Winchester	2,66	41,00	WLR	Winchester	68,00
231	DEVA	RSP (1223)	Speer	6,80	105,00	IMR 4831	IMR	2,68	41,40	RWS 5341	Remington	65,00
228	DEVA	RSP (1223)	Speer	6,80	105,00	N 160	Vihtavuori	2,62	40,40	RWS 5341	Remington	65,50
229	DEVA	RSP (1223)	Speer	6,80	105,00	R 904	Rottweil	2,79	43,00	RWS 5341	Remington	67,00
230	DEVA	RSP (1223)	Speer	6,80	105,00	R 910	Rottweil	1,17	18,00	RWS 5341	RWS	64,50

.270 Winchester

395	DEVA	HP (1800)	Sierra	5,83	90,00	IMR 4350	IMR	3,86	59,50	Federal 210 M	Federal	78,00
396	DEVA	SP (2710)	Hornady	6,48	100,00	R 907	Rottweil	3,60	55,50	CCI 200	RWS	81,50
397	DEVA	SP (2710)	Hornady	6,48	100,00	MRP	Norma	4,15	64,00	Remington 9 1/2	Browning	81,50
398	DEVA	SPT (1810)	Sierra	7,13	110,00	N 550	Vihtavuori	4,02	62,00	Federal 215	RWS	80,00
399	DEVA	X BT (27717)	Barnes	8,42	130,00	4350	Accurate	3,53	54,40	CCI BR-2	RWS	84,00

400	DEVA	Partition (16322)	Nosler	8,42	130,00	R 904	Rottweil	3,43	53,00	HP 1215	Hirtenberger	82,50
401	DEVA	CDP	SM-Thun	8,42	130,00	N 160	Vihtavuori	3,60	55,50	CCI 200	SM-Thun	82,00
404	DEVA	AF/SS	Swift	9,07	140,00	760	Winchester	3,34	51,50	RWS 5341	RWS	83,60
403	DEVA	AF/SS	Swift	9,07	140,00	H 4350	SCHodgdon	3,74	57,70	RWS 5341	RWS	83,60
402	DEVA	Fail Safe	Winchester	9,07	140,00	H 4350	SCHodgdon	3,54	54,60	RWS 5341	RWS	84,00
406	DEVA	SBT (1840)	Sierra	9,72	150,00	IMR 4831	IMR	3,50	54,00	Federal 210 M	Federal	83,90
405	DEVA	SBT (1840)	Sierra	9,72	150,00	4350	Accurate	3,43	53,00	Remington 9 1/2	Remington	83,90
408	DEVA	Partition (16324)	Nosler	10,37	160,00	IMR 4831	IMR	3,45	53,20	Federal 210 M	Federal	83,00
407	DEVA	Partition (16324)	Nosler	10,37	160,00	MRP	Norma	3,69	57,00	Federal 210 M	Federal	83,00

.30-06 Springfield

719	DEVA	RSP (1845)	Speer	7,13	110,00	IMR 3031	IMR	3,56	54,90	RWS 5341	RWS	72,00
-----	------	------------	-------	------	--------	----------	-----	------	-------	----------	-----	-------

2007-05-12

21:44:32

Seite 5

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
720	DEVA	Ballistic Tip (30125)	Nosler	8,10	125,00	N 110	Vihtavuori	0,91	14,00	WLR	Samereier	82,00
722	DEVA	VS	MEN	9,46	146,00	N 110	Vihtavuori	1,17	18,00	RWS 5341	RWS	83,00
723	DEVA	VS	MEN	9,46	146,00	N 110	Vihtavuori	1,56	24,00	RWS 5341	RWS	83,00
721	DEVA	VS	MEN	9,46	146,00	R 903	Rottweil	3,56	54,90	RWS 5341	RWS	83,00
727	DEVA	X BT (30817)	Barnes	9,72	150,00	H 4350	Hodgdon	3,76	58,00	WLR	RWS	83,00
725	DEVA	X BT (30817)	Barnes	9,72	150,00	IMR 4350	IMR	3,43	53,00	WLR	RWS	83,00
726	DEVA	X BT (30817)	Barnes	9,72	150,00	N 150	Vihtavuori	3,27	50,50	WLR	Norma	83,00
735	DEVA	FMJBT (3037)	Hornady	9,72	150,00	202	Norma	3,36	51,90	CCI 200	Remington	83,00
1629	DEVA	Interbond (30309)	Hornady	9,72	150,00	N 160	Vihtavuori	3,92	60,50	CCI 250	SM-Thun	84,50
1	DEVA	Partition (16329)	Nosler	9,72	150,00	IMR 4320	IMR	3,37	52,00	CCI 250	Norma	79,50
729	DEVA	Partition (16329)	Nosler	9,72	150,00	R 903	Rottweil	3,40	52,50	HP 1215	Hirtenberger	79,50
731	DEVA	TIG (2145480)	RWS	9,72	150,00	R 903	Rottweil	3,56	55,00	CCI 200	Norma	77,50
730	DEVA	TIG (2145480)	RWS	9,72	150,00	204	Norma	3,82	59,00	HP 1215	Norma	77,50
733	DEVA	TIG (2145480)	RWS	9,72	150,00	N 140	Vihtavuori	3,50	54,00	RWS 5341	Hirtenberger	77,00

732	DEVA	TIG (2145480)	RWS	9,72	150,00	R 907	Rottweil	3,60	55,50	RWS 5341	Hirtenberger	77,00
724	DEVA	SPT (2125)	Sierra	9,72	150,00	3100	Accurate	3,79	58,50	CCI 200	IMI	78,60
728	DEVA	SpSP (2023)	Speer	9,72	150,00	R 903	Rottweil	3,52	54,30	CCI 200	RWS	79,50
1625	DEVA	X BT (30827)	Barnes	10,69	165,00	N 160	Vihtavuori	3,53	54,50	WLR	Norma	83,00
1626	DEVA	X BT (30827)	Barnes	10,69	165,00	R 905	Rottweil	3,50	54,00	WLR	Norma	83,00
1627	DEVA	X LC BT (30857)	Barnes	10,69	165,00	IMR 4350	IMR	3,76	58,00	CCI BR-2	RWS	83,00
1628	DEVA	X LC BT (30857)	Barnes	10,69	165,00	N 160	Vihtavuori	3,76	58,00	CCI BR-2	RWS	83,00
1630	DEVA	X LC BT (30857)	Barnes	10,69	165,00	N 550	Vihtavuori	3,56	55,00	WLR	Norma	83,00
1631	DEVA	ABC	Hirtenberger	10,69	165,00	R 904	Rottweil	3,52	54,30	HP 1215	Hirtenberger	84,50
738	DEVA	BT SP (3045)	Hornady	10,69	165,00	204	Norma	3,82	59,00	Federal 210 M	Remington	82,50
737	DEVA	BT SP (3045)	Hornady	10,69	165,00	IMR 4350	IMR	3,73	57,50	Remington 9 1/2	RWS	82,00
1632	DEVA	Interbond (30459)	Hornady	10,69	165,00	N 160	Vihtavuori	3,76	58,00	CCI 250	SM-Thun	84,50
1633	DEVA	Ballistic Tip (30165)	Nosler	10,69	165,00	N 160	Vihtavuori	3,95	61,00	RWS 5341	Norma	84,50
1634	DEVA	Ballistic Tip (30165)	Nosler	10,69	165,00	R 904	Rottweil	3,78	58,30	CCI 250	Federal	84,50
736	DEVA	Partition (16330)	Nosler	10,69	165,00	N 160	Vihtavuori	3,89	60,00	CCI 200	Norma	81,00
1635	DEVA	DK (2146045)	RWS	10,69	165,00	H 4350	Hodgdon	3,69	57,00	WLR	RWS	77,00
1636	DEVA	SBT (2145)	Sierra	10,69	165,00	N 150	Vihtavuori	3,40	52,50	CCI BR-2	RWS	81,00
1637	DEVA	CDP	SM-Thun	10,69	165,00	N 160	Vihtavuori	3,69	57,00	CCI 200	SM-Thun	82,20
740	DEVA	SpSP (2035)	Speer	10,69	165,00	R 904	Rottweil	3,79	58,50	CCI 200	Norma	81,00
739	DEVA	SpSP (2035)	Speer	10,69	165,00	H 380	Hodgdon	3,69	57,00	RWS 5341	RWS	81,00
1638	DEVA	AF/SS	Swift	10,69	165,00	760	Winchester	3,66	56,50	WLR	Norma	80,50

2007-05-12

21:44:32

Seite 6

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1639	DEVA	AF/SS	Swift	10,69	165,00	N 550	Vihtavuori	3,50	54,00	WLR	Norma	80,50
1640	DEVA	SN	Woddleigh	10,69	165,00	N 150	Vihtavuori	3,30	51,00	WLR	Norma	82,00
1641	DEVA	SN	Woddleigh	10,69	165,00	N 550	Vihtavuori	3,53	54,50	WLR	Norma	81,00
1642	DEVA	HPBT (2200)	Sierra	10,89	168,00	Tubal 3000	SNPE	2,98	46,00	CCI 200	Norma	85,20
1643	DEVA	Partition (16333)	Nosler	11,02	170,00	R 904	Rottweil	3,76	58,00	CCI 200	Norma	77,50



1644	DEVA	X BT (30840)	Barnes	11,66	180,00	N 560	Vihtavuori	3,69	57,00	WLR	Norma	82,00
1645	DEVA	Ballistic Silv. Tip (51170)	CT / Nosler	11,66	180,00	N 160	Vihtavuori	3,76	58,00	CCI BR-2	RWS	83,00
1646	DEVA	SP (3070)	Hornady	11,66	180,00	204	Norma	3,64	56,20	RWS 5341	Remington	82,00
1647	DEVA	Oryx (67638)	Norma	11,66	180,00	N 160	Vihtavuori	3,63	56,00	WLR	Norma	81,00
1648	DEVA	Vulkan (67653)	Norma	11,66	180,00	N 560	Vihtavuori	3,82	59,00	CCI 200	RWS	82,50
1649	DEVA	Vulkan (67653)	Norma	11,66	180,00	R 903	Rottweil	3,24	50,00	RWS 5341	RWS	82,20
1650	DEVA	Ballistic Tip (30180)	Nosler	11,66	180,00	MRP	Norma	4,05	62,50	RWS 5341	Norma	82,00
1651	DEVA	Ballistic Tip (30180)	Nosler	11,66	180,00	N 160	Vihtavuori	3,69	57,00	RWS 5341	Norma	82,50
1652	DEVA	Ballistic Tip (30180)	Nosler	11,66	180,00	R 904	Rottweil	3,63	56,00	RWS 5341	RWS	82,00
1653	DEVA	Partition (16331)	Nosler	11,66	180,00	N 160	Vihtavuori	3,50	54,00	CCI BR-2	RWS	82,00
1654	DEVA	Partition (16331)	Nosler	11,66	180,00	R 904	Rottweil	3,50	54,00	HP 1215	Hirtenberger	82,60
1655	DEVA	Partition (16331)	Nosler	11,66	180,00	MRP	Norma	3,92	60,50	RWS 5341	RWS	82,00
702	DEVA	Partition (16331)	Nosler	11,66	180,00	R 903	Rottweil	3,16	48,80	RWS 5341	Winchester	82,00
701	DEVA	SPT (2150)	Sierra	11,66	180,00	IMR 4350	IMR	3,69	57,00	RWS 5341	Norma	82,50
700	DEVA	SpSP (2053)	Speer	11,66	180,00	MRP	Norma	3,84	59,20	RWS 5341	Winchester	82,00
699	DEVA	SpSP (2053)	Speer	11,66	180,00	N 150	Vihtavuori	3,59	55,40	RWS 5341	RWS	81,00
698	DEVA	AF/SS	Swift	11,66	180,00	N 560	Vihtavuori	3,86	59,50	WLR	Norma	81,00
703	DEVA	SN	Woddleigh	11,66	180,00	4350	Accurate	3,43	53,00	WLR	Norma	81,50
694	DEVA	Naturalis (N 505)	Lapua	11,73	181,00	N 160	Vihtavuori	3,63	56,00	CCI 250	SM-Thun	84,00
689	DEVA	TUG (2145499)	RWS	11,73	181,00	204	Norma	3,59	55,40	RWS 5341	RWS	80,00
690	DEVA	TUG (2145499)	RWS	11,73	181,00	MRP	Norma	3,98	61,40	RWS 5341	RWS	80,50
695	DEVA	TUG (2145499)	RWS	11,73	181,00	R 903	Rottweil	3,24	50,00	RWS 5341	Norma	80,50
697	DEVA	TUG (2145499)	RWS	11,73	181,00	N 160	Vihtavuori	3,79	58,50	WLR	Norma	80,00
696	DEVA	MEGA (E 401)	Lapua	12,96	200,00	N 160	Vihtavuori	3,56	55,00	WLR	RWS	80,20
686	DEVA	Partition (35626)	Nosler	12,96	200,00	MRP	Norma	3,79	58,50	RWS 5333	Norma	83,00
691	DEVA	Partition (35626)	Nosler	12,96	200,00	IMR 4350	IMR	3,54	54,60	RWS 5341	RWS	83,00
693	DEVA	RN (3090)	Hornady	14,26	220,00	IMR 4350	IMR	3,40	52,50	RWS 5341	RWS	82,00
692	DEVA	RN (3090)	Hornady	14,26	220,00	R 904	Rottweil	3,30	51,00	WLR	RWS	82,00
654	DEVA	Partition (16332)	Nosler	14,26	220,00	IMR 4831	IMR	3,55	54,80	RWS 5341	Hirtenberger	82,50

21:44:32

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
.30-30 Winchester												
644	DEVA	RK 308 HS	H&N	7,13	110,00	N 110	Vihtavuori	1,04	16,00	CCI 200	Norma	60,70
645	DEVA	RK 308 HS	H&N	7,13	110,00	PCL 512	PB Clermont	1,04	16,00	CCI 200	Norma	60,70
646	DEVA	SP (3010)	Hornady	7,13	110,00	N 130	Vihtavuori	2,20	34,00	RWS 5341	Norma	64,50
647	DEVA	HP (2005)	Speer	8,42	130,00	IMR 4895	IMR	2,33	36,00	Norma LR	Norma	65,00
650	DEVA	RN (3035)	Hornady	9,72	150,00	N 140	Vihtavuori	2,27	35,00	Norma LR	Norma	65,00
648	DEVA	SP FN (67630)	Norma	9,72	150,00	N 133	Vihtavuori	2,16	33,30	CCI 200	Norma	64,00
649	DEVA	SP FN (67630)	Norma	9,72	150,00	R 902	Rottweil	2,07	32,00	RWS 5341	Norma	62,50
652	DEVA	RK 308 HS	H&N	10,69	165,00	296	Winchester	0,97	15,00	CCI 200	Norma	64,00
651	DEVA	RK 308 HS	H&N	10,69	165,00	N 110	Vihtavuori	0,97	15,00	CCI 200	Norma	64,00
653	DEVA	RK 308 HS	H&N	10,69	165,00	PCL 512	PB Clermont	0,94	14,50	CCI 200	Norma	64,00
.300 H & H Magnum												
859	DEVA	X BT (30817)	Barnes	9,72	150,00	N 560	Vihtavuori	4,65	71,70	CCI 250	Remington	91,00
860	DEVA	KS (2146304)	RWS	9,72	150,00	R 907	Rottweil	4,47	69,00	RWS 5341	Winchester	88,50
861	DEVA	TIG (2145480)	RWS	9,72	150,00	204	Norma	4,54	70,00	RWS 5333	Remington	87,50
862	DEVA	TIG (2145480)	RWS	9,72	150,00	R 904	Rottweil	4,37	67,50	RWS 5333	Remington	87,50
863	DEVA	X BT (30827)	Barnes	10,69	165,00	N 165	Vihtavuori	4,80	74,00	CCI 250	Remington	91,40
864	DEVA	SpSP (2035)	Speer	10,69	165,00	N 140	Vihtavuori	4,08	63,00	RWS 5341	Winchester	90,00
865	DEVA	X BT (30840)	Barnes	11,66	180,00	N 165	Vihtavuori	4,55	70,20	CCI 250	Remington	91,30
866	DEVA	Ballistic Tip (30180)	Nosler	11,66	180,00	N 165	Vihtavuori	4,54	70,00	CCI 250	Remington	91,00
867	DEVA	Partition (16331)	Nosler	11,66	180,00	N 165	Vihtavuori	4,48	69,20	CCI 250	Remington	91,00
871	DEVA	SpSP (2053)	Speer	11,66	180,00	IMR 4350	IMR	4,15	64,00	CCI 200	Remington	91,00
872	DEVA	SpSP (2053)	Speer	11,66	180,00	IMR 4895	IMR	3,56	55,00	CCI 250	Winchester	91,00
868	DEVA	AF/SS	Swift	11,66	180,00	N 165	Vihtavuori	4,41	68,00	CCI 250	Remington	90,00

869	DEVA	Fail Safe	Winchester	11,66	180,00	PCL 517	PB Clermont	4,71	72,70	CCI 250	Winchester	91,00
870	DEVA	SN	Woodleigh	11,66	180,00	N 165	Vihtavuori	4,47	69,00	CCI 250	Remington	91,00
873	DEVA	HMK (2146010)	RWS	11,73	181,00	R 904	Rottweil	4,54	70,00	RWS 5341	Winchester	91,00
875	DEVA	TUG (2145499)	RWS	11,73	181,00	MRP	Norma	4,83	74,50	RWS 5333	Winchester	91,00
874	DEVA	TUG (2145499)	RWS	11,73	181,00	R 905	Rottweil	4,60	71,00	RWS 5333	Winchester	91,00
876	DEVA	SpSP (2211)	Speer	12,96	200,00	R 905	Rottweil	4,62	71,30	RWS 5333	Winchester	89,00
877	DEVA	RN (3090)	Hornady	14,26	220,00	N 165	Vihtavuori	4,34	67,00	CCI 250	Winchester	90,50

.300 Weatherby Magnum

2007-05-12

21:44:32

Seite 8

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
837	DEVA	SP (3010)	Hornady	7,10	110,00	MRP	Norma	6,09	94,00	Federal 215	Weatherby	86,50
841	DEVA	X BT (30817)	Barnes	9,72	150,00	R 905	Rottweil	5,51	85,00	WLRM	Weatherby	89,70
840	DEVA	X BT (30817)	Barnes	9,72	150,00	WMR	Winchester	5,66	87,30	WLRM	Weatherby	89,70
838	DEVA	SP (3031)	Hornady	9,72	150,00	MRP	Norma	5,41	83,50	RWS 5333	Weatherby	88,50
839	DEVA	MT-SP (2025)	Speer	9,72	150,00	IMR 4831	IMR	5,28	81,50	RWS 5333	Weatherby	88,00
843	DEVA	Partition (16330)	Nosler	10,69	165,00	MRP	Norma	5,37	82,90	RWS 5333	Weatherby	91,00
842	DEVA	SN	Woodleigh	10,69	165,00	Reloder 22	Alliant	5,67	87,50	WLRM	Weatherby	90,20
844	DEVA	X BT (30840)	Barnes	11,66	180,00	MRP	Norma	5,18	80,00	Federal 215	Remington	90,40
845	DEVA	X BT (30840)	Barnes	11,66	180,00	N 165	Vihtavuori	5,48	84,60	WLRM	Weatherby	90,40
849	DEVA	Partition (16331)	Nosler	11,66	180,00	R 905	Rottweil	5,09	78,60	Federal 215	Weatherby	91,00
852	DEVA	TUG (2145499)	RWS	11,66	180,00	MRP	Norma	5,24	80,90	RWS 5333	Weatherby	89,50
846	DEVA	AF/SS	Swift	11,66	180,00	N 165	Vihtavuori	5,50	84,80	WLRM	Weatherby	89,20
847	DEVA	Fail Safe	Winchester	11,66	180,00	IMR 7828	IMR	5,53	85,30	WLRM	Weatherby	90,40
848	DEVA	SN	Woodleigh	11,66	180,00	IMR 7828	IMR	5,54	85,50	WLRM	Weatherby	90,40
850	DEVA	HMK (2146010)	RWS	11,73	181,00	IMR 4831	IMR	4,93	76,10	RWS 5333	Weatherby	90,30
851	DEVA	TUG (2145499)	RWS	11,73	181,00	R 905	Rottweil	5,18	80,00	RWS 5333	Weatherby	89,50

855	DEVA	Partition (35626)	Nosler	12,96	200,00	R 905	Rottweil	4,95	76,40	CCI 250	Weatherby	91,50
856	DEVA	Partition (35626)	Nosler	12,96	200,00	H 870	Hodgdon	6,03	93,10	RWS 5333	Norma	91,50
857	DEVA	SpSP (2211)	Speer	12,96	200,00	IMR 4831	IMR	4,92	76,00	RWS 5333	Weatherby	91,50
853	DEVA	AF/SS	Swift	12,96	200,00	MRP	Norma	5,18	80,00	WLRM	Weatherby	91,00
854	DEVA	AF/SS	Swift	12,96	200,00	WMR	Winchester	5,25	81,00	WLRM	Weatherby	89,50
858	DEVA	SN	Woodleigh	14,26	220,00	IMR 7828	IMR	5,31	82,00	WLRM	Weatherby	90,40

#### .300 Winchester Magnum

773	DEVA	TSX BT (30841)	Barnes	9,72	150,00	N 160	Vihtavuori	4,73	73,00	CCI 250	Norma	84,00
741	DEVA	X BT (30817)	Barnes	9,72	150,00	MRP	Norma	4,86	75,00	WLRM	Winchester	87,00
742	DEVA	X BT (30817)	Barnes	9,72	150,00	R 905	Rottweil	4,80	74,00	WLRM	Federal	86,50
685	DEVA	Interbond (30309)	Hornady	9,72	150,00	N 160	Vihtavuori	4,80	74,00	CCI 250	Norma	84,00
745	DEVA	Partition (16329)	Nosler	9,72	150,00	R 905	Rottweil	4,86	75,00	HP 1215	Hirtenberger	84,00
743	DEVA	TIG (2145480)	RWS	9,72	150,00	N 160	Vihtavuori	4,92	76,00	RWS 5333	Hirtenberger	83,50
744	DEVA	TIG (2145480)	RWS	9,72	150,00	R 905	Rottweil	5,18	80,00	RWS 5333	Hirtenberger	83,50
746	DEVA	X BT (30827)	Barnes	10,69	165,00	MRP	Norma	4,67	72,00	WLRM	Winchester	87,00
756	DEVA	ABC	Hirtenberger	10,69	165,00	R 905	Rottweil	4,40	67,90	HP 1215	Hirtenberger	83,00
749	DEVA	BTSP (3045)	Hornady	10,69	165,00	IMR 4350	IMR	4,63	71,50	Remington 9 1/2 M	Remington	85,00
750	DEVA	BTSP (3045)	Hornady	10,69	165,00	IMR 4831	IMR	4,56	70,30	Remington 9 1/2 M	Hirtenberger	85,00

2007-05-12

21:44:32

Seite 9

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
684	DEVA	Interbond (30459)	Hornady	10,69	165,00	R 905	Rottweil	4,73	73,00	CCI 250	Norma	84,50
755	DEVA	Partition (16330)	Nosler	10,69	165,00	R 905	Rottweil	4,99	77,00	RWS 5333	Remington	85,50
758	DEVA	HPBT (2140)	Sierra	10,69	165,00	8700	Accurate	5,44	84,00	CCI 250	Remington	86,20
759	DEVA	CDP	SM-Thun	10,69	165,00	N 165	Vihtavuori	4,60	71,00	CCI 250	SM-Thun	84,00
751	DEVA	SpSP (2034)	Speer	10,69	165,00	R 910	Rottweil	2,14	33,00	RWS 5333	Hirtenberger	87,00
754	DEVA	SpSP (2035)	Speer	10,69	165,00	MRP	Norma	5,05	78,00	CCI 250	Winchester	85,50
752	DEVA	SpSP (2035)	Speer	10,69	165,00	H 4831	Hodgdon	4,64	71,60	RWS 5333	Hirtenberger	85,50

753	DEVA	SpSP (2035)	Speer	10,69	165,00	N 160	Vihtavuori	4,98	76,80	RWS 5333	Remington	85,50
747	DEVA	AF/SS	Swift	10,69	165,00	MRP	Norma	4,80	74,00	WLRM	Winchester	84,00
748	DEVA	AF/SS	Swift	10,69	165,00	R 905	Rottweil	4,76	73,50	WLRM	Winchester	84,00
757	DEVA	Fail Safe	Winchester	10,69	165,00	WMR	Winchester	5,09	78,50	WLRM	Winchester	88,70
680	DEVA	TSX BT (30844)	Barnes	10,89	168,00	R 905	Rottweil	4,67	72,00	CCI 250	Norma	84,50
760	DEVA	HPBT (2200)	Sierra	10,89	168,00	Tubal 8000	SNPE	4,80	74,00	Remington 9 1/2	Remington	88,60
767	DEVA	X BT (30840)	Barnes	11,66	180,00	H 4831 SC	Hodgdon	4,60	71,00	WLRM	Winchester	87,00
766	DEVA	X BT (30840)	Barnes	11,66	180,00	R 905	Rottweil	4,28	66,00	WLRM	Winchester	87,00
771	DEVA	SP (3070)	Hornady	11,66	180,00	N 160	Vihtavuori	4,73	73,00	RWS 5333	Remington	86,50
770	DEVA	SP (3070)	Hornady	11,66	180,00	N 165	Vihtavuori	4,81	74,30	RWS 5333	Remington	86,00
762	DEVA	Oryx (67638)	Norma	11,66	180,00	MRP	Norma	4,86	75,00	CCI 250	Winchester	84,00
763	DEVA	Oryx (67638)	Norma	11,66	180,00	N 165	Vihtavuori	4,67	72,00	CCI 250	Winchester	84,00
761	DEVA	Oryx (67638)	Norma	11,66	180,00	MRP	Norma	4,76	73,50	RWS 5333	RWS	84,00
679	DEVA	SPSP (67625)	Norma	11,66	180,00	IMR 4350	IMR	4,48	69,10	RWS 5333	Hirtenberger	85,00
665	DEVA	Vulkan (67653)	Norma	11,66	180,00	MRP	Norma	4,63	71,50	CCI 250	RWS	84,00
769	DEVA	Ballistic Tip (30180)	Nosler	11,66	180,00	N 560	Vihtavuori	4,60	71,00	CCI 250	Federal	89,50
774	DEVA	Partition (16331)	Nosler	11,66	180,00	N 160	Vihtavuori	4,47	69,00	RWS 5333	Remington	86,00
775	DEVA	Partition (16331)	Nosler	11,66	180,00	R 905	Rottweil	4,79	73,90	RWS 5333	Remington	86,00
768	DEVA	SPT (2150)	Sierra	11,66	180,00	Reloder 22	Alliant	4,83	74,50	Federal 215	PMC	86,00
772	DEVA	GSSP (2063)	Speer	11,66	180,00	MRP	Norma	4,90	75,60	RWS 5333	Remington	86,00
765	DEVA	AF/SS	Swift	11,66	180,00	Reloder 22	Alliant	4,86	75,00	WLRM	Winchester	84,00
776	DEVA	Fail Safe	Winchester	11,66	180,00	MRP	Norma	4,53	69,90	CCI 250	MEN	85,80
777	DEVA	Fail Safe	Winchester	11,66	180,00	N 165	Vihtavuori	4,92	76,00	CCI 250	MEN	85,80
661	DEVA	Fail Safe	Winchester	11,66	180,00	WMR	Winchester	4,89	75,50	WLRM	Winchester	88,70
764	DEVA	SN	Woodleigh	11,66	180,00	H 1000	Hodgdon	5,25	81,00	CCI 250	Winchester	84,00
660	DEVA	Naturalis (N 505)	Lapua	11,73	181,00	MRP	Norma	4,54	70,00	CCI 250	RWS	84,00
779	DEVA	TUG (2145499)	RWS	11,73	181,00	N 160	Vihtavuori	4,50	69,40	RWS 5333	Winchester	84,00
778	DEVA	TUG (2145499)	RWS	11,73	181,00	R 905	Rottweil	4,69	72,40	RWS 5333	Winchester	84,00

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
780	DEVA	Mega (E 415)	Lapua	11,99	185,00	MRP	Norma	4,67	72,00	RWS 5333	RWS	84,00
781	DEVA	MEGA (E 401)	Lapua	12,96	200,00	MRP	Norma	4,41	68,00	CCI 250	RWS	84,00
782	DEVA	MEGA (E 401)	Lapua	12,96	200,00	WMR	Winchester	4,67	72,00	RWS 5333	RWS	84,00
655	DEVA	AccuBond (54618)	Nosler	12,96	200,00	MRP	Norma	4,41	68,00	CCI 250	RWS	84,50
789	DEVA	Partition (35626)	Nosler	12,96	200,00	H 870	Hodgdon	5,31	81,90	RWS 5333	Hirtenberger	86,00
788	DEVA	Partition (35626)	Nosler	12,96	200,00	N 160	Vihtavuori	4,08	63,00	RWS 5333	Remington	86,00
787	DEVA	Partition (35626)	Nosler	12,96	200,00	R 905	Rottweil	4,56	70,30	RWS 5333	Winchester	86,00
783	DEVA	HPBT (2230)	Sierra	12,96	200,00	Reloder 22	Alliant	4,76	73,50	CCI 250	Remington	89,00
786	DEVA	SpSP (2211)	Speer	12,96	200,00	IMR 4831	IMR	4,62	71,30	RWS 5333	Winchester	85,50
784	DEVA	AF/SS	Swift	12,96	200,00	MRP	Norma	4,47	69,00	CCI 250	RWS	84,00
785	DEVA	AF/SS	Swift	12,96	200,00	PCL 517	PB Clermont	5,18	80,00	CCI 250	Winchester	84,00
791	DEVA	RN (3090)	Hornady	14,26	220,00	R 905	Rottweil	4,56	70,40	CCI 250	Winchester	85,00
790	DEVA	RN (3090)	Hornady	14,26	220,00	N 160	Vihtavuori	4,15	64,00	RWS 5333	Remington	85,00
792	DEVA	Partition (16332)	Nosler	14,26	220,00	Reloder 22	Alliant	4,41	68,00	RWS 5333	RWS	85,00
793	DEVA	SN	Woodleigh	14,26	220,00	PCL 517	PB Clermont	4,86	75,00	CCI 250	Winchester	84,50

### .300 Winchester Short Magnum

9	DEVA	V-Max (22241)	Hornady	2,59	40,00	H 110	Hodgdon	0,65	10,00	Federal 205 M	RWS	46,30
1759	DEVA	TSX BT (30841)	Barnes	9,72	150,00	N 150	Vihtavuori	3,82	59,00	CCI 250	Norma	72,00
10	DEVA	SST (30452)	Hornady	11,66	180,00	N 160	Vihtavuori	4,34	67,00	Federal 205 M	Remington	76,00
1760	DEVA	Interbond (30309)	Hornady	9,72	150,00	N 150	Vihtavuori	3,89	60,00	CCI 250	Norma	72,00
20	DEVA	Ballistic Tip (39510)	Nosler	2,59	40,00	N 110	Vihtavuori	0,61	9,40	Federal 205 M	Sako	48,50
1761	DEVA	X BT (30827)	Barnes	10,69	165,00	R 904	Rottweil	4,28	66,00	CCI 250	Norma	72,00
1762	DEVA	Interbond (30459)	Hornady	10,69	165,00	N 550	Vihtavuori	3,95	61,00	CCI 250	Norma	72,00
1763	DEVA	SST (30452)	Hornady	10,69	165,00	N 550	Vihtavuori	4,02	62,00	CCI 250	Norma	72,00
1764	DEVA	TSX BT (30844)	Barnes	10,89	168,00	N 160	Vihtavuori	4,28	66,00	CCI 250	Norma	72,10
1765	DEVA	Oryx (67638)	Norma	11,66	180,00	204	Norma	4,05	62,50	CCI 250	Norma	72,00

1766	DEVA	Ballistic Tip (30180)	Nosler	11,66	180,00	N 160	Vihtavuori	4,21	65,00	CCI 250	Norma	72,50
1767	DEVA	Partition (16331)	Nosler	11,66	180,00	N 160	Vihtavuori	4,21	65,00	CCI 250	Norma	72,50
1768	DEVA	SBT (2160)	Sierra	11,66	180,00	N 560	Vihtavuori	4,47	69,00	CCI 250	Norma	72,50
1769	DEVA	AccuBond (54618)	Nosler	12,96	200,00	N 160	Vihtavuori	4,08	63,00	CCI 250	Norma	72,50
734	DWJ 05-2006	KS (2146304)	RWS	9,72	150,00	N 140	Vihtavuori	3,37	52,00	RWS 5341	Norma	76,50
1792	DEVA	TUG (2145502)	RWS	18,99	293,00	N 540	Vihtavuori	3,63	56,00	RWS 5341	RWS	95,80

2007-05-12  
21:44:32

Seite 11

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
.303 British												
885	DEVA	SP (3120)	Hornady	9,72	150,00	N 133	Vihtavuori	2,70	41,70	CCI 200	Norma	76,00
883	DEVA	SP	PMP	9,72	150,00	N 133	Vihtavuori	2,74	42,30	CCI 200	Norma	75,00
884	DEVA	SpSP (2217)	Speer	9,72	150,00	N 140	Vihtavuori	3,05	47,00	CCI 200	Remington	74,00
886	DEVA	RN (3130)	Hornady	11,28	174,00	N 140	Vihtavuori	2,90	44,80	CCI 200	Norma	74,00
887	DEVA	FJBT	PMP	11,28	174,00	202	Norma	2,81	43,30	CCI 200	Norma	76,50
888	DEVA	RNSP (2223)	Speer	11,66	180,00	2520	Accurate	2,98	46,00	CCI 200	Remington	74,50
889	DEVA	RN	Woodleigh	13,93	215,00	202	Norma	2,66	41,00	CCI 200	Norma	78,00

.308 Winchester

1656	DEVA	RK 308 HS	H&N	7,13	110,00	Unique	Alliant	0,37	5,70	RWS 5341	RWS	62,00
1657	DEVA	SP (3010)	Hornady	7,13	110,00	2520	Accurate	2,98	46,00	CCI 200	Geco	67,00
1658	DEVA	SP (3010)	Hornady	7,13	110,00	H 4895	Hodgdon	2,46	38,00	CCI 200	Geco	67,50
656	DEVA	SpSP (1855)	Speer	7,13	110,00	R 902	Rottweil	2,92	45,00	RWS 5341	RWS	64,70
657	DEVA	VS (S 374)	Lapua	7,97	123,00	R 902	Rottweil	2,88	44,40	Federal 210	Norma	66,00
658	DEVA	Ballistic Tip (30125)	Nosler	8,10	125,00	N 110	Vihtavuori	0,91	14,00	CCI 200	Samereier	68,50
1659	DEVA	Ballistic Tip (30125)	Nosler	8,10	125,00	PCL 507	PB Clermont	3,24	50,00	CCI BR-2	Lapua	72,00

1660	DEVA	X LC BT (30851)	Barnes	8,42	130,00	N 135	Vihtavuori	2,98	46,00	CCI 200	Geco	69,50
659	DEVA	HP (2005)	Speer	8,42	130,00	Reloder 7	Alliant	2,53	39,00	CCI 200	RWS	66,00
1661	DEVA	TSX BT (30841)	Barnes	9,72	150,00	N 150	Vihtavuori	3,05	47,00	CCI 200	Geco	71,00
1662	DEVA	X BT (30817)	Barnes	9,72	150,00	IMR 4320	IMR	2,90	44,70	CCI 200	RWS	70,00
678	DEVA	RN (3035)	Hornady	9,72	150,00	202	Norma	3,05	47,00	RWS 5341	RWS	66,00
663	DEVA	SP (3031)	Hornady	9,72	150,00	2520	Accurate	3,01	46,50	CCI 200	Remington	70,20
664	DEVA	SP (3031)	Hornady	9,72	150,00	N 140	Vihtavuori	2,95	45,50	RWS 5341	RWS	68,00
1663	DEVA	SP (3031)	Hornady	9,72	150,00	N 150	Vihtavuori	3,18	49,00	CCI BR-2	Lapua	70,00
1664	DEVA	SST (3041)	Hornady	9,72	150,00	N 150	Vihtavuori	3,18	49,00	CCI BR-2	Lapua	70,50
675	DEVA	Ballistic Tip (30150)	Nosler	9,72	150,00	202	Norma	3,05	47,00	RWS 5341	RWS	72,00
674	DEVA	Ballistic Tip (30150)	Nosler	9,72	150,00	N 140	Vihtavuori	2,98	46,00	RWS 5341	RWS	72,00
1665	DEVA	Ballistic Tip (30150)	Nosler	9,72	150,00	N 135	Vihtavuori	2,85	44,00	CCI BR-2	RWS	72,00
1666	DEVA	Ballistic Tip (30150)	Nosler	9,72	150,00	N 150	Vihtavuori	3,05	47,00	CCI BR-2	RWS	72,20
1667	DEVA	Partition (16329)	Nosler	9,72	150,00	R 902	Rottweil	2,88	44,50	HP 1215	Hirtenberger	69,00
1668	DEVA	Partition (16329)	Nosler	9,72	150,00	N 150	Vihtavuori	3,14	48,50	CCI BR-2	Lapua	70,00
1669	DEVA	Partition (16329)	Nosler	9,72	150,00	N 150	Vihtavuori	3,11	48,00	CCI 200	Lapua	71,00
673	DEVA	Partition (16329)	Nosler	9,72	150,00	202	Norma	2,92	45,00	CCI 200	Lapua	71,00

2007-05-12  
21:44:32

Seite 12

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
676	DEVA	Solid Base (27538)	Nosler	9,72	150,00	N 135	Vihtavuori	2,88	44,40	RWS 5341	Norma	71,50
677	DEVA	Solid Base (27538)	Nosler	9,72	150,00	R 903	Rottweil	3,08	47,50	RWS 5341	RWS	69,00
667	DEVA	KS (2146304)	RWS	9,72	150,00	R 902	Rottweil	2,92	45,00	RWS 5341	RWS	68,50
666	DEVA	KS (2146304)	RWS	9,72	150,00	748	Winchester	3,08	47,50	WLR	RWS	69,20
670	DEVA	TIG (2145480)	RWS	9,72	150,00	N 140	Vihtavuori	2,98	46,00	RWS 5341	Hirtenberger	67,50
671	DEVA	TIG (2145480)	RWS	9,72	150,00	R 902	Rottweil	2,92	45,00	RWS 5341	RWS	68,50
672	DEVA	TIG (2145480)	RWS	9,72	150,00	R 903	Rottweil	3,01	46,50	RWS 5341	Hirtenberger	67,50
1699	DEVA	HPBT (2190)	Sierra	9,72	150,00	R 902	Rottweil	2,78	42,90	CCI 200	RWS	70,00
669	DEVA	SpSP (2023)	Speer	9,72	150,00	H 335	Hodgdon	2,85	44,00	RWS 5341	RWS	68,00



668	DEVA	SpSP (2023)	Speer	9,72	150,00	N 135	Vihtavuori	2,82	43,50	RWS 5341	RWS	68,00
1670	DEVA	Silvertip	Winchester	9,72	150,00	748	Winchester	3,11	48,00	WLR	Winchester	70,00
662	DEVA	X BT (30827)	Barnes	10,69	165,00	N 150	Vihtavuori	2,86	44,20	CCI 200	RWS	71,00
1671	DEVA	RK 308 HS	H&N	10,69	165,00	N 110	Vihtavuori	1,13	17,50	CCI 200	RWS	68,00
687	DEVA	ABC	Hirtenberger	10,69	165,00	R 903	Rottweil	2,79	43,00	HP 1215	Hirtenberger	65,00
1672	DEVA	SP (3040)	Hornady	10,69	165,00	N 150	Vihtavuori	3,08	47,50	CCI BR-2	Lapua	71,00
1673	DEVA	SST (30452)	Hornady	10,69	165,00	N 140	Vihtavuori	2,85	44,00	CCI 200	Geco	71,00
682	DEVA	Ballistic Tip (30165)	Nosler	10,69	165,00	N 140	Vihtavuori	2,85	44,00	CCI BR-2	RWS	73,00
683	DEVA	Ballistic Tip (30165)	Nosler	10,69	165,00	R 903	Rottweil	3,05	47,00	RWS 5341	RWS	73,00
1674	DEVA	Partition (16330)	Nosler	10,69	165,00	N 140	Vihtavuori	2,88	44,50	CCI BR-2	RWS	72,50
1675	DEVA	DK (2146045)	RWS	10,69	165,00	N 150	Vihtavuori	2,96	45,70	CCI 200	RWS	70,00
681	DEVA	DK (2146045)	RWS	10,69	165,00	N 150	Vihtavuori	2,96	45,70	CCI 200	RWS	70,00
1676	DEVA	SBT (2145)	Sierra	10,69	165,00	N 140	Vihtavuori	2,85	44,00	WLR	RWS	71,00
688	DEVA	CDP	SM-Thun	10,69	165,00	N 140	Vihtavuori	2,72	42,00	CCI 200	SM	71,00
1677	DEVA	TBBC (1760)	Speer	10,69	165,00	N 150	Vihtavuori	3,01	46,50	CCI 200	Geco	71,00
1678	DEVA	SN	Woddleigh	10,69	165,00	Reloder 15	Alliant	2,98	46,00	CCI 200	RWS	69,00
1679	DEVA	HPBT Moly	Berger	10,89	168,00	Varget	Hodgdon	2,85	44,00	CCI 200	RWS	72,00
1680	DEVA	HPBT Moly	Berger	10,89	168,00	N 140	Vihtavuori	2,72	42,00	WLR	RWS	72,00
1681	DEVA	Ballistic Silv. Tip (51160)	CT / Nosler	10,89	168,00	N 140	Vihtavuori	2,72	42,00	CCI BR-2	RWS	72,80
1682	DEVA	BT HP (3050)	Hornady	10,89	168,00	N 140	Vihtavuori	2,62	40,50	CCI 200	RWS	71,00
1683	DEVA	BT HP (3050)	Hornady	10,89	168,00	R 903	Rottweil	2,95	45,50	CCI 200	RWS	71,00
1684	DEVA	BT HP (3050)	Hornady	10,89	168,00	IMR 3031	IMR	2,53	39,00	Remington 9 1/2	RWS	71,00
1685	DEVA	HPBT (2200)	Sierra	10,89	168,00	N 140	Vihtavuori	2,72	42,00	CCI 200	Lapua	71,50
1686	DEVA	TMR (2145413)	Geco	11,02	170,00	N 150	Vihtavuori	3,05	47,00	CCI 200	RWS	70,00
1687	DEVA	Oryx (67638)	Norma	11,66	180,00	N 150	Vihtavuori	2,79	43,00	CCI 200	Geco	71,00
1688	DEVA	Partition (16331)	Nosler	11,66	180,00	R 903	Rottweil	2,88	44,50	HP 1215	Hirtenberger	70,00

2007-05-12

21:44:32

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen
----	--------	-----	------------	-------	-------	--------	------------	-------	--------	---------	---------

1689	DEVA	Naturalis (N 505)	Lapua	11,73	181,00	N 150	Vihtavuori	2,85	44,00	CCI 200	Lapua	71,00
1690	DEVA	HMK (2146010)	RWS	11,73	181,00	IMR 4895	IMR	2,75	42,50	RWS 5341	RWS	68,50
1691	DEVA	TUG (2145499)	RWS	11,73	181,00	N 140	Vihtavuori	2,72	41,90	RWS 5341	RWS	68,50
1692	DEVA	TUG (2145499)	RWS	11,73	181,00	R 903	Rottweil	2,85	44,00	RWS 5341	RWS	68,50
1693	DEVA	SP (2937)	S&B	11,73	181,00	N 140	Vihtavuori	2,88	44,50	RWS 5341	Federal	70,50
1694	DEVA	MS (2146363)	RWS	12,31	190,00	202	Norma	2,59	40,00	RWS 5341	RWS	70,00
1695	DEVA	MS (2146363)	RWS	12,31	190,00	IMR 4895	IMR	2,70	41,70	RWS 5341	Norma	70,00
1696	DEVA	MS (2146363)	RWS	12,31	190,00	N 140	Vihtavuori	2,69	41,50	RWS 5341	RWS	71,00
1697	DEVA	MS (2146363)	RWS	12,31	190,00	R 903	Rottweil	2,59	40,00	RWS 5341	RWS	71,00
1698	DEVA	HP 308 HS	H&N	12,96	200,00	N 340	Vihtavuori	0,52	8,00	CCI 200	Geco	71,50
1700	DEVA	HP 308 HS	H&N	12,96	200,00	Ba 9	SNPE	0,52	8,00	WLR	RWS	71,50
808	DEVA	HP 308 HS	H&N	12,96	200,00	N 310	Vihtavuori	0,45	7,00	WLR	RWS	71,50
802	DEVA	Interlock RN (3090)	Hornady	14,26	220,00	N 140	Vihtavuori	2,62	40,50	CCI 200	Geco	71,50

#### .30R Blaser

796	DEVA	Ballistic Tip (30125)	Nosler	8,10	125,00	204	Norma	4,34	67,00	Federal 215	RWS	86,50
794	DEVA	Ballistic Tip (30125)	Nosler	8,10	125,00	N 110	Vihtavuori	0,91	14,00	WLR	Samereier	87,00
795	DEVA	Ballistic Tip (30125)	Nosler	8,10	125,00	N 110	Vihtavuori	0,94	14,50	WLR	Samereier	87,00
1702	DEVA	X BT (30817)	Barnes	9,72	150,00	N 160	Vihtavuori	3,95	61,00	WLRM	RWS	88,00
801	DEVA	SP (3031)	Hornady	9,72	150,00	R 904	Rottweil	4,13	63,70	RWS 5333	RWS	88,80
799	DEVA	Ballistic Tip (30150)	Nosler	9,72	150,00	204	Norma	4,21	65,00	RWS 5333	RWS	90,60
798	DEVA	Ballistic Tip (30150)	Nosler	9,72	150,00	N 160	Vihtavuori	4,28	66,00	RWS 5341	RWS	90,00
800	DEVA	Partition (16329)	Nosler	9,72	150,00	IMR 4831	IMR	4,41	68,00	RWS 5333	RWS	91,30
803	DEVA	KS (2146304)	RWS	9,72	150,00	204	Norma	4,19	64,70	RWS 5333	RWS	87,00
809	DEVA	TIG (2145480)	RWS	9,72	150,00	204	Norma	4,30	66,30	RWS 5333	RWS	87,50
797	DEVA	X BT (30827)	Barnes	10,69	165,00	N 160	Vihtavuori	3,95	61,00	CCI BR-2	RWS	90,00
833	DEVA	X LC BT (30857)	Barnes	10,69	165,00	N 160	Vihtavuori	4,37	67,50	CCI BR-2	RWS	88,00
810	DEVA	Interbond (30459)	Hornady	10,69	165,00	MRP	Norma	4,21	65,00	CCI 250	RWS	90,00
805	DEVA	Ballistic Tip (30165)	Nosler	10,69	165,00	N 160	Vihtavuori	4,08	63,00	CCI BR-2	RWS	91,00
804	DEVA	Ballistic Tip (30165)	Nosler	10,69	165,00	N 560	Vihtavuori	4,17	64,40	CCI BR-2	RWS	91,00
1701	DEVA	DK (2146045)	RWS	10,69	165,00	R 905	Rottweil	4,15	64,00	CCI 250	RWS	87,00
807	DEVA	KS (2146371)	RWS	10,69	165,00	N 160	Vihtavuori	4,06	62,70	RWS 5333	RWS	86,30

806	DEVA	KS (2146371)	RWS	10,69	165,00	WMR	Winchester	4,21	65,00	WLR	RWS	87,00
811	DEVA	SBT (2145)	Sierra	10,70	165,00	PCL 517	PB Clermont	4,80	74,00	CCI 250	RWS	87,50
815	DEVA	CDP	SM-Thun	10,69	165,00	N 160	Vihtavuori	3,89	60,00	CCI 200	SM-Thun	86,00

2007-05-12  
21:44:32

Seite 14

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
816	DEVA	CDP	SM-Thun	10,69	165,00	N 165	Vihtavuori	4,34	67,00	CCI 250	SM-Thun	86,00
812	DEVA	AF/SS	Swift	10,69	165,00	IMR 4831	IMR	4,18	64,50	CCI 250	RWS	86,00
813	DEVA	AF/SS	Swift	10,69	165,00	N 160	Vihtavuori	4,06	62,70	CCI 250	RWS	86,00
814	DEVA	SN	Woodleigh	10,69	165,00	N 160	Vihtavuori	4,06	62,70	CCI 250	RWS	88,00
1708	DEVA	TSX BT (30844)	Barnes	10,89	168,00	MRP	Norma	4,08	63,00	CCI 250	RWS	90,00
819	DEVA	X BT (30840)	Barnes	11,66	180,00	N 560	Vihtavuori	3,97	61,20	CCI 250	RWS	90,00
820	DEVA	X BT (30840)	Barnes	11,66	180,00	MRP	Norma	3,92	60,50	CCI BR-2	RWS	91,00
1707	DEVA	Oryx (67638)	Norma	11,66	180,00	R 905	Rottweil	4,02	62,00	CCI 250	RWS	91,00
825	DEVA	Vulkan (67653)	Norma	11,66	180,00	N 160	Vihtavuori	3,99	61,60	CCI BR-2	RWS	88,00
826	DEVA	Vulkan (67653)	Norma	11,66	180,00	R 905	Rottweil	3,91	60,30	RWS 5333	RWS	88,50
817	DEVA	Ballistic Tip (30180)	Nosler	11,66	180,00	N 165	Vihtavuori	4,34	67,00	CCI BR-2	RWS	91,50
818	DEVA	SBT (2160)	Sierra	11,66	180,00	Reloder 19	Alliant	4,23	65,30	CCI 250	RWS	87,50
821	DEVA	AF/SS	Swift	11,66	180,00	N 560	Vihtavuori	4,02	62,00	CCI 250	RWS	86,00
824	DEVA	Fail Safe	Winchester	11,66	180,00	N 165	Vihtavuori	3,99	61,50	CCI 200	RWS	88,00
823	DEVA	Fail Safe	Winchester	11,66	180,00	WMR	Winchester	4,08	63,00	WLR	RWS	88,00
822	DEVA	SN	Woodleigh	11,66	180,00	N 560	Vihtavuori	4,24	65,50	CCI 250	RWS	88,50
1706	DEVA	Naturalis (N 505)	Lapua	11,73	181,00	R 905	Rottweil	3,95	61,00	CCI 250	RWS	92,50
828	DEVA	TUG (2145499)	RWS	11,73	181,00	MRP	Norma	4,21	65,00	Remington 9 1/2	MRWS	86,00
827	DEVA	TUG (2145499)	RWS	11,73	181,00	N 160	Vihtavuori	3,99	61,50	RWS 5333	RWS	86,00
830	DEVA	Mega (E 415)	Lapua	11,99	185,00	Reloder 22	Alliant	4,10	63,30	Federal 215	RWS	87,50
829	DEVA	Mega (E 415)	Lapua	11,99	185,00	Reloder 19	Alliant	4,05	62,50	WLRM	RWS	87,50
834	DEVA	XS (30845)	Barnes	12,96	200,00	MRP	Norma	3,92	60,50	CCI BR-2	RWS	90,00
1705	DEVA	MEGA (E 401)	Lapua	12,96	200,00	Reloder 22	Alliant	3,99	61,60	WLRM	RWS	87,50

1704	DEVA	Oryx (67639)	Norma	12,96	200,00	N 160	Vihtavuori	3,82	59,00	CCI 250	RWS	92,50
831	DEVA	Vulkan (67654)	Norma	12,96	200,00	R 905	Rottweil	3,94	60,80	RWS 5333	RWS	88,00
1703	DEVA	AccuBond (54618)	Nosler	12,96	200,00	N 165	Vihtavuori	4,02	62,00	CCI 250	RWS	93,50
832	DEVA	AF/SS	Swift	12,96	200,00	Reloder 22	Alliant	4,17	64,40	WLRM	RWS	86,00
836	DEVA	RN (3090)	Hornady	14,26	220,00	R 905	Rottweil	3,84	59,30	RWS 5333	RWS	89,00
835	DEVA	SN	Woodleigh	14,26	220,00	N 165	Vihtavuori	3,73	57,50	WLRM	RWS	87,00

### .32 S&W Long N.P.

1423	DEVA	Blei RK	Hirtenberger	6,35	98,00	P 805	Rottweil	0,14	2,10	HP 1206	Hirtenberger	32,50
1424	DEVA	WC	Hirtenberger	6,35	98,00	P 805	Rottweil	0,08	1,30	HP 1206	Hirtenberger	23,50
1422	DEVA	LWC (C 356)	Lapua	6,35	98,00	IMR 4756	IMR	0,10	1,60	Remington 1 1/2	Geco	24,60
1426	DEVA	WC	Geco	6,48	100,00	P 801	Rottweil	0,10	1,50	RWS 4031	Geco	23,50

2007-05-12

21:44:32

Seite 15

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1425	DEVA	WC	Geco	6,48	100,00	P 805	Rottweil	0,08	1,30	RWS 4031	Lapua	23,50

### .338 Lapua Magnum

1123	DEVA	Ballistic Tip (33200)	Nosler	12,96	200,00	MRP	Norma	6,25	96,50	CCI 250	Lapua	91,50
1128	DEVA	XS (33885)	Barnes	14,58	225,00	MRP	Norma	5,70	88,00	CCI 250	Lapua	93,50
1125	DEVA	AF/SS	Swift	14,58	225,00	MRP	Norma	5,83	90,00	CCI 250	Lapua	88,50
1126	DEVA	PP	Woodleigh	14,58	225,00	Reloder 22	Alliant	6,17	95,20	CCI 250	Lapua	90,70
1127	DEVA	Fail Safe	Winchester	14,90	230,00	MRP	Norma	5,54	85,50	CCI 250	Lapua	93,50
1124	DEVA	XS (33890)	Barnes	16,20	250,00	IMR 7828	IMR	5,67	87,50	CCI 250	Lapua	93,00
1129	DEVA	SPBT (2600)	Sierra	16,20	250,00	IMR 7828	IMR	5,94	91,70	CCI 250	Lapua	93,50
1130	DEVA	GSSP (2408)	Speer	16,20	250,00	MRP	Norma	5,70	88,00	CCI 250	Lapua	90,00
1131	DEVA	AF/SS	Swift	16,20	250,00	IMR 7828	IMR	5,90	91,00	CCI 250	Lapua	88,20
1133	DEVA	FMJ	Woodleigh	16,20	250,00	MRP	Norma	5,83	90,00	CCI 250	Lapua	89,00
1132	DEVA	PP	Woodleigh	16,20	250,00	IMR 7828	IMR	5,88	90,70	CCI 250	Lapua	93,00

1134	DEVA	AF/SS	Swift	17,82	275,00	8700	Accurate	6,74	104,00	CCI 250	Lapua	87,80
1135	DEVA	SN	Woodleigh	19,44	300,00	8700	Accurate	6,42	99,10	CCI 250	Lapua	93,50

### .338 Winchester Magnum

1095	DEVA	XS (33880)	Barnes	11,34	175,00	H 4831 SC	Hodgdon	5,05	78,00	CCI 250	Winchester	81,50
1094	DEVA	XS (33880)	Barnes	11,34	175,00	H 4350	Hodgdon	4,96	76,50	WLRM	Winchester	81,50
1096	DEVA	XS (33880)	Barnes	11,34	175,00	R 905	Rottweil	4,70	72,50	WLRM	Winchester	84,00
1098	DEVA	XS (33882)	Barnes	12,96	200,00	204	Norma	4,54	70,00	CCI 250	Norma	84,50
1097	DEVA	XS (33882)	Barnes	12,96	200,00	N 160	Vihtavuori	4,34	67,00	CCI 250	Norma	84,50
1099	DEVA	XS (33882)	Barnes	12,96	200,00	R 905	Rottweil	4,63	71,50	WLRM	Winchester	84,00
1100	DEVA	Ballistic Tip (33200)	Nosler	12,96	200,00	N 160	Vihtavuori	4,80	74,00	CCI 250	Norma	85,30
1101	DEVA	Partition (16337)	Nosler	13,61	210,00	N 160	Vihtavuori	4,41	68,00	WLRM	Winchester	83,50
1102	DEVA	Partition (16337)	Nosler	13,61	210,00	R 905	Rottweil	4,89	75,50	WLRM	Norma	83,50
1103	DEVA	XS (33885)	Barnes	14,58	225,00	H 4831 SC	Hodgdon	4,73	73,00	WLRM	Winchester	81,50
1104	DEVA	XS (33885)	Barnes	14,58	225,00	Reloder 19	Alliant	4,89	75,50	WLRM	Winchester	81,50
1109	DEVA	SP (3320)	Hornady	14,58	225,00	204	Norma	4,47	69,00	CCI 250	Norma	84,50
1107	DEVA	Partition (16336)	Nosler	14,58	225,00	N 160	Vihtavuori	4,63	71,50	CCI BR-2	Sako	84,00
1105	DEVA	AF/SS	Swift	14,58	225,00	IMR 4831	IMR	4,41	68,00	WLRM	Winchester	81,70
1106	DEVA	AF/SS	Swift	14,58	225,00	Reloder 19	Alliant	4,54	70,00	WLRM	Winchester	81,70
1108	DEVA	PP	Woodleigh	14,60	225,30	N 560	Vihtavuori	4,76	73,50	Federal 215	Winchester	84,80

2007-05-12

21:44:32

Seite 16

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1111	DEVA	Fail Safe	Winchester	14,90	230,00	N 160	Vihtavuori	4,21	65,00	CCI 250	Norma	84,50
1110	DEVA	Fail Safe	Winchester	14,90	230,00	PCL 517	PB Clermont	5,13	79,20	Federal 215	Sako	84,50
1119	DEVA	XS (33890)	Barnes	16,20	250,00	204	Norma	4,15	64,00	CCI 250	Norma	85,00
1120	DEVA	RN (3330)	Hornady	16,20	250,00	N 160	Vihtavuori	4,60	71,00	CCI BR-2	Norma	85,30
1235	DEVA	SPBT (2600)	Sierra	16,20	250,00	MRP	Norma	4,61	71,20	Federal 215	Norma	84,50

1117	DEVA	GSSP (2408)	Speer	16,20	250,00	N 160	Vihtavuori	4,47	69,00	RWS 5333	Norma	84,00
1118	DEVA	GSSP (2408)	Speer	16,20	250,00	R 905	Rottweil	4,54	70,00	RWS 5333	Norma	84,00
1112	DEVA	AF/SS	Swift	16,20	250,00	N 165	Vihtavuori	4,35	67,20	Federal 215	Lapua	82,00
1114	DEVA	FMJ	Woodleigh	16,20	250,00	N 165	Vihtavuori	4,47	69,00	Federal 215	Winchester	83,00
1115	DEVA	PP	Woodleigh	16,20	250,00	N 165	Vihtavuori	4,80	74,00	Federal 215	Sako	84,00
1113	DEVA	SN	Woodleigh	16,20	250,00	N 165	Vihtavuori	4,87	75,20	Federal 215	Lapua	84,50
1121	DEVA	AF/SS	Swift	17,82	275,00	PCL 517	PB Clermont	4,86	75,00	Federal 215	Norma	82,30
1122	DEVA	SN	Woodleigh	19,44	300,00	PCL 517	PB Clermont	4,87	75,20	Federal 215	Norma	84,50

#### .340 Weatherby Magnum

1136	DEVA	Partition (16337)	Nosler	13,61	210,00	N 160	Vihtavuori	5,60	86,40	CCI 250	Weatherby	91,50
1709	DEVA	RN (3330)	Hornady	16,20	250,00	N 165	Vihtavuori	5,70	88,00	CCI 250	Weatherby	93,30
1137	DEVA	Partition (35644)	Nosler	16,20	250,00	MRP	Norma	5,64	87,00	CCI 250	Norma	93,00
1710	DEVA	AF/SS	Swift	16,20	250,00	N 165	Vihtavuori	5,64	87,00	CCI 250	Weatherby	93,30

#### .35 Whelen

1145	DEVA	XS (35810)	Barnes	12,96	200,00	N 133	Vihtavuori	3,60	55,50	WLR	Remington	82,50
1146	DEVA	SP (3510)	Hornady	12,96	200,00	N 133	Vihtavuori	3,69	57,00	WLR	Remington	79,60
1147	DEVA	X	Barnes	14,58	225,00	N 140	Vihtavuori	3,73	57,50	WLR	Remington	84,50
1148	DEVA	Partition (16336)	Nosler	14,58	225,00	N 140	Vihtavuori	3,89	60,00	WLR	Remington	84,30
1149	DEVA	SN	Woodleigh	14,58	225,00	PCL 507	PB Clermont	3,56	55,00	WLR	Remington	82,00
1150	DEVA	SP (3520)	Hornady	16,20	250,00	H 380	Hodgdon	3,82	59,00	WLR	Remington	83,50
1151	DEVA	SP (3520)	Hornady	16,20	250,00	N 140	Vihtavuori	3,82	59,00	WLR	Remington	83,50
1802	DWJ 05-2006	SP (3505)	Hornady	11,66	180,00	H 4895	Hodgdon	3,69	57,00	Federal 210	Remington	80,00
1803	DWJ 05-2006	RN (3515)	Hornady	12,96	200,00	N 140	Vihtavuori	3,71	57,20	Federal 210	Remington	78,00
1804	DWJ 05-2006	Flat SP (2439)	Speer	14,26	220,00	H 335	Hodgdon	3,56	55,00	Remington 9 1/2	Remington	82,00
1805	DWJ 05-2006	SP (2850)	Sierra	14,58	225,00	N 140	Vihtavuori	3,60	55,50	Remington 9 1/2	Remington	82,50
1806	DWJ 05-2006	Partition (44800)	Nosler	14,58	225,00	Reloder 15	Alliant	3,64	56,10	Remington 9 1/2	Remington	79,00
1807	DWJ 05-2006	SP (2453)	Speer	16,20	250,00	H 335	Hodgdon	3,38	52,10	Remington 9 1/2	Remington	84,00

2007-05-12

21:44:32

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1808	DWJ 05-2006	GSSP (2455)	Speer	16,20	250,00	N 140	Vihtavuori	3,50	54,00	Remington 9 1/2	Remington	82,90
.357 Magnum												
1520	DEVA	HP XTP (35710)	Hornady	8,10	125,00	N 110	Vihtavuori	1,20	18,50	CCI 550	Remington	40,00
1523	DEVA	HP XTP (35710)	Hornady	8,10	125,00	N 110	Vihtavuori	1,20	18,50	Federal 100	Remington	40,00
1522	DEVA	HP XTP (35710)	Hornady	8,10	125,00	No. 9	Accurate	1,13	17,50	Federal 100	Remington	40,00
1469	DEVA	TC BB	Jebens	8,10	125,00	N 310	Vihtavuori	0,27	4,10	Federal 100	Norma	40,00
1470	DEVA	JSP (4011)	Speer	8,10	125,00	N 110	Vihtavuori	1,20	18,50	CCI 500	Geco	40,00
1473	DEVA	WC 357 F	H&N	9,59	148,00	Ba 10	SNPE	0,16	2,50	Federal 100	Geco	33,00
1471	DEVA	WC BB.357"	Jebens	9,59	148,00	N 310	Vihtavuori	0,17	2,70	Federal 100	Norma	34,80
1472	DEVA	BBWC (4605)	Speer	9,59	148,00	N 310	Vihtavuori	0,26	4,00	CCI 500	Geco	33,00
1474	DEVA	OWC BB .358"	Jebens	9,72	150,00	N 310	Vihtavuori	0,24	3,70	Federal 100	Norma	39,20
1482	DEVA	TMF	Hirtenberger	10,24	158,00	P 806	Rottweil	0,80	12,30	RWS 4031	Hirtenberger	40,00
1526	DEVA	HP XTP (35750)	Hornady	10,24	158,00	No. 9	Accurate	0,97	15,00	Federal 100	Remington	40,00
1524	DEVA	SP FN (69107)	Norma	10,24	158,00	N 110	Vihtavuori	0,97	15,00	RWS 4031	Norma	40,00
1475	DEVA	JSP (8340)	Sierra	10,24	158,00	H 110	Hodgdon	1,23	19,00	CCI 550	Geco	41,00
1476	DEVA	JSP (8340)	Sierra	10,24	158,00	No. 7	Accurate	0,78	12,00	CCI 550	Geco	41,00
1477	DEVA	JSP (8340)	Sierra	10,24	158,00	WAP	Winchester	0,55	8,50	CCI 550	Winchester	41,00
1478	DEVA	JSP (8340)	Sierra	10,24	158,00	R-1	Norma	0,32	5,00	Norma SP	Norma	40,00
1481	DEVA	JSP (8340)	Sierra	10,24	158,00	R-123	Norma	0,90	13,90	Norma SP	Norma	40,00
1479	DEVA	JSP (8340)	Sierra	10,24	158,00	IMR 4227	IMR	1,13	17,50	Remington 6 1/2	Geco	40,00
1480	DEVA	JSP (8340)	Sierra	10,24	158,00	N 110	Vihtavuori	0,97	15,00	RWS 4031	Winchester	40,00
1483	DEVA	JSP (8340)	Sierra	10,24	158,00	PCL 506	PB Clermont	0,52	8,00	Federal 100	Norma	40,00
1484	DEVA	JSP (4217)	Speer	10,24	158,00	2400	Alliant	0,94	14,50	RWS 4047	Norma	40,50

1486	DEVA	CL-SIL (3572)	Hornady	10,37	160,00	296	Winchester	1,06	16,40	CCI 550	Winchester	40,00
1487	DEVA	CL-SIL (3572)	Hornady	10,37	160,00	2400	Alliant	0,87	13,50	CCI 550	Winchester	40,00
1485	DEVA	CL-SIL (3572)	Hornady	10,37	160,00	No. 9	Accurate	0,93	14,30	CCI 550	Winchester	40,00
1489	DEVA	KS 357 HS	H&N	11,66	180,00	No. 9	Accurate	0,81	12,50	CCI 550	Winchester	40,50
1490	DEVA	CL-SIL (3577)	Hornady	11,66	180,00	No. 9	Accurate	0,86	13,20	CCI 550	Winchester	40,40
1525	DEVA	HP XTP (35771)	Hornady	11,66	180,00	N 110	Vihtavuori	0,91	14,00	CCI 550	Remington	40,00
1511	DEVA	TC BB .357"	Jebens	11,66	180,00	No. 7	Accurate	0,71	11,00	CCI 550	Remington	41,00
1488	DEVA	TC BB .357"	Jebens	11,66	180,00	N 340	Vihtavuori	0,40	6,20	Federal 100	Norma	40,70
1494	DEVA	Silhouette (44851)	Nosler	11,66	180,00	R 910	Rottweil	0,97	15,00	CCI 550	Geco	40,50
1493	DEVA	Silhouette (44851)	Nosler	11,66	180,00	N 110	Vihtavuori	0,94	14,50	RWS 4047	Geco	40,50
1492	DEVA	TMJ-SIL (4229)	Speer	11,66	180,00	No. 9	Accurate	0,86	13,20	CCI 550	Winchester	42,90

2007-05-12

21:44:32

Seite 18

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1491	DEVA	TMJ-SIL (4229)	Speer	11,66	180,00	R-123	Norma	0,84	13,00	CCI 550	Winchester	42,90

#### .357 SIG

1463	DEVA	TMJ (4004)	Speer	8,04	124,00	3N37	Vihtavuori	0,52	8,00	WSP	Starline	29,50
1464	DEVA	KS 355 HS	H&N	8,10	125,00	No. 9	Accurate	0,78	12,00	WSP	Starline	29,80
1465	DEVA	TMJ (4362)	Speer	8,10	125,00	SP 2 Prac.	SNPE	0,62	9,50	WSP	Starline	28,40
1466	DEVA	FMJ (8345)	Sierra	8,42	130,00	No. 9	Accurate	0,78	12,00	WSP	Starline	28,60
1467	DEVA	KS 355 HS	H&N	9,40	145,00	No. 9	Accurate	0,75	11,50	WSP	Starline	28,70
1468	DEVA	FPJ (8250)	Sierra	9,72	150,00	No. 9	Accurate	0,65	10,00	WSP	Starline	31,80

#### .375 H & H Magnum

1252	DEVA	FP (3705)	Hornady	14,26	220,00	N 140	Vihtavuori	0,31	4,80	CCI 250	RWS	84,50
1236	DEVA	FP (3705)	Hornady	14,26	220,00	IMR 4895	IMR	4,73	73,00	RWS 5341	Remington	85,00
1238	DEVA	SSpSP (2471)	Speer	15,23	235,00	IMR 4064	IMR	4,86	75,00	CCI 250	Winchester	89,50
1237	DEVA	SSpSP (2471)	Speer	15,23	235,00	N 140	Vihtavuori	4,80	74,00	Remington 9 1/2	Remington	90,00



1240	DEVA	XS (37582)	Barnes	16,20	250,00	Varget	Hodgdon	4,86	75,00	CCI 250	RWS	91,00
1239	DEVA	XS (37582)	Barnes	16,20	250,00	N 140	Vihtavuori	4,57	70,50	Remington 9 1/2	Remington	91,50
1241	DEVA	SBT (2950)	Sierra	16,20	250,00	H 380	Hodgdon	5,18	80,00	CCI 250	Remington	90,70
1242	DEVA	AF/SS	Swift	16,20	250,00	Varget	Hodgdon	4,80	74,00	CCI 250	RWS	87,70
1243	DEVA	Partition (44850)	Nosler	16,85	260,00	IMR 4350	IMR	5,18	80,00	CCI 250	Winchester	91,40
1244	DEVA	Partition (44850)	Nosler	16,80	260,00	R 904	Rottweil	5,05	78,00	CCI 250	Winchester	91,40
1249	DEVA	SP (3710)	Hornady	17,50	270,00	IMR 4064	IMR	4,54	70,00	CCI 250	Remington	91,00
1250	DEVA	SP (3710)	Hornady	17,50	270,00	N 140	Vihtavuori	4,67	72,00	RWS 5333	Remington	91,00
1246	DEVA	PP	Woodleigh	17,50	270,00	R 907	Rottweil	4,67	72,00	RWS 5333	RWS	91,50
1245	DEVA	RN	Woodleigh	17,50	270,00	202	Norma	4,89	75,50	CCI 250	Winchester	91,00
1247	DEVA	SP	Woodleigh	17,50	270,00	202	Norma	4,73	73,00	CCI 250	RWS	91,00
1248	DEVA	SP	Woodleigh	17,50	270,00	N 540	Vihtavuori	4,92	76,00	CCI 250	Winchester	91,00
1251	DEVA	GSSP (2473)	Speer	18,47	285,00	IMR 4831	IMR	5,36	82,70	CCI 200	RWS	91,00
1519	DEVA	GSSP (2473)	Speer	18,47	285,00	R 904	Rottweil	5,13	79,20	CCI 200	Winchester	91,00
1263	DEVA	Dead Tough	A-Square	19,44	300,00	N 140	Vihtavuori	4,36	67,30	RWS 5333	A-Square	93,00
1262	DEVA	Dead Tough	A-Square	19,44	300,00	R 907	Rottweil	4,40	67,90	RWS 5333	A-Square	93,00
1264	DEVA	Lion Load	A-Square	19,44	300,00	N 140	Vihtavuori	4,34	67,00	RWS 5333	A-Square	93,00
1265	DEVA	Lion Load	A-Square	19,44	300,00	R 907	Rottweil	4,43	68,30	RWS 5333	A-Square	93,00
1266	DEVA	Monol. Solid	A-Square	19,40	300,00	N 140	Vihtavuori	4,34	67,00	RWS 5333	A-Square	90,50

2007-05-12  
21:44:32

Seite 19

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1521	DEVA	Monol. Solid	A-Square	19,44	300,00	R 907	Rottweil	4,41	68,00	RWS 5333	Winchester	90,50
1254	DEVA	XS (37590)	Barnes	19,44	300,00	N 140	Vihtavuori	4,54	70,00	CCI 250	Winchester	91,30
1255	DEVA	XS (37590)	Barnes	19,44	300,00	N 540	Vihtavuori	4,67	72,00	CCI 250	RWS	91,30
1253	DEVA	XS (37590)	Barnes	19,44	300,00	R 907	Rottweil	4,34	67,00	Federal 215	Winchester	91,30
1261	DEVA	KS (2146584)	RWS	19,44	300,00	R 907	Rottweil	4,67	72,00	RWS 5333	RWS	90,50
1260	DEVA	VMR (2146533)	RWS	19,44	300,00	N 140	Vihtavuori	4,04	62,40	RWS 5333	Winchester	89,00
1259	DEVA	VMR (2146533)	RWS	19,44	300,00	R 907	Rottweil	4,48	69,20	RWS 5333	RWS	89,00

1258	DEVA	AF/SS	Swift	19,44	300,00	H 380	Hodgdon	4,86	75,00	CCI 250	Remington	90,30
1256	DEVA	RN	Woodleigh	19,44	300,00	N 540	Vihtavuori	4,73	73,00	CCI 250	Winchester	91,00
1257	DEVA	RN	Woodleigh	19,40	299,40	PCL 516	PB Clermont	4,54	70,00	CCI 250	RWS	91,00
1267	DEVA	TUG (2145928)	RWS	19,50	301,00	N 540	Vihtavuori	4,41	68,00	RWS 5333	RWS	91,50
1268	DEVA	TUG (2145928)	RWS	19,50	301,00	R 907	Rottweil	4,34	67,00	RWS 5333	RWS	91,50

### .38 Special

1500	DEVA	RN 356 HS	H&N	8,10	125,00	No. 5	Accurate	0,51	7,80	Federal 100	Winchester	39,20
1501	DEVA	JSP (8310)	Sierra	8,10	125,00	IMR 4756	IMR	0,78	12,00	Remington 1 1/2	Norma	36,80
1503	DEVA	JSP (4011)	Speer	8,10	125,00	Unique	Alliant	0,44	6,80	CCI 500	Geco	36,50
1504	DEVA	HB WC	Prec. Delta	9,59	148,00	N 310	Vihtavuori	0,16	2,50	Federal 100	Winchester	30,00
1505	DEVA	OWC BB .358"	Jebens	9,72	150,00	N 310	Vihtavuori	0,24	3,70	Federal 100	Winchester	35,60
1508	DEVA	Blei RK	Geco	10,24	158,00	Ba 9	SNPE	0,40	6,20	CCI 500	Geco	39,20
1509	DEVA	Blei RK	Geco	10,24	158,00	Red Dot	Alliant	0,29	4,50	RWS 4031	Geco	39,20
1518	DEVA	RK 357 HS	H&N	10,24	158,00	N 310	Vihtavuori	0,22	3,40	RWS 4031	Norma	39,00
1514	DEVA	Blei RK	Hirtenberger	10,24	158,00	P 805	Rottweil	0,25	3,80	HP 1206	Hirtenberger	39,50
1513	DEVA	TMF	Hirtenberger	10,24	158,00	P 805	Rottweil	0,21	3,30	HP 1206	Hirtenberger	37,00
1510	DEVA	RN (3586)	Hornady	10,24	158,00	Ba 9	SNPE	0,36	5,60	CCI 500	Geco	37,50
1507	DEVA	SWC (3588)	Hornady	10,24	158,00	IMR 4227	IMR	0,58	9,00	Remington 1 1/2	Norma	37,00
1506	DEVA	SWC	Prec. Delta	10,24	158,00	N 310	Vihtavuori	0,22	3,40	Federal 100	Winchester	38,00
1502	DEVA	JSP (8340)	Sierra	10,24	158,00	N 310	Vihtavuori	0,22	3,40	RWS 4047	Winchester	36,80
1517	DEVA	CL-SIL (3572)	Hornady	10,37	160,00	3N37	Vihtavuori	0,45	6,90	Federal 100	Winchester	36,50
1515	DEVA	CL-SIL (3572)	Hornady	10,37	160,00	No. 5	Accurate	0,39	6,00	Federal 100	Winchester	36,50
1516	DEVA	CL-SIL (3572)	Hornady	10,37	160,00	WAP	Winchester	0,38	5,80	Federal 100	Winchester	36,50
1512	DEVA	RK 357 HS	H&N	12,96	200,00	N 110	Vihtavuori	0,49	7,50	CCI 550	Geco	39,00

### .38 Spezial W.C.

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1711	DEVA	WC BB.357"	Jebens	6,80	105,00	N 310	Vihtavuori	0,16	2,50	Federal 100	Winchester	31,00
1712	DEVA	WC	Geco	9,59	148,00	Bullseye	Alliant	0,16	2,40	CCI 500	Geco	29,50
1713	DEVA	WC 357 F	H&N	9,59	148,00	P 801	Rottweil	0,16	2,50	CCI 500	Geco	29,70
1715	DEVA	WC	Hirtenberger	9,59	148,00	P 805	Rottweil	0,14	2,20	HP 1206	Hirtenberger	29,50
1716	DEVA	HBWC (3582)	Hornady	9,59	148,00	800-X	IMR	0,23	3,50	CCI 500	Geco	29,60
1717	DEVA	HBWC (3582)	Hornady	9,59	148,00	Ba 10	SNPE	0,13	2,00	CCI 500	Geco	29,60
1559	DEVA	HBWC (3582)	Hornady	9,59	148,00	SR 7625	IMR	0,19	3,00	Remington 1 1/2	Hirtenberger	29,60

#### .38 Super Auto

1495	DEVA	TMJ (4004)	Speer	8,04	124,00	No. 9	Accurate	0,65	10,00	CCI 550	Winchester	32,40
1497	DEVA	KS 356 HS	H&N	8,10	125,00	SP 2 Prac.	SNPE	0,51	7,80	CCI 550	Winchester	31,00
1496	DEVA	TMJ (4362)	Speer	8,10	125,00	SP 2 Prac.	SNPE	0,49	7,50	CCI 550	Winchester	28,80
1498	DEVA	FMJ (8345)	Sierra	8,42	130,00	3N37	Vihtavuori	0,42	6,50	WSP	Winchester	32,20
1499	DEVA	FN BB .356"	Jebens	9,53	147,00	3N37	Vihtavuori	0,36	5,50	WSP	Winchester	32,00

#### .40 S & W

1527	DEVA	Blei RK	Mintert	9,85	152,00	P 801	Rottweil	0,27	4,20	RWS 4031	Winchester	28,20
1528	DEVA	TMJ (4399)	Speer	10,04	155,00	231	Winchester	0,39	6,00	Remington 1 1/2	PMP	28,00
1529	DEVA	TMJ (4399)	Speer	10,04	155,00	N 320	Vihtavuori	0,40	6,20	Remington 1 1/2	PMP	28,00
1530	DEVA	Blei SWC	Mintert	11,15	172,00	P 801	Rottweil	0,25	3,90	RWS 4031	Winchester	28,50
1531	DEVA	KS 401 HS	H&N	11,66	180,00	No. 2	Accurate	0,29	4,50	WSP	PMP	28,80
1532	DEVA	FMJ-FP (40041)	Hornady	11,66	180,00	SP 2 Prac.	SNPE	0,53	8,20	WSP	PMP	28,50
1533	DEVA	FMJ-FP (4007)	Hornady	12,96	200,00	Power Pistol	Alliant	0,37	5,70	Federal 100	PMP	28,50
1534	DEVA	TC BB .401"	Jebens	12,96	200,00	No. 7	Accurate	0,43	6,60	Federal 100	PMP	28,70

#### .404 Rimless N.E. (10,75 x 73)

1325	DEVA	TMR (422 347 03)	Delsing	22,49	347,00	N 150	Vihtavuori	5,23	80,70	CCI 250	RWS	88,50
------	------	------------------	---------	-------	--------	-------	------------	------	-------	---------	-----	-------

1326	DEVA	X	Barnes	22,70	350,00	748	Winchester	5,05	78,00	CCI 250	RWS	88,80
1328	DEVA	SN	Woodleigh	22,70	350,00	204	Norma	5,83	90,00	CCI 250	RWS	88,80
1327	DEVA	SN	Woodleigh	22,68	350,00	N 110	Vihtavuori	2,72	42,00	CCI 250	RWS	88,80
1329	DEVA	SN	Woodleigh	22,70	350,00	N 150	Vihtavuori	5,18	80,00	CCI 250	RWS	88,80
1332	DEVA	FMJ	Woodleigh	25,92	400,00	748	Winchester	4,60	71,00	CCI 250	RWS	88,50
1333	DEVA	FMJ	Woodleigh	25,92	400,00	N 160	Vihtavuori	5,42	83,70	CCI 250	RWS	88,50
1330	DEVA	SN	Woodleigh	25,92	400,00	N 550	Vihtavuori	5,37	82,80	CCI 250	RWS	88,50

2007-05-12

21:44:32

Seite 21

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1331	DEVA	SN	Woodleigh	25,92	400,00	N 550	Vihtavuori	5,37	82,80	CCI 250	RWS	88,50

#### .416 Remington Magnum

1280	DEVA	XS (41680)	Barnes	19,44	300,00	204	Norma	5,70	88,00	WLRM	Remington	91,40
1279	DEVA	XS (41680)	Barnes	19,44	300,00	Varget	Hodgdon	5,38	83,00	WLRM	Remington	91,40
1281	DEVA	X	Barnes	21,06	325,00	BL-C (2)	Hodgdon	5,57	86,00	Federal 215M	Remington	91,40
1282	DEVA	X	Barnes	21,06	325,00	H 335	Hodgdon	4,86	75,00	RWS 5333	Remington	91,40
1283	DEVA	X	Barnes	21,06	325,00	H 335	Hodgdon	5,18	80,00	RWS 5333	Remington	91,40
1286	DEVA	Solid	Barnes	22,68	350,00	H 4895	Hodgdon	4,92	76,00	RWS 5333	Remington	91,40
1284	DEVA	XS (41685)	Barnes	22,68	350,00	R 903	Rottweil	5,50	84,90	RWS 5333	Remington	91,40
1285	DEVA	XS (41685)	Barnes	22,68	350,00	Varget	Hodgdon	4,99	77,00	WLRM	Remington	91,40
1288	DEVA	AF/SS	Swift	22,68	350,00	IMR 4895	IMR	4,99	77,00	CCI 250	Remington	90,80
1287	DEVA	AF/SS	Swift	22,68	350,00	Reloder 15	Alliant	5,38	83,00	WLRM	Remington	90,80
1292	DEVA	XS (41690)	Barnes	25,92	400,00	204	Norma	5,38	83,00	WLRM	Remington	94,50
1290	DEVA	FMJ (4167)	Hornady	25,92	400,00	IMR 4895	IMR	4,86	75,00	CCI 250	Remington	90,30
1289	DEVA	RN (4165)	Hornady	25,90	400,00	IMR 4895	IMR	4,86	75,00	CCI 250	Remington	90,30
1291	DEVA	AF/SS	Swift	25,92	400,00	Reloder 15	Alliant	5,15	79,50	CCI 250	Remington	90,50
1294	DEVA	FMJ	Woodleigh	26,57	410,00	Reloder 15	Alliant	5,25	81,00	WLRM	Remington	93,00
1293	DEVA	SN	Woodleigh	26,57	410,00	Reloder 15	Alliant	5,31	82,00	WLRM	Remington	93,00

.416 Rigby

1295	DEVA	XS (41680)	Barnes	19,44	300,00	IMR 4831	IMR	6,09	94,00	Federal 215	Norma	95,00
1297	DEVA	TS (416 340 01)	Delsing	22,03	340,00	PCL 517	PB Clermont	7,19	111,00	WLRM	Federal	91,50
1296	DEVA	PP	Woodleigh	22,03	340,00	IMR 4831	IMR	6,29	97,00	Federal 215	Norma	92,30
1298	DEVA	XS (41685)	Barnes	22,68	350,00	IMR 7828	IMR	6,04	93,20	WLRM	Norma	95,00
1299	DEVA	AF/SS	Swift	22,70	350,00	N 560	Vihtavuori	6,04	93,20	WLRM	Norma	92,00
1301	DEVA	Lion Load	A-Square	25,92	400,00	R 905	Rottweil	6,16	95,10	Federal 215	Norma	93,70
1300	DEVA	XS (41690)	Barnes	25,92	400,00	N 165	Vihtavuori	5,93	91,50	WLRM	Norma	94,00
1304	DEVA	FMJ (4167)	Hornady	25,92	400,00	N 165	Vihtavuori	5,93	91,50	WLRM	Norma	92,00
1303	DEVA	RN (4165)	Hornady	25,92	400,00	N 165	Vihtavuori	5,99	92,50	WLRM	Norma	92,00
1302	DEVA	AF/SS	Swift	25,92	400,00	R 905	Rottweil	5,83	90,00	WLRM	Norma	92,40
1308	DEVA	Silber Solid	Romey	26,57	410,00	MRP	Norma	5,99	92,40	Federal 215	Norma	94,40
1307	DEVA	FMJ	Woodleigh	26,57	410,00	N 165	Vihtavuori	6,29	97,00	WLRM	Norma	93,80
1305	DEVA	SN	Woodleigh	26,57	410,00	N 160	Vihtavuori	5,99	92,40	Federal 215	Norma	94,00

2007-05-12

21:44:32

Seite 22

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1306	DEVA	SN	Woodleigh	26,57	410,00	R 905	Rottweil	6,16	95,00	RWS 5333	Horneber	94,00

.416 Taylor

1274	DEVA	XS (41685)	Barnes	22,68	350,00	H 335	Hodgdon	4,83	74,50	WLRM	Win./U	84,50
1273	DEVA	XS (41685)	Barnes	22,68	350,00	IMR 3031	IMR	4,47	69,00	WLRM	Win./U	84,50
1272	DEVA	XS (41685)	Barnes	22,68	350,00	N 540	Vihtavuori	5,05	78,00	WLRM	Win./U	84,50
1270	DEVA	AF/SS	Swift	22,68	350,00	IMR 3031	IMR	4,41	68,00	WLRM	Win./U	81,50
1269	DEVA	AF/SS	Swift	22,68	350,00	N 540	Vihtavuori	5,05	78,00	WLRM	Win./U	81,50
1271	DEVA	AF/SS	Swift	22,68	350,00	R 903	Rottweil	4,99	77,00	WLRM	Win./U	81,50

1276	DEVA	RN (4165)	Hornady	25,92	400,00	N 540	Vihtavuori	4,92	76,00	WLRM	Win./U	82,00
1275	DEVA	RN (4165)	Hornady	25,92	400,00	Reloder 15	Alliant	4,80	74,00	WLRM	Win./U	82,00
1277	DEVA	RN (4165)	Hornady	25,92	400,00	Varget	Hodgdon	4,54	70,00	WLRM	Win./U	82,00
1278	DEVA	AF/SS	Swift	25,92	400,00	Varget	Hodgdon	4,44	68,50	WLRM	Win./U	81,80

#### .44 Remington Magnum

1718	DEVA	HP 429 HS	H&N	12,96	200,00	N 350	Vihtavuori	0,78	12,00	CCI 350	Remington	39,50
1547	DEVA	FPJ (8605)	Sierra	14,26	220,00	2400	Alliant	1,49	23,00	WLP	Remington	40,00
1719	DEVA	HP 429 HS	H&N	15,55	240,00	N 350	Vihtavuori	0,78	12,00	CCI 350	Remington	39,50
1720	DEVA	HP XTP (44200)	Hornady	15,55	240,00	N 110	Vihtavuori	1,46	22,50	CCI 350	Remington	40,60
1721	DEVA	TC BB .429"	Jebens	15,55	240,00	N 350	Vihtavuori	0,78	12,00	CCI 350	Remington	40,80
1549	DEVA	KS 429 HS	H&N	15,55	240,00	2400	Alliant	0,97	15,00	WLP	Remington	40,00
1550	DEVA	SWC 429 HS	H&N	15,55	240,00	H 110	Hodgdon	1,49	23,00	WLP	Remington	40,80
1556	DEVA	JTC-SIL (4425)	Hornady	15,55	240,00	IMR 4227	IMR	1,56	24,00	Remington 2 1/2	Remington	40,60
1551	DEVA	SWC (4430)	Hornady	15,55	240,00	N 110	Vihtavuori	1,30	20,00	CCI 300	Norma	40,90
1552	DEVA	SWC (4430)	Hornady	15,55	240,00	N 110	Vihtavuori	1,36	21,00	CCI 300	Norma	40,90
1555	DEVA	SWC (4430)	Hornady	15,55	240,00	H 4227	Hodgdon	1,56	24,00	CCI 350	Remington	40,90
1554	DEVA	SWC (4430)	Hornady	15,55	240,00	P 805	Rottweil	0,32	5,00	CCI 350	Winchester	40,90
1553	DEVA	SWC (4430)	Hornady	15,55	240,00	IMR 4227	IMR	1,52	23,50	Rem. 2 1/2	Remington	40,90
1548	DEVA	TC BB .429"	Jebens	15,55	240,00	N 340	Vihtavuori	0,71	11,00	WLP	Remington	40,50
1558	DEVA	JSP (4457)	Speer	15,55	240,00	2400	Alliant	1,30	20,00	CCI 350	Winchester	40,00
1557	DEVA	JSP (4457)	Speer	15,55	240,00	N 110	Vihtavuori	1,49	23,00	RWS 5337	Winchester	40,00
1722	DEVA	FPJ (8615)	Sierra	16,20	250,00	N 110	Vihtavuori	1,36	21,00	WLP	Remington	40,20
1562	DEVA	FPJ (8615)	Sierra	16,20	250,00	P 806	Rottweil	1,16	17,90	Federal 150	Remington	40,30
1561	DEVA	FPJ (8615)	Sierra	16,20	250,00	N 110	Vihtavuori	1,23	19,00	WLP	Remington	40,30

2007-05-12

21:44:32

Seite 23

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1560	DEVA	FPJ (8615)	Sierra	16,20	250,00	No. 9	Accurate	1,23	19,00	WLP	Remington	40,30

1563	DEVA	JSP (8630)	Sierra	19,44	300,00	N 110	Vihtavuori	1,23	19,00	WLP	Remington	44,00
1723	DEVA	HP XTP (44280)	Hornady	19,44	300,00	N 110	Vihtavuori	1,07	16,50	CCI 350	Remington	40,80
1579	DEVA	JSP (8630)	Sierra	19,44	300,00	N 110	Vihtavuori	1,30	20,00	WLP	Remington	43,80

#### .44-40 Winchester

1338	DEVA	SWC 427 F	H&N	12,96	200,00	Unique	Alliant	0,52	8,00	CCI 300	Winchester	39,00
1334	DEVA	SWC 427 F	H&N	12,96	200,00	P 804	Rottweil	0,55	8,50	RWS 5337	Winchester	39,00
1335	DEVA	SWC 427 F	H&N	12,96	200,00	P 806	Rottweil	0,65	10,00	RWS 5337	Winchester	39,00
1337	DEVA	SWC 427 F	H&N	12,96	200,00	N 110	Vihtavuori	1,17	18,10	WLP	Winchester	39,00
1336	DEVA	SWC 427 F	H&N	12,96	200,00	N 320	Vihtavuori	0,39	6,00	WLP	Winchester	39,00
1343	DEVA	SWC (4430)	Hornady	15,55	240,00	N 340	Vihtavuori	0,52	8,00	WLP	Winchester	42,50
1341	DEVA	JSP (4457)	Speer	15,55	240,00	2400	Alliant	0,97	14,90	CCI 300	Winchester	41,00
1339	DEVA	JSP (4457)	Speer	15,55	240,00	P 804	Rottweil	0,50	7,70	RWS 5337	Winchester	41,00
1342	DEVA	JSP (4457)	Speer	15,55	240,00	N 110	Vihtavuori	0,99	15,30	WLP	Winchester	41,00
1340	DEVA	JSP (4457)	Speer	15,55	240,00	N 340	Vihtavuori	0,54	8,30	WLP	Winchester	41,00
1345	DEVA	SWC 427 F	H&N	16,20	250,00	2400	Alliant	0,94	14,50	CCI 300	Winchester	40,00
1344	DEVA	SWC 427 F	H&N	16,20	250,00	IMR 4227	IMR	1,09	16,80	CCI 300	Winchester	40,00
1348	DEVA	SWC 427 F	H&N	16,20	250,00	Unique	Alliant	0,49	7,50	CCI 300	Winchester	40,00
1347	DEVA	SWC 427 F	H&N	16,20	250,00	P 805	Rottweil	0,35	5,40	RWS 5337	Winchester	40,00
1346	DEVA	SWC 427 F	H&N	16,20	250,00	N 110	Vihtavuori	1,02	15,80	WLP	Winchester	40,00

#### .444 Marlin

1349	DEVA	TC BB .429"	Jebens	15,55	240,00	H 110	Hodgdon	2,92	45,00	WLR	Remington	64,40
1350	DEVA	FPJ (8615)	Sierra	16,20	250,00	1680	Accurate	3,50	54,00	WLR	Remington	64,30
1351	DEVA	FP (4300)	Hornady	17,11	264,00	N 120	Vihtavuori	3,18	49,00	CCI 250	Remington	65,00
1574	DEVA	FP (4300)	Hornady	17,17	265,00	PCL 512	PB Clermont	2,85	44,00	WLR	Remington	65,00
1352	DEVA	TMR (430 285 03)	Delsing	18,47	285,00	N 120	Vihtavuori	3,21	49,50	WLR	Remington	67,00
1353	DEVA	JSP (8630)	Sierra	19,44	300,00	H 4198	Hodgdon	3,18	49,00	WLR	Remington	67,60

#### .45 Auto

1564	DEVA	SWC BB .451"	Jebens	11,66	180,00	N 310	Vihtavuori	0,26	4,00	WLP	Winchester	32,30
1566	DEVA	KS 451 HS	H&N	11,99	185,00	N 310	Vihtavuori	0,20	3,10	WLP	Winchester	30,50
1565	DEVA	KS 452 HS	H&N	11,99	185,00	N 320	Vihtavuori	0,38	5,90	WLP	Winchester	30,30

2007-05-12  
21:44:32

Seite 24

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1724	DEVA	HP XTP (45100)	Hornady	11,99	185,00	N 350	Vihtavuori	0,58	9,00	WLP	Winchester	31,50
1567	DEVA	SWC (4513)	Hornady	11,99	185,00	N 330	Vihtavuori	0,37	5,70	RWS 5337	Geco	30,50
1725	DEVA	L-SWC #68	H&G	12,96	200,00	N 320	Vihtavuori	0,36	5,50	WLP	Winchester	32,00
1573	DEVA	KS 452 HS	H&N	12,96	200,00	N 320	Vihtavuori	0,32	5,00	CCI 300	Remington	31,00
1571	DEVA	FMJ-C/T (4515)	Hornady	12,96	200,00	WSL	Winchester	0,36	5,50	Federal 150	Winchester	31,70
1572	DEVA	FMJ-C/T (4515)	Hornady	12,96	200,00	No. 5	Accurate	0,62	9,50	WLP	Winchester	31,70
1726	DEVA	HP XTP (45140)	Hornady	12,96	200,00	N 350	Vihtavuori	0,52	8,00	WLP	Winchester	31,50
1727	DEVA	SWC BB .452"	Jebens	12,96	200,00	PCL 504	PB Clermont	0,45	7,00	Federal 150	Winchester	31,90
1569	DEVA	SWC BB .452"	Jebens	12,96	200,00	PCL 504	PB Clermont	0,49	7,50	Federal 150	Winchester	32,20
1568	DEVA	SWC BB .452"	Jebens	12,96	200,00	N 320	Vihtavuori	0,34	5,20	WLP	Winchester	32,20
1570	DEVA	L-SWC	Prec. Delta	12,96	200,00	N 310	Vihtavuori	0,27	4,20	Federal 150	Winchester	32,20
1728	DEVA	TC BB .452"	Jebens	14,58	225,00	N 340	Vihtavuori	0,42	6,50	WLP	Winchester	32,00
1580	DEVA	RN 452 HS	H&N	14,90	230,00	N 320	Vihtavuori	0,29	4,40	CCI 300	RWS	32,00
1575	DEVA	RN 452 HS	H&N	14,90	230,00	SP 2 Prac.	SNPE	0,65	10,00	WLP	Winchester	31,60
1578	DEVA	VMR	Hirtenberger	14,90	230,00	N 320	Vihtavuori	0,29	4,50	CCI 300	Remington	32,20
1577	DEVA	FMJRN (4517)	Hornady	14,90	230,00	R-1	Norma	0,26	4,00	Norma LP	Winchester	31,50
1576	DEVA	FMJRN (4517)	Hornady	14,90	230,00	700-X	IMR	0,27	4,20	Remington 2 1/2	Geco	31,50
385	DEVA	HP XTP (45160)	Hornady	14,90	230,00	N 350	Vihtavuori	0,44	6,80	WLP	PMC	31,50
1581	DEVA	Leadsafe	Rainier	14,90	230,00	N 320	Vihtavuori	0,32	5,00	RWS 5337	Hirtenberger	31,30
1582	DEVA	SWC BB .452"	Jebens	16,52	255,00	No. 7	Accurate	0,43	6,70	CCI 350	Winchester	31,00



.45 Blaser

1783	DEVA	FN HP (8900)	Sierra	19,44	300,00	N 130	Vihtavuori	4,08	63,00	CCI 200	WR	66,00
1784	DEVA	FP (4503)	Hornady	22,68	350,00	200	Norma	4,21	65,00	CCI 200	WR	66,00
1785	DEVA	FP (4503)	Hornady	22,68	350,00	201	Norma	3,95	61,00	CCI 200	WR	66,00
1786	DEVA	RN (4502)	Hornady	22,68	350,00	200	Norma	4,21	65,00	CCI 200	WR	66,00
1787	DEVA	RN (4502)	Hornady	22,68	350,00	N 130	Vihtavuori	3,50	54,00	CCI 200	WR	66,00
1788	DEVA	RN (4502)	Hornady	22,68	350,00	N 130	Vihtavuori	3,63	56,00	CCI 200	WR	66,00
1789	DEVA	RN (4502)	Hornady	22,68	350,00	N 130	Vihtavuori	3,95	61,00	CCI 200	WR	66,00
1790	DEVA	FN SP (2478)	Speer	22,68	350,00	N 130	Vihtavuori	3,95	61,00	CCI 200	WR	68,00
1791	DEVA	FN SP (2478)	Speer	22,68	350,00	R 901	Rottweil	4,02	62,00	CCI 200	WR	68,00
1116	DEVA	RN	Woddleigh	22,68	350,00	N 130	Vihtavuori	3,50	54,00	CCI 200	WR	67,50

.45 Colt

2007-05-12

21:44:32

Seite 25

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1583	DEVA	SWC BB .451"	Jebens	11,66	180,00	231	Winchester	0,55	8,50	Federal 150	Winchester	42,00
1584	DEVA	KS 452 HS	H&N	11,99	185,00	IMR 4227	IMR	1,36	21,00	CCI 350	Winchester	40,50
1585	DEVA	SWC 454 HS	H&N	12,96	200,00	N 320	Vihtavuori	0,49	7,50	CCI 350	Winchester	40,00
1587	DEVA	SWC 454 HS	H&N	12,96	200,00	Unique	Alliant	0,58	9,00	CCI 350	Winchester	40,00
1586	DEVA	SWC 454 HS	H&N	12,96	200,00	700-X	IMR	0,45	7,00	Remington 2 1/2	Remington	39,00
1589	DEVA	TC BB .452"	Jebens	14,58	225,00	Ch SP Nr. 3	PM. Aubonne	2,27	35,00	Federal 150	Winchester	40,50
1588	DEVA	TC BB .452"	Jebens	14,58	225,00	No. 9	Accurate	1,04	16,00	Federal 150	Winchester	40,40
1592	DEVA	SWC 454 HS	H&N	16,20	250,00	N 320	Vihtavuori	0,39	6,00	CCI 350	Winchester	40,00
1590	DEVA	SWC 454 HS	H&N	16,20	250,00	Unique	Alliant	0,49	7,50	CCI 350	Winchester	40,00
1591	DEVA	SWC 454 HS	H&N	16,20	250,00	P 805	Rottweil	0,39	6,00	RWS 5337	Winchester	40,00
394	DEVA	HP XTP (45200)	Hornady	16,20	250,00	XMP 5744	Accurate	1,10	17,00	WLP	Winchester	40,60

274	DEVA	RN FP BB .454"	Jebens	16,20	250,00	N 340	Vihtavuori	0,58	9,00	WLP	Remington	40,00
1594	DEVA	SWC BB .452"	Jebens	16,52	255,00	Ch SP Nr. 3	PM. Aubonne	2,27	35,00	Federal 150	Winchester	40,50
1593	DEVA	SWC BB .452"	Jebens	16,52	255,00	N 340	Vihtavuori	0,49	7,50	Federal 150	Winchester	40,50
263	DEVA	XTP MAG (45235)	Hornady	19,44	300,00	XMP 5744	Accurate	0,94	14,50	Federal 150	Winchester	41,80

#### .45-70 Government

1354	DEVA	KS 458 HS	H&N	19,44	300,00	N 110	Vihtavuori	1,94	30,00	WLR	Winchester	66,00
1355	DEVA	HP (4500)	Hornady	19,44	300,00	N 135	Vihtavuori	3,39	52,30	RWS 5333	Remington	64,50
1356	DEVA	FN HP (8900)	Sierra	19,44	300,00	N 130	Vihtavuori	3,24	50,00	RWS 5333	Winchester	64,70
1357	DEVA	KS 458 HS	H&N	22,68	350,00	N 110	Vihtavuori	1,81	28,00	WLR	Winchester	66,30
1360	DEVA	RN (4502)	Hornady	22,68	350,00	201	Norma	3,34	51,50	CCI 250	Winchester	65,00
1361	DEVA	RN (4502)	Hornady	22,68	350,00	N 130	Vihtavuori	2,75	42,40	Federal 215	Winchester	65,00
1359	DEVA	FN SP (2478)	Speer	22,68	350,00	Varget	Hodgdon	3,89	60,00	WLR	Winchester	68,50
1358	DEVA	RN	Woodleigh	22,68	350,00	N 130	Vihtavuori	3,03	46,80	WLR	Winchester	65,90
1362	DEVA	FN SP (2479)	Speer	25,92	400,00	N 120	Vihtavuori	2,75	42,50	CCI 250	Winchester	64,70
1363	DEVA	45-405 GS	RCBS	26,24	405,00	Lov. S-055	Synthesia	3,24	50,00	CCI 200	Remington	65,00
1365	DEVA	457406 GS	Lyman	30,78	475,00	N 130	Vihtavuori	2,53	39,00	Federal 215	Winchester	68,50
1364	DEVA	457406 GS	Lyman	30,78	475,00	R 902	Rottweil	2,85	44,00	Federal 215	Winchester	68,50
1366	DEVA	FMJ (4507)	Hornady	32,40	500,00	Tubal 2000	SNPE	2,33	36,00	CCI 200	Remington	74,00

#### .454 Casull Magnum

260	DEVA	HP XTP (45200)	Hornady	16,20	250,00	N 110	Vihtavuori	1,94	30,00	CCI 400	Freed. Arms	42,50
259	DEVA	HP XTP (45200)	Hornady	16,20	250,00	N 110	Vihtavuori	1,94	30,00	CCI 400	Starline	42,50

2007-05-12

21:44:32

Seite 26

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1596	DEVA	SWC BB .452"	Jebens	16,52	255,00	2400	Alliant	1,17	18,00	CCI 450	Starline	43,30

1595	DEVA	SWC BB .452"	Jebens	16,52	255,00	Ba 9	SNPE	0,84	13,00	WSP	Freed. Arms	43,30
1597	DEVA	JSP	Freed. Arms	16,85	260,00	H 110	Hodgdon	2,33	36,00	CCI 450	Starline	44,70
1598	DEVA	JSP	Freed. Arms	16,85	260,00	No. 9	Accurate	1,75	27,00	CCI 450	Starline	44,70
1599	DEVA	JSP	Freed. Arms	19,44	300,00	H 110	Hodgdon	2,14	33,00	CCI 450	Starline	44,80
1600	DEVA	JSP	Freed. Arms	19,44	300,00	No. 9	Accurate	1,68	26,00	CCI 450	Starline	44,80
1601	DEVA	JSP	Freed. Arms	19,44	300,00	PCL 512	PB Clermont	1,62	25,00	CCI 450	Starline	44,80
258	DEVA	XTP MAG (45235)	Hornady	19,44	300,00	N 110	Vihtavuori	1,88	29,00	CCI 400	Starline	44,80
147	DEVA	XTP MAG (45235)	Hornady	19,44	300,00	XMP 5744	Accurate	2,07	32,00	CCI 400	Starline	44,80
1602	DEVA	UCSP (4485)	Speer	19,44	300,00	296	Winchester	2,01	31,00	CCI 450	Starline	44,80
1603	DEVA	UCSP (4485)	Speer	19,44	300,00	N 110	Vihtavuori	1,68	26,00	CCI 450	Starline	44,80

#### .455 Webley / MK II

1604	DEVA	SWC 452 F	H&N	12,96	200,00	N 320	Vihtavuori	0,29	4,50	CCI 500	Fiocchi	27,50
1605	DEVA	SWC 452 F	H&N	12,96	200,00	P 805	Rottweil	0,26	4,00	CCI 500	Fiocchi	27,50
1606	DEVA	RK 452 F	H&N	14,90	230,00	N 320	Vihtavuori	0,31	4,80	CCI 500	Fiocchi	29,80
1607	DEVA	RK 452 F	H&N	14,90	230,00	P 805	Rottweil	0,29	4,50	CCI 500	Fiocchi	29,80
1608	DEVA	HB RK	Expert	17,17	265,00	P 805	Rottweil	0,25	3,80	WSP	Fiocchi	31,40

#### .458 Winchester Magnum

1367	DEVA	XS (45805)	Barnes	22,68	350,00	N 120	Vihtavuori	4,67	72,00	CCI 250	Winchester	84,60
1369	DEVA	RN (4502)	Hornady	22,68	350,00	N 120	Vihtavuori	4,54	70,00	CCI 250	Remington	77,00
1371	DEVA	RN (4502)	Hornady	22,68	350,00	R 901	Rottweil	4,31	66,50	CCI 250	Winchester	77,00
1370	DEVA	RN (4502)	Hornady	22,68	350,00	201	Norma	4,90	75,60	RWS 5333	Winchester	77,00
1368	DEVA	RN	Woodleigh	22,68	350,00	N 120	Vihtavuori	4,54	70,00	CCI 250	Winchester	75,60
1374	DEVA	FN SP (2479)	Speer	25,92	400,00	IMR 3031	IMR	4,54	70,00	CCI 200	Winchester	79,50
1372	DEVA	AF/FN	Swift	25,92	400,00	N 130	Vihtavuori	4,54	70,00	CCI 250	Winchester	81,70
1373	DEVA	SN	Woodleigh	25,92	400,00	N 130	Vihtavuori	4,63	71,50	CCI 250	Winchester	80,00
1375	DEVA	XS (45818)	Barnes	29,16	450,00	N 130	Vihtavuori	4,15	64,00	CCI 250	Winchester	84,50
1376	DEVA	AF/SS	Swift	29,16	450,00	N 130	Vihtavuori	4,28	66,00	CCI 250	Winchester	84,20
1379	DEVA	Monol. Solid	A-Square	30,13	465,00	N 130	Vihtavuori	4,32	66,70	RWS 5333	Winchester	84,50
1377	DEVA	Monol. Solid	A-Square	30,13	465,00	R 901	Rottweil	4,11	63,40	RWS 5333	Winchester	84,50

1378	DEVA	Monol. Solid	A-Square	30,13	465,00	R 902	Rottweil	4,67	72,00	RWS 5333	Winchester	84,50
1383	DEVA	Dead Tough	A-Square	32,40	500,00	N 130	Vihtavuori	4,34	67,00	RWS 5333	A-Square	83,00

2007-05-12  
21:44:32

Seite 27

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1382	DEVA	Dead Tough	A-Square	32,40	500,00	R 901	Rottweil	4,31	66,50	RWS 5333	A-Square	83,00
1380	DEVA	Lion Load	A-Square	32,40	500,00	N 130	Vihtavuori	4,41	68,00	RWS 5333	A-Square	83,00
1381	DEVA	Lion Load	A-Square	32,40	500,00	R 901	Rottweil	4,37	67,40	RWS 5333	A-Square	83,00
1385	DEVA	Monol. Solid	A-Square	32,40	500,00	N 130	Vihtavuori	4,28	66,00	RWS 5333	A-Square	85,00
1384	DEVA	Monol. Solid	A-Square	32,40	500,00	R 901	Rottweil	4,15	64,00	RWS 5333	A-Square	85,00
1387	DEVA	RN (4504)	Hornady	32,40	500,00	R 903	Rottweil	4,99	77,00	CCI 200	Winchester	83,50
1389	DEVA	RN (4504)	Hornady	32,40	500,00	R 901	Rottweil	4,15	64,00	CCI 250	Winchester	83,50
1388	DEVA	RN (4504)	Hornady	32,40	500,00	R 902	Rottweil	4,70	72,50	CCI 250	Winchester	83,50
1386	DEVA	SN	Woodleigh	32,40	500,00	N 130	Vihtavuori	4,11	63,40	WLRM	Winchester	84,50

#### .460 Weatherby Magnum

1390	DEVA	RN (4502)	Hornady	22,68	350,00	R 907	Rottweil	6,87	106,00	Federal 215	Weatherby	87,00
1392	DEVA	AF/FN	Swift	25,92	400,00	N 140	Vihtavuori	7,54	116,30	WLRM	Weatherby	92,20
1391	DEVA	SN	Woodleigh	25,92	400,00	N 140	Vihtavuori	7,39	114,00	WLRM	Weatherby	90,00
1394	DEVA	XS (45818)	Barnes	29,16	450,00	Varget	Hodgdon	6,80	105,00	WLRM	Weatherby	95,20
1393	DEVA	AF/SS	Swift	29,16	450,00	Varget	Hodgdon	6,87	106,00	WLRM	Weatherby	94,70
1398	DEVA	FMJ (4507)	Hornady	32,40	500,00	IMR 4350	IMR	6,80	105,00	Federal 215	Weatherby	95,30
1399	DEVA	RN (4504)	Hornady	32,40	500,00	R 903	Rottweil	6,42	99,00	Federal 215	Weatherby	97,00
1395	DEVA	AF/SS	Swift	32,40	500,00	IMR 4350	IMR	7,45	115,00	WLRM	Weatherby	94,50
1396	DEVA	AF/SS	Swift	32,40	500,00	N 150	Vihtavuori	7,06	109,00	WLRM	Weatherby	94,50
1397	DEVA	SN	Woodleigh	32,40	500,00	N 150	Vihtavuori	6,93	107,00	WLRM	Weatherby	95,20
1400	DEVA	FMJ	Woodleigh	35,64	550,00	Reloder 22	Alliant	7,78	120,00	WLRM	Weatherby	95,60

#### .470 Nitro Express

1401	DEVA	Monol. Solid	A-Square	31,10	480,00	R 905	Rottweil	7,00	108,00	Federal 215	A-Square	96,60
1402	DEVA	Monol. Solid	A-Square	32,40	500,00	IMR 4831	IMR	6,74	104,00	WLRM	Federal	97,00
109	DEVA	TMR	Degol	32,40	500,00	MRP	Norma	7,26	112,00	Federal 215	Federal	97,00
1403	DEVA	Silber Solid	Romey	32,40	500,00	R 905	Rottweil	6,87	106,00	Federal 215	A-Square	100,50
1404	DEVA	Silber Solid	Romey	32,40	500,00	IMR 4831	IMR	6,74	104,00	WLRM	Federal	100,00
1413	DEVA	AF/RN	Swift	32,40	500,00	N 560	Vihtavuori	7,13	110,00	CCI 250	Federal	97,50
1412	DEVA	AF/RN	Swift	32,40	500,00	R 905	Rottweil	7,00	108,00	CCI 250	Federal	97,50
1414	DEVA	AF/RN	Swift	32,40	500,00	Reloder 22	Alliant	7,32	113,00	CCI 250	Federal	97,50
1410	DEVA	FMJ	Woodleigh	32,40	500,00	IMR 4831	IMR	7,06	109,00	CCI 250	Norma	97,60
1411	DEVA	FMJ	Woodleigh	32,40	500,00	N 160	Vihtavuori	7,13	110,00	CCI 250	Federal	97,60

2007-05-12  
21:44:32

Seite 28

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1409	DEVA	SN	Woodleigh	32,40	500,00	IMR 4831	IMR	7,26	112,00	CCI 250	Norma	97,80
1405	DEVA	SN	Woodleigh	32,40	500,00	204	Norma	6,87	106,00	Federal 215	A-Square	98,40
1407	DEVA	SN	Woodleigh	32,40	500,00	4350	Accurate	6,58	101,50	WLRM	Federal	97,80
1408	DEVA	SN	Woodleigh	32,40	500,00	Lov. S-070	Synthesia	7,35	113,50	WLRM	Federal	97,80
1406	DEVA	SN	Woodleigh	32,40	500,00	N 160	Vihtavuori	7,32	113,00	WLRM	Federal	97,00
1415	DEVA	RNSP	Barnes	38,88	600,00	R 905	Rottweil	6,74	104,00	RWS 5333	Federal	98,00

#### .50 Action Express

1615	DEVA	TMF (500 300 03)	Delsing	19,44	300,00	296	Winchester	2,27	35,00	CCI 350	IMI	40,50
1614	DEVA	TMF (500 300 03)	Delsing	19,44	300,00	No. 9	Accurate	1,81	28,00	CCI 350	IMI	40,50
1613	DEVA	TMF (500 300 03)	Delsing	19,44	300,00	No. 9	Accurate	1,88	29,00	WLP	IMI	40,50
1609	DEVA	RN 501 HS	H&N	19,44	300,00	H 110	Hodgdon	1,94	30,00	CCI 350	IMI	40,50
1610	DEVA	RN 501 HS	H&N	19,44	300,00	N 110	Vihtavuori	1,62	25,00	WLP	IMI	40,50
1611	DEVA	JSP	Samson	19,44	300,00	N 110	Vihtavuori	1,88	29,00	WLP	IMI	40,50
1612	DEVA	JSP	Samson	19,44	300,00	N 105	Vihtavuori	1,43	22,00	WLP	IMI	40,50

.500 / .416 Nitro Express

1309	DEVA	XS (41680)	Barnes	19,44	300,00	N 550	Vihtavuori	5,99	92,50	CCI 250	WR	101,50
1310	DEVA	PP	Woodleigh	22,03	340,00	N 160	Vihtavuori	6,54	101,00	CCI 250	WR	101,00
1313	DEVA	XS (41685)	Barnes	22,68	350,00	H 4350	Hodgdon	6,35	98,00	CCI 250	WR	100,00
1311	DEVA	AF/SS	Swift	22,68	350,00	4350	Accurate	5,83	90,00	CCI 250	WR	100,00
1312	DEVA	AF/SS	Swift	22,68	350,00	204	Norma	6,29	97,00	Federal 215	WR	96,30
1314	DEVA	XS (41690)	Barnes	25,92	400,00	IMR 4831	IMR	5,96	92,00	CCI 250	WR	100,00
1317	DEVA	XS (41690)	Barnes	25,92	400,00	PCL 517	PB Clermont	6,48	100,00	WLRM	WR	100,00
1316	DEVA	RN (4165)	Hornady	25,92	400,00	PCL 517	PB Clermont	7,06	109,00	CCI 250	WR	100,50
1315	DEVA	AF/SS	Swift	25,92	400,00	Reloder 22	Alliant	6,35	98,00	CCI 250	WR	100,00
1318	DEVA	AF/SS	Swift	25,92	400,00	PCL 517	PB Clermont	6,87	106,00	WLRM	WR	100,00
1319	DEVA	FMJ	Woodleigh	26,57	410,00	H 4831	SCHodgdon	6,29	97,00	CCI 250	WR	103,00
1320	DEVA	FMJ	Woodleigh	26,57	410,00	N 160	Vihtavuori	5,80	89,50	CCI 250	WR	103,00
1324	DEVA	SN	Woodleigh	26,57	410,00	H 1000	Hodgdon	7,10	109,50	CCI 250	WR	103,00
1323	DEVA	SN	Woodleigh	26,57	410,00	N 160	Vihtavuori	5,80	89,50	CCI 250	WR	102,00
1321	DEVA	SN	Woodleigh	26,57	410,00	PCL 517	PB Clermont	7,13	110,00	WLRM	Federal/U	102,00
1322	DEVA	SN	Woodleigh	26,57	410,00	PCL 517	PB Clermont	7,13	110,00	WLRM	WR	102,00

2007-05-12  
21:44:32

Seite 29

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen
10 mm Auto											

1536	DEVA	Blei RK	Mintert	9,80	152,00	P 801	Rottweil	0,36	5,50	RWS 5337	PMC	32,00
1535	DEVA	Blei SWC	Mintert	9,85	152,00	P 801	Rottweil	0,34	5,20	RWS 5337	PMC	32,00
1537	DEVA	RN SWC BB .401"	Jebens	10,04	155,00	N 320	Vihtavuori	0,36	5,50	WLP	Starline	31,80
1538	DEVA	SWC 402 HS	H&N	11,66	180,00	P 805	Rottweil	0,27	4,20	CCI 350	PMC	31,00
1540	DEVA	SWC 402 HS	H&N	11,66	180,00	N 310	Vihtavuori	0,26	4,00	Remington 2 1/2	PMC	31,00
1539	DEVA	SWC 402 HS	H&N	11,66	180,00	N 340	Vihtavuori	0,42	6,50	Remington 2 1/2	PMC	31,00
1541	DEVA	FMJ-FP (40041)	Hornady	11,66	180,00	N 350	Vihtavuori	0,47	7,30	CCI 350	Norma	32,00
1544	DEVA	FMJ-FP (4007)	Hornady	12,96	200,00	N 110	Vihtavuori	0,84	13,00	CCI 350	PMC	33,00
1543	DEVA	FMJ-FP (4007)	Hornady	12,96	200,00	N 340	Vihtavuori	0,39	6,00	CCI 350	PMC	33,00
1545	DEVA	FMJ-FP (4007)	Hornady	12,96	200,00	P 806	Rottweil	0,58	9,00	CCI 350	PMC	33,00
1542	DEVA	TC BB .401"	Jebens	12,96	200,00	N 105	Vihtavuori	0,50	7,70	WLP	Starline	28,00
1546	DEVA	KS 401 HS	H&N	14,26	220,00	No. 9	Accurate	0,58	9,00	WLP	Starline	32,00

#### 10,3 x 60 R

1755	DEVA	KS (2145871)	RWS	16,39	253,00	N 135	Vihtavuori	4,73	73,00	CCI 200	SM-Thun	77,30
1756	DEVA	KS (2145871)	RWS	16,39	253,00	N 140	Vihtavuori	4,86	75,00	CCI 200	SM-Thun	77,30
1757	DEVA	VMS	SM-Thun	16,52	255,00	N 135	Vihtavuori	4,73	73,00	CCI 200	SM-Thun	75,00
1758	DEVA	VMS	SM-Thun	16,52	255,00	N 135	Vihtavuori	4,80	74,00	CCI 200	SM-Thun	75,00

#### 10,75 x 68

1779	DEVA	TMR (422 347 01)	Delsing	22,49	347,00	PCL 508	PB Clermont	4,73	73,00	CCI BR-2	RWS	84,00
1780	DEVA	TMR (422 347 01)	Delsing	22,49	347,00	200	Norma	4,21	65,00	CCI 200	RWS	84,00
1781	DEVA	FMJ	Woddleigh	22,49	347,00	N 140	Vihtavuori	4,37	67,50	CCI 200	RWS	81,20
1782	DEVA	FMJ	Woddleigh	22,49	347,00	R 902	Rottweil	4,28	66,00	CCI 200	RWS	81,20
1714	DEVA	SN	Woddleigh	22,49	347,00	N 140	Vihtavuori	4,37	67,50	CCI 200	RWS	81,20

#### 5,6 x 35 R (Vierling)

5	DEVA	JET (2210)	Hornady	2,59	40,00	H 110	Hodgdon	0,65	10,00	CCI 400	RWS /U	41,00
4	DEVA	JET (2210)	Hornady	2,59	40,00	IMR 4227	IMR	0,58	9,00	CCI 400	RWS /U	41,00
2	DEVA	JET (2210)	Hornady	2,59	40,00	N 110	Vihtavuori	0,58	9,00	RWS 4033	RWS /U	41,00

3	DEVA	JET (2210)	Hornady	2,59	40,00	R 910	Rottweil	0,55	8,50	RWS 4033	RWS /U	42,00
---	------	------------	---------	------	-------	-------	----------	------	------	----------	--------	-------

5,6 x 50 Magnum

2007-05-12

21:44:32

Seite 30

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
101	DEVA	MJ (2145782)	RWS	2,98	46,00	N 110	Vihtavuori	0,78	12,00	HP 1205	RWS	58,50
102	DEVA	MJ (2145782)	RWS	2,98	46,00	N 110	Vihtavuori	0,91	14,00	HP 1205	RWS	58,50
103	DEVA	PSP	Remington	3,24	50,00	N 130	Vihtavuori	1,68	26,00	RWS 4033	RWS	59,00
104	DEVA	TS	Sako	3,56	55,00	N 140	Vihtavuori	1,77	27,30	RWS 4033	DWM	61,00
105	DEVA	SPT (1360)	Sierra	3,56	55,00	H 335	Hodgdon	1,65	25,50	RWS 4033	RWS	61,00
106	DEVA	SP (2270)	Hornady	3,89	60,00	IMR 4064	IMR	1,81	28,00	Remington 6 1/2	RWS	61,50
107	DEVA	Solid Base (30323)	Nosler	3,89	60,00	N 140	Vihtavuori	1,72	26,60	RWS 4033	RWS	61,50
108	DEVA	TMS (2145790)	RWS	4,08	63,00	N 110	Vihtavuori	0,84	13,00	CCI 450	RWS	61,50
141	DEVA	Solid Base (44843)	Nosler	4,41	68,00	N 140	Vihtavuori	1,75	27,00	RWS 4033	RWS	62,00
110	DEVA	SSpSP (1053)	Speer	4,54	70,00	N 140	Vihtavuori	1,64	25,30	RWS 4033	RWS	62,00
111	DEVA	SSpSP (1053)	Speer	4,54	70,00	R 903	Rottweil	1,68	26,00	RWS 4033	RWS	62,00
113	DEVA	KS (2146231)	RWS	4,80	74,00	N 140	Vihtavuori	1,68	26,00	RWS 4033	RWS	59,00
112	DEVA	KS (2146231)	RWS	4,80	74,00	R 903	Rottweil	1,62	25,00	RWS 4033	RWS	59,50

5,6 x 50 R Magnum

115	DEVA	Ballistic Tip (39510)	Nosler	2,59	40,00	N 110	Vihtavuori	1,10	17,00	CCI BR-4	RWS	62,00
114	DEVA	TMH (2146347)	RWS	2,59	40,00	N 110	Vihtavuori	1,13	17,50	CCI 400	RWS	58,20
116	DEVA	X BT	Barnes	2,92	45,00	N 120	Vihtavuori	1,30	20,00	CCI 400	RWS	61,00
117	DEVA	SMP (1300)	Sierra	2,92	45,00	N 110	Vihtavuori	0,84	13,00	RWS 4033	RWS	61,00
118	DEVA	SMP (1300)	Sierra	2,92	45,00	N 110	Vihtavuori	1,10	17,00	RWS 4033	RWS	61,00
119	DEVA	TMS (2146177)	RWS	2,98	46,00	N 110	Vihtavuori	0,52	8,00	RWS 4033	Samereier	58,30
125	DEVA	XS (22450)	Barnes	3,24	50,00	R 903	Rottweil	1,77	27,30	CCI BR-4	RWS	60,50
124	DEVA	XS (22450)	Barnes	3,24	50,00	Varget	Hodgdon	1,85	28,50	CCI BR-4	RWS	60,50



122	DEVA	V-Max (22261)	Hornady	3,24	50,00	Reloder 12 Alliant	1,62	25,00	CCI 400	RWS	62,00	
123	DEVA	V-Max (22261)	Hornady	3,24	50,00	Reloder 7 Alliant	1,43	22,00	CCI 400	RWS	62,00	
120	DEVA	V-Max (22261)	Hornady	3,24	50,00	N 110	Vihtavuori	0,45	7,00	RWS 4033	Samereier	62,20
121	DEVA	TMS (2145650)	RWS	3,24	50,00	R 903	Rottweil	1,81	28,00	RWS 4033	RWS	61,50
127	DEVA	XS (22453)	Barnes	3,43	53,00	N 140	Vihtavuori	1,75	27,00	CCI BR-4	RWS	60,00
128	DEVA	XS (22453)	Barnes	3,43	53,00	R 903	Rottweil	1,76	27,20	CCI BR-4	RWS	60,00
126	DEVA	Solid Base (35640)	Nosler	3,37	52,00	N 140	Vihtavuori	1,75	27,00	RWS 4033	RWS	61,00
133	DEVA	SXSP (2260)	Hornady	3,56	55,00	N 133	Vihtavuori	1,59	24,50	CCI 400	RWS	61,00
134	DEVA	Ballistic Tip (39526)	Nosler	3,56	55,00	N 135	Vihtavuori	1,62	25,00	Federal 205 M	RWS	61,50
131	DEVA	SBT (1365)	Sierra	3,56	55,00	202	Norma	1,68	26,00	CCI 400	RWS	61,00
129	DEVA	SBT (1365)	Sierra	3,56	55,00	N 135	Vihtavuori	1,68	26,00	RWS 4033	RWS	61,00
130	DEVA	SBT (1365)	Sierra	3,56	55,00	N 140	Vihtavuori	1,75	27,00	RWS 4033	RWS	61,00

2007-05-12

21:44:32

Seite 31

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
132	DEVA	SpSP (1047)	Speer	3,56	55,00	N 110	Vihtavuori	0,78	12,00	RWS 4033	RWS	61,50
135	DEVA	SP (2270)	Hornady	3,89	60,00	IMR 4064	IMR	1,75	27,00	Remington 6 1/2	RWS	61,50
136	DEVA	SP (2270)	Hornady	3,89	60,00	N 140	Vihtavuori	1,68	26,00	RWS 4033	RWS	61,50
137	DEVA	SMP (1370)	Sierra	4,08	63,00	N 140	Vihtavuori	1,68	26,00	RWS 4033	RWS	60,50
139	DEVA	SP (2280)	Hornady	4,54	70,00	204	Norma	1,68	26,00	RWS 4033	RWS	62,00
138	DEVA	SSpSP (1053)	Speer	4,54	70,00	N 140	Vihtavuori	1,55	23,90	RWS 4033	RWS	62,00
140	DEVA	TMS (2145642)	RWS	4,60	71,00	N 140	Vihtavuori	1,56	24,00	CCI 400	RWS	60,00

5,6 x 52 R (Savage)

142	DEVA	SP (2280)	Hornady	4,54	70,00	N 140	Vihtavuori	1,76	27,10	CCI 200	Norma	64,20
145	DEVA	SpSP (15604)	Norma	4,60	71,00	202	Norma	1,67	25,80	CCI 200	Norma	63,30
143	DEVA	SpSP (15604)	Norma	4,60	71,00	N 140	Vihtavuori	1,71	26,40	CCI 200	Norma	63,30
144	DEVA	SpSP (15604)	Norma	4,60	71,00	R 903	Rottweil	1,76	27,20	CCI BR-2	Norma	63,40
146	DEVA	TMS (2145642)	RWS	4,60	71,00	N 140	Vihtavuori	1,76	27,20	CCI 200	Norma	62,20

5,6 x 57 (R)

243	DEVA	SPT (1330)	Sierra	3,24	50,00	N 140	Vihtavuori	2,53	39,00	RWS 5341	RWS	67,50
148	DEVA	SPT (1330)	Sierra	3,24	50,00	202	Norma	2,49	38,40	RWS 5341	RWS	67,50
149	DEVA	XS (22453)	Barnes	3,43	53,00	N 150	Vihtavuori	2,59	40,00	CCI 200	RWS	68,00
150	DEVA	TS	Sako	3,56	55,00	N 140	Vihtavuori	2,40	37,00	RWS 5341	RWS	68,00
151	DEVA	Solid Base (16339)	Nosler	3,56	55,00	R 904	Rottweil	2,79	43,00	HP 1215	Hirtenberger	68,00
152	DEVA	SP (2270)	Hornady	3,89	60,00	R 903	Rottweil	2,33	36,00	RWS 5341	RWS	68,50
153	DEVA	SMP (1370)	Sierra	4,08	63,00	R 904	Rottweil	2,59	40,00	RWS 5341	RWS	68,50
155	DEVA	ABC	Hirtenberger	4,54	70,00	R 905	Rottweil	2,72	42,00	HP 1215	Hirtenberger	66,00
154	DEVA	SSpSP (1053)	Speer	4,54	70,00	IMR 4831	IMR	2,26	34,90	Remington 9 1/2	RWS	68,50
158	DEVA	VMS	RWS	4,80	74,00	R 905	Rottweil	2,72	42,00	RWS 5341	RWS	67,70
156	DEVA	KS (2146231)	RWS	4,80	74,00	N 160	Vihtavuori	2,59	40,00	RWS 5341	RWS	69,00
157	DEVA	KS (2146231)	RWS	4,80	74,00	R 905	Rottweil	2,66	41,00	RWS 5341	RWS	69,00

5,6 x 61 SE vom Hofe

159	DEVA	SP (2280)	Hornady	4,54	70,00	IMR 4831	IMR	3,34	51,50	Remington 9 1/2 M	Gehmann	73,00
161	DEVA	TS	Gehmann	4,99	77,00	H 870	Hodgdon	3,95	61,00	RWS 5333	Gehmann	76,50
160	DEVA	TS	Gehmann	4,99	77,00	IMR 4831	IMR	3,45	53,20	RWS 5341	Norma	76,50

2007-05-12

21:44:32

Seite 32

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
6 mm Bench Rest Norma												
162	DEVA	HPBT (1530)	Sierra	5,51	85,00	202	Norma	2,01	31,00	CCI 400	Norma	54,50
163	DEVA	HPBT (1530)	Sierra	5,51	85,00	Reloder 15	Alliant	2,08	32,10	CCI BR-4	Norma	54,50
164	DEVA	Ballistic Tip (24095)	Nosler	6,16	95,00	N 550	Vihtavuori	2,11	32,50	CCI BR-4	Norma	55,70
165	DEVA	HPVLD Moly	Berger	6,80	105,00	N 140	Vihtavuori	1,94	30,00	CCI BR-4	Norma	58,00

166	DEVA	HPVLD Moly	Berger	6,80	105,00	N 150	Vihtavuori	2,01	31,00	CCI BR-4	Norma	58,00
168	DEVA	HPDL (66012)	Norma	6,93	107,00	IMR 4350	IMR	2,15	33,20	CCI BR-4	Norma	58,30
167	DEVA	HPDL (66012)	Norma	6,93	107,00	N 550	Vihtavuori	2,11	32,50	CCI BR-4	Norma	58,30
169	DEVA	HPBT (1570)	Sierra	6,93	107,00	Varget	Hodgdon	1,94	30,00	CCI BR-4	Norma	60,00

#### 6 mm PPC

170	DEVA	HP	Berger	4,21	65,00	H 322	Hodgdon	1,85	28,50	CCI BR-4	Norma	55,00
171	DEVA	HP	Berger	4,21	65,00	PCL 508	PB Clermont	2,04	31,50	CCI BR-4	Norma	55,00
172	DEVA	HP	Berger	4,41	68,00	H 322	Hodgdon	1,85	28,50	CCI BR-4	Norma	55,00
173	DEVA	HP	Berger	4,41	68,00	N 133	Vihtavuori	1,80	27,80	Federal 205 M	Norma	55,00
174	DEVA	Ballistic Tip (39532)	Nosler	4,54	70,00	200	Norma	1,75	27,00	Federal 205 M	Norma	54,30
175	DEVA	Ballistic Tip (39532)	Nosler	4,54	70,00	N 130	Vihtavuori	1,75	27,00	Federal 205 M	Norma	54,30
177	DEVA	HPBT (1505)	Sierra	4,54	70,00	H 4895	Hodgdon	1,91	29,50	Federal 205 M	Norma	55,20
176	DEVA	HPBT (1505)	Sierra	4,54	70,00	IMR 4895	IMR	1,91	29,50	Federal 205 M	Norma	55,20

#### 6 x 52 R Bretschneider

178	DEVA	HPBT (1505)	Sierra	4,54	70,00	R 903	Rottweil	1,95	30,10	RWS 5341	Win./U	66,50
179	DEVA	X	Barnes	4,86	75,00	R 903	Rottweil	1,90	29,30	RWS 5341	Win./U	67,50
180	DEVA	X BT (24310)	Barnes	5,51	85,00	R 903	Rottweil	1,87	28,90	RWS 5341	Win./U	68,70
184	DEVA	Partition (16314)	Nosler	5,51	85,00	N 550	Vihtavuori	1,90	29,30	HP 1225	Norma/U	68,50
183	DEVA	Partition (16314)	Nosler	5,51	85,00	N 540	Vihtavuori	1,80	27,80	RWS 5341	Win./U	68,50
181	DEVA	Partition (16314)	Nosler	5,51	85,00	R 903	Rottweil	1,87	28,80	RWS 5341	Win./U	68,50
182	DEVA	Partition (16314)	Nosler	5,51	85,00	R 904	Rottweil	1,95	30,10	RWS 5341	Win./U	68,50
185	DEVA	SP (2440)	Hornady	5,64	87,00	R 903	Rottweil	1,78	27,50	RWS 5341	Win./U	67,00
186	DEVA	Partition (16315)	Nosler	6,16	95,00	R 903	Rottweil	1,80	27,80	RWS 5341	Win./U	68,50
192	DEVA	RN (2455)	Hornady	6,48	100,00	N 550	Vihtavuori	1,86	28,70	HP 1225	Win./U	67,00
191	DEVA	RN (2455)	Hornady	6,48	100,00	N 550	Vihtavuori	1,86	28,70	RWS 5341	Win./U	67,00
189	DEVA	RN (2455)	Hornady	6,48	100,00	R 903	Rottweil	1,77	27,30	RWS 5341	Win./U	67,00
190	DEVA	RN (2455)	Hornady	6,48	100,00	R 904	Rottweil	1,90	29,30	RWS 5341	Win./U	67,00

21:44:32

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
187	DEVA	Partition (35642)	Nosler	6,48	100,00	R 903	Rottweil	1,77	27,30	RWS 5341	Win./U	68,50
188	DEVA	Partition (35642)	Nosler	6,48	100,00	R 904	Rottweil	1,90	29,30	RWS 5341	Win./U	68,50
193	DEVA	SPBT (1220)	Speer	6,48	100,00	R 904	Rottweil	1,86	28,70	RWS 5341	Win./U	66,50

#### 6 x 62 (R) Frères

232	DEVA	Ballistic Tip (24055)	Nosler	3,56	55,00	N 140	Vihtavuori	3,37	52,00	WLR	MEN	75,50
234	DEVA	SXSP (2415)	Hornady	4,54	70,00	N 140	Vihtavuori	3,05	47,00	WLR	MEN	76,00
233	DEVA	Ballistic Tip (39532)	Nosler	4,54	70,00	N 140	Vihtavuori	3,03	46,70	WLR	MEN	79,00
235	DEVA	SP (1211)	Speer	5,18	80,00	N 140	Vihtavuori	3,11	48,00	RWS 5341	MEN	77,00
236	DEVA	X BT (24310)	Barnes	5,51	85,00	R 904	Rottweil	3,18	49,00	Federal 210 M	MEN	78,50
237	DEVA	SP (1217)	Speer	5,83	90,00	204	Norma	3,36	51,80	RWS 5341	MEN	78,20
238	DEVA	X	Barnes	6,16	95,00	MRP	Norma	3,11	48,00	WLR	MEN	80,00
239	DEVA	Partition (16315)	Nosler	6,16	95,00	R 905	Rottweil	3,40	52,50	Federal 210 M	MEN	78,50
240	DEVA	KS (2146436)	RWS	6,16	95,00	204	Norma	3,24	50,00	Federal 210 M	MEN	76,00
242	DEVA	SP (2450)	Hornady	6,48	100,00	MRP	Norma	3,50	54,00	Federal 210 M	MEN	77,00
241	DEVA	SpBT (1560)	Sierra	6,48	100,00	IMR 4831	IMR	3,24	50,00	WLR	MEN	80,00
244	DEVA	HPVLD Moly	Berger	6,80	105,00	N 560	Vihtavuori	3,49	53,80	WLR	MEN	82,00

#### 6 x 70 R

1770	DEVA	Ballistic Tip (39532)	Nosler	4,54	70,00	MRP	Norma	2,20	34,00	CCI 450	Norma	85,50
1771	DEVA	SP HC (1211)	Speer	5,18	80,00	R 905	Rottweil	2,01	31,00	CCI 450	WR	83,00
1772	DEVA	SP (2440)	Hornady	5,64	87,00	R 905	Rottweil	1,88	29,00	CCI 450	Norma	84,50
1773	DEVA	V-Max (22440)	Hornady	5,64	87,00	H 4831	SC Hodgdon	2,04	31,50	CCI 450	Norma	85,00
1774	DEVA	V-Max (22440)	Hornady	5,64	87,00	R 905	Rottweil	1,88	29,00	CCI 450	Norma	85,00
1775	DEVA	Ballistic Tip (24090)	Nosler	5,83	90,00	MRP	Norma	1,94	30,00	CCI 450	WR	85,50
1776	DEVA	Ballistic Tip (24090)	Nosler	5,83	90,00	N 160	Vihtavuori	1,88	29,00	CCI 450	WR	86,00
1777	DEVA	SpBT (1560)	Sierra	6,48	100,00	N 160	Vihtavuori	1,81	28,00	CCI 450	Norma	84,00

1778	DEVA	SpBT (1560)	Sierra	6,48	100,00	N 160	Vihtavuori	1,81	28,00	CCI 450	WR	84,00
------	------	-------------	--------	------	--------	-------	------------	------	-------	---------	----	-------

6,5 x 52 R

246	DEVA	SP (2530)	Hornady	5,64	87,00	IMR 4064	IMR	1,75	27,00	CCI 200	Norma/U	66,50
247	DEVA	SP (2530)	Hornady	5,64	87,00	N 140	Vihtavuori	1,68	26,00	HP 1225	RWS /U	66,50
245	DEVA	SP (2530)	Hornady	5,60	87,00	R 903	Rottweil	1,85	28,50	RWS 5341	Norma/U	66,50
248	DEVA	RN (2550)	Hornady	7,58	117,00	IMR 4064	IMR	1,62	25,00	CCI 200	Norma/U	65,50

2007-05-12  
21:44:32

Seite 34

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
249	DEVA	RN (2550)	Hornady	7,58	117,00	N 140	Vihtavuori	1,48	22,80	HP 1225	RWS /U	65,50
250	DEVA	RN (2550)	Hornady	7,58	117,00	R 903	Rottweil	1,65	25,50	RWS 5341	Norma/U	65,50

6,5 x 54 Mannlicher-Schönauer

251	DEVA	KS (2146460)	RWS	8,23	127,00	N 140	Vihtavuori	2,46	38,00	CCI BR-2	RWS	71,00
252	DEVA	KS (2146460)	RWS	8,23	127,00	R 903	Rottweil	2,46	37,90	CCI BR-2	RWS	71,00
253	DEVA	Partition (16321)	Nosler	9,07	140,00	N 140	Vihtavuori	2,33	36,00	CCI BR-2	RWS	74,00
254	DEVA	Partition (16321)	Nosler	9,07	140,00	R 903	Rottweil	2,40	37,00	CCI BR-2	RWS	74,00
255	DEVA	Mega (E 471)	Lapua	10,11	156,00	N 140	Vihtavuori	2,24	34,50	CCI BR-2	RWS	74,00
256	DEVA	Mega (E 471)	Lapua	10,11	156,00	R 903	Rottweil	2,30	35,50	CCI BR-2	RWS	74,00
257	DEVA	TMR (2145685)	RWS	10,30	159,00	R 903	Rottweil	2,24	34,50	RWS 5341	RWS	76,40

6,5 x 55 SE

262	DEVA	X	Barnes	6,48	100,00	N 550	Vihtavuori	3,01	46,50	CCI BR-2	Norma	72,00
261	DEVA	SP (2610)	Hornady	6,48	100,00	N 110	Vihtavuori	1,56	24,00	CCI 200	Norma	71,00
264	DEVA	KS (2146320)	RWS	7,00	108,00	N 140	Vihtavuori	2,79	43,00	RWS 5341	Norma	74,00
266	DEVA	Ballistic Tip (26120)	Nosler	7,78	120,00	N 160	Vihtavuori	2,75	42,50	CCI BR-2	Norma	72,50
267	DEVA	Ballistic Tip (26120)	Nosler	7,78	120,00	N 160	Vihtavuori	3,11	48,00	CCI BR-2	Norma	72,50

265	DEVA	SpSP (1435)	Speer	7,78	120,00	N 110	Vihtavuori	1,49	23,00	CCI 200	Norma	73,50
268	DEVA	AF/SS	Swift	7,78	120,00	N 560	Vihtavuori	3,24	50,00	CCI BR-2	Norma	73,00
393	DEVA	Partition (16320)	Nosler	8,10	125,00	MRP	Norma	3,11	48,00	Federal 215	Norma	74,50
269	DEVA	KS (2146460)	RWS	8,23	127,00	N 160	Vihtavuori	3,11	48,00	RWS 5341	Norma	74,50
392	DEVA	CDP	SM-Thun	8,23	127,00	N 560	Vihtavuori	3,14	48,50	CCI BR-2	RWS	74,50
272	DEVA	XS (26403)	Barnes	8,42	130,00	IMR 4831	IMR	2,86	44,20	CCI BR-2	Norma	76,00
391	DEVA	XS (26403)	Barnes	8,42	130,00	N 560	Vihtavuori	2,92	45,00	CCI BR-2	RWS	76,50
271	DEVA	HPBT DL (66508)	Norma	8,42	130,00	N 150	Vihtavuori	2,72	42,00	CCI 200	Norma	77,50
270	DEVA	HPBT DL (66508)	Norma	8,42	130,00	N 160	Vihtavuori	3,08	47,50	CCI 200	Norma	77,50
390	DEVA	HPBT DL (66508)	Norma	8,42	130,00	N 560	Vihtavuori	3,21	49,50	CCI BR-2	RWS	77,50
273	DEVA	TS	Sako	9,01	139,00	R 904	Rottweil	2,79	43,00	CCI BR-2	Norma	76,50
294	DEVA	SBT (1730)	Sierra	9,07	140,00	R 905	Rottweil	2,95	45,60	CCI BR-2	RWS	75,50
275	DEVA	SBT (1730)	Sierra	9,07	140,00	Tubal 5000	SNPE	2,53	39,00	CCI 200	Lapua	73,50
276	DEVA	SBT (1730)	Sierra	9,07	140,00	R 905	Rottweil	2,95	45,60	RWS 5333	Norma	75,30
278	DEVA	FMJBT (B343)	Lapua	9,33	144,00	N 160	Vihtavuori	2,78	42,90	CCI 250	Norma	75,00
277	DEVA	FMJBT (B343)	Lapua	9,33	144,00	204	Norma	2,81	43,40	CCI BR-2	Norma	76,00

2007-05-12  
21:44:32

Seite 35

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
279	DEVA	Alaska (66532)	Norma	10,11	156,00	204	Norma	2,81	43,40	CCI 200	Norma	78,00
280	DEVA	TMR (2145685)	RWS	10,30	159,00	R 904	Rottweil	2,62	40,50	RWS 5341	Norma	75,00

6,5 x 57

281	DEVA	HP (1700)	Sierra	5,51	85,00	N 135	Vihtavuori	2,75	42,40	RWS 5341	RWS	72,00
282	DEVA	X	Barnes	6,48	100,00	IMR 4320	IMR	2,74	42,30	RWS 5341	RWS	74,00
284	DEVA	SP (2610)	Hornady	6,48	100,00	R 903	Rottweil	2,98	46,00	RWS 5341	RWS	73,50
283	DEVA	SP (2610)	Hornady	6,48	100,00	N 135	Vihtavuori	2,66	41,00	RWS 5341	RWS	73,50
286	DEVA	Ballistic Tip (26100)	Nosler	6,48	100,00	R 907	Rottweil	2,72	42,00	RWS 5341	RWS	76,00

285	DEVA	Ballistic Tip (26120)	Nosler	7,78	120,00	204	Norma	2,98	46,00	RWS 5341	RWS	76,00
287	DEVA	AF/SS	Swift	7,78	120,00	N 550	Vihtavuori	2,92	45,10	RWS 5341	RWS	75,50
288	DEVA	ABC	Hirtenberger	7,97	123,00	R 904	Rottweil	2,89	44,60	HP 1215	Hirtenberger	74,00
290	DEVA	Partition (16320)	Nosler	8,10	125,00	R 904	Rottweil	2,85	44,00	HP 1215	Hirtenberger	75,00
289	DEVA	Partition (16320)	Nosler	8,10	125,00	N 140	Vihtavuori	2,66	41,00	RWS 5341	RWS	75,00
389	DEVA	CDP	SM-Thun	8,23	127,00	N 160	Vihtavuori	3,05	47,00	CCI 200	SM-Thun	77,50
292	DEVA	SP (2620)	Hornady	8,36	129,00	IMR 4350	IMR	2,88	44,50	Remington 9 1/2	RWS	75,50
291	DEVA	SP (2620)	Hornady	8,36	129,00	IMR 4831	IMR	3,05	47,00	Remington 9 1/2	RWS	75,50
293	DEVA	XS (26403)	Barnes	8,42	130,00	IMR 4831	IMR	2,98	46,00	RWS 5341	RWS	78,50
320	DEVA	SST (26302)	Hornady	9,07	140,00	MRP	Norma	2,95	45,50	CCI 200	SM-Thun	77,00
317	DEVA	Naturalis (N 507)	Lapua	9,07	140,00	MRP	Norma	2,98	46,00	CCI 200	SM-Thun	78,50
296	DEVA	Partition (16321)	Nosler	9,07	140,00	R 904	Rottweil	2,76	42,60	HP 1215	Hirtenberger	75,00
297	DEVA	SpSP (1441)	Speer	9,07	140,00	N 140	Vihtavuori	2,57	39,70	RWS 5341	RWS	76,50
295	DEVA	AF/SS	Swift	9,07	140,00	IMR 4831	IMR	2,95	45,50	RWS 5341	RWS	77,50
298	DEVA	Mega (E 471)	Lapua	10,11	156,00	R 905	Rottweil	2,98	46,00	RWS 5341	RWS	78,00
299	DEVA	Alaska (66532)	Norma	10,11	156,00	N 160	Vihtavuori	2,86	44,10	RWS 5341	RWS	78,00
316	DEVA	Oryx (66524)	Norma	10,11	156,00	R 905	Rottweil	2,92	45,00	CCI 200	RWS	78,80
303	DEVA	RN (2640)	Hornady	10,37	160,00	MRP	Norma	2,98	46,00	CCI 200	SM-Thun	78,00

6,5 x 57 R

300	DEVA	HP (1700)	Sierra	5,51	85,00	N 110	Vihtavuori	0,55	8,50	CCI 200	Samereier	71,30
301	DEVA	HP (1700)	Sierra	5,51	85,00	N 135	Vihtavuori	2,65	40,90	RWS 5341	RWS	72,00
302	DEVA	TMS (2145669)	RWS	6,03	93,00	N 135	Vihtavuori	2,61	40,30	RWS 5341	RWS	72,00
305	DEVA	X	Barnes	6,48	100,00	IMR 4350	IMR	2,94	45,30	CCI 200	Hirtenberger	76,00
307	DEVA	SP (2610)	Hornady	6,48	100,00	H 380	Hodgdon	2,83	43,60	RWS 5341	RWS	73,50

2007-05-12  
21:44:32

Seite 36

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
306	DEVA	SP (2610)	Hornady	6,48	100,00	N 135	Vihtavuori	2,62	40,50	RWS 5341	RWS	73,50

304	DEVA	Ballistic Tip (26100)	Nosler	6,48	100,00	R 904	Rottweil	3,05	47,00	RWS 5341	RWS	73,50
309	DEVA	XS (26402)	Barnes	7,78	120,00	IMR 4350	IMR	2,72	42,00	CCI 200	Hirtenberger	78,00
308	DEVA	XS (26402)	Barnes	7,78	120,00	4350	Accurate	2,59	40,00	Federal 210 M	RWS	77,50
311	DEVA	Ballistic Tip (26120)	Nosler	7,78	120,00	R 905	Rottweil	2,98	46,00	RWS 5341	RWS	78,00
310	DEVA	AF/SS	Swift	7,78	120,00	N 160	Vihtavuori	2,92	45,00	CCI 200	Hirtenberger	76,50
313	DEVA	Partition (16320)	Nosler	8,10	125,00	R 905	Rottweil	2,92	45,10	HP 1225	Hirtenberger	75,00
312	DEVA	Partition (16320)	Nosler	8,10	125,00	N 140	Vihtavuori	2,53	39,00	RWS 5341	RWS	75,00
388	DEVA	CDP	SM-Thun	8,23	127,00	N 160	Vihtavuori	2,88	44,50	CCI 200	SM-Thun	77,50
314	DEVA	SP (2620)	Hornady	8,36	129,00	IMR 4831	IMR	2,92	45,00	Remington 9 1/2	RWS	75,00
315	DEVA	XS (26403)	Barnes	8,42	130,00	Lov. S-070	Synthesia	2,53	39,00	CCI 200	RWS	79,50
372	DEVA	Naturalis (N 507)	Lapua	9,07	140,00	MRP	Norma	2,79	43,00	CCI 200	SM-Thun	78,80
318	DEVA	Partition (16321)	Nosler	9,07	140,00	R 905	Rottweil	2,80	43,20	HP 1225	Hirtenberger	75,00
319	DEVA	SpSP (1441)	Speer	9,07	140,00	N 140	Vihtavuori	2,43	37,50	RWS 5341	RWS	76,50
321	DEVA	Alaska (66532)	Norma	10,11	156,00	N 160	Vihtavuori	2,75	42,40	RWS 5341	RWS	78,50
371	DEVA	Oryx (66524)	Norma	10,11	156,00	MRP	Norma	2,79	43,00	CCI 200	SM-Thun	78,80
357	DEVA	RN (2640)	Hornady	10,37	160,00	MRP	Norma	2,79	43,00	CCI 200	SM-Thun	78,00

#### 6,5 x 58 R

324	DEVA	HP (1700)	Sierra	5,51	85,00	IMR 4064	IMR	1,88	29,00	CCI 200	RWS /U	72,50
322	DEVA	HP (1700)	Sierra	5,51	85,00	N 140	Vihtavuori	1,85	28,50	RWS 5341	RWS /U	72,50
323	DEVA	HP (1700)	Sierra	5,51	85,00	R 903	Rottweil	1,94	30,00	RWS 5341	RWS /U	72,50
328	DEVA	SP (2540)	Hornady	6,48	100,00	R 903	Rottweil	1,96	30,20	RWS 5341	RWS /U	73,20
326	DEVA	SP (2610)	Hornady	6,48	100,00	IMR 4064	IMR	1,72	26,50	CCI 200	RWS /U	74,50
325	DEVA	SP (2610)	Hornady	6,48	100,00	N 140	Vihtavuori	1,68	26,00	RWS 5341	RWS /U	74,50
327	DEVA	SP (2610)	Hornady	6,48	100,00	R 903	Rottweil	1,75	27,00	RWS 5341	RWS /U	74,50
329	DEVA	RN (2550)	Hornady	7,58	117,00	R 903	Rottweil	1,76	27,20	RWS 5341	RWS /U	73,20

#### 6,5 x 64 Brenneke

331	DEVA	TMS (2145669)	RWS	6,03	93,00	N 160	Vihtavuori	3,69	57,00	RWS 5341	MEN	79,00
330	DEVA	TMS (2145669)	RWS	6,03	93,00	R 905	Rottweil	3,89	60,00	RWS 5341	MEN	79,00
332	DEVA	X	Barnes	6,48	100,00	Reloder 22	Alliant	3,69	57,00	WLRM	MEN	80,00
333	DEVA	SP (2610)	Hornady	6,48	100,00	N 160	Vihtavuori	3,69	57,00	RWS 5341	MEN	80,50



334	DEVA	SP (2610)	Hornady	6,48	100,00	R 905	Rottweil	3,85	59,40	RWS 5341	MEN	80,50
-----	------	-----------	---------	------	--------	-------	----------	------	-------	----------	-----	-------

2007-05-12  
21:44:32

Seite 37

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
336	DEVA	KS (2146320)	RWS	7,00	108,00	N 160	Vihtavuori	3,54	54,70	RWS 5341	MEN	75,00
335	DEVA	KS (2146320)	RWS	7,00	108,00	R 905	Rottweil	3,73	57,50	RWS 5341	MEN	75,00
339	DEVA	SpSP (1435)	Speer	7,78	120,00	N 160	Vihtavuori	3,41	52,70	RWS 5341	MEN	81,00
338	DEVA	SpSP (1435)	Speer	7,78	120,00	R 905	Rottweil	3,41	52,70	RWS 5341	MEN	81,00
337	DEVA	AF/SS	Swift	7,78	120,00	Reloder 22	Alliant	3,58	55,20	WLRM	MEN	80,00
341	DEVA	Partition (16320)	Nosler	8,10	125,00	N 160	Vihtavuori	3,32	51,20	RWS 5341	MEN	81,00
340	DEVA	Partition (16320)	Nosler	8,10	125,00	R 905	Rottweil	3,48	53,70	RWS 5341	MEN	81,00
343	DEVA	KS (2146460)	RWS	8,23	127,00	N 160	Vihtavuori	3,40	52,50	RWS 5341	MEN	75,50
342	DEVA	KS (2146460)	RWS	8,23	127,00	R 905	Rottweil	3,53	54,50	RWS 5341	MEN	75,50
344	DEVA	XS (26403)	Barnes	8,42	130,00	N 560	Vihtavuori	3,28	50,60	WLRM	MEN	80,50

6,5 x 65 R RWS

355	DEVA	TMS (2145669)	RWS	6,03	93,00	R 904	Rottweil	3,58	55,30	RWS 5341	RWS	80,00
356	DEVA	X	Barnes	6,48	100,00	204	Norma	3,56	55,00	CCI 250	RWS	80,50
358	DEVA	KS (2146320)	RWS	7,00	108,00	IMR 4831	IMR	3,56	54,90	RWS 5333	RWS	80,00
359	DEVA	KS (2146320)	RWS	7,00	108,00	R 905	Rottweil	3,73	57,60	RWS 5333	RWS	79,00
360	DEVA	Ballistic Tip (26120)	Nosler	7,78	120,00	Reloder 22	Alliant	3,50	54,00	CCI 250	RWS	85,00
361	DEVA	AF/SS	Swift	7,78	120,00	N 165	Vihtavuori	3,60	55,50	CCI 250	RWS	84,00
363	DEVA	KS (2146460)	RWS	8,23	127,00	N 165	Vihtavuori	3,67	56,70	RWS 5333	RWS	79,50
362	DEVA	KS (2146460)	RWS	8,23	127,00	R 905	Rottweil	3,51	54,10	RWS 5333	RWS	79,50
364	DEVA	XS (26403)	Barnes	8,42	130,00	N 165	Vihtavuori	3,19	49,30	CCI 250	RWS	84,00
345	DEVA	SST (26302)	Hornady	9,07	140,00	MRP	Norma	3,27	50,50	CCI 200	SM-Thun	84,50

6,5 x 65 RWS

346	DEVA	TMS (2145669)	RWS	6,03	93,00	R 904	Rottweil	3,61	55,70	RWS 5341	RWS	80,00
347	DEVA	X	Barnes	6,48	100,00	IMR 4831	IMR	3,56	55,00	CCI 250	RWS	84,00
387	DEVA	KS (2146320)	RWS	7,00	108,00	R 905	Rottweil	3,76	58,00	RWS 5333	RWS	79,20
348	DEVA	KS (2146320)	RWS	7,00	108,00	R 905	Rottweil	3,79	58,50	RWS 5333	RWS	79,00
349	DEVA	Ballistic Tip (26120)	Nosler	7,78	120,00	IMR 4831	IMR	3,43	53,00	CCI 250	RWS	84,00
350	DEVA	AF/SS	Swift	7,78	120,00	IMR 4831	IMR	3,38	52,20	CCI 250	RWS	84,00
351	DEVA	Partition (16320)	Nosler	8,10	125,00	R 905	Rottweil	3,54	54,70	RWS 5333	RWS	82,50
352	DEVA	KS (2146460)	RWS	8,23	127,00	R 905	Rottweil	3,62	55,90	RWS 5333	RWS	79,50
353	DEVA	XS (26403)	Barnes	8,42	130,00	N 165	Vihtavuori	3,21	49,50	CCI 250	RWS	83,50
386	DEVA	SST (26302)	Hornady	9,07	140,00	MRP	Norma	3,37	52,00	CCI 200	RWS	84,50

2007-05-12  
21:44:32

Seite 38

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
354	DEVA	Partition (16321)	Nosler	9,07	140,00	N 165	Vihtavuori	3,54	54,60	RWS 5333	RWS	82,50
6,5 x 68												
365	DEVA	HP (1700)	Sierra	5,51	85,00	R 905	Rottweil	4,54	70,00	Federal 215	RWS	82,50
368	DEVA	X	Barnes	6,48	100,00	N 160	Vihtavuori	3,86	59,50	CCI 250	RWS	86,30
366	DEVA	X	Barnes	6,48	100,00	4350	Accurate	3,95	61,00	WLRM	RWS	86,50
367	DEVA	X	Barnes	6,48	100,00	Lov. S-070	Synthesia	3,95	61,00	WLRM	RWS	86,50
369	DEVA	SP (2610)	Hornady	6,48	100,00	N 160	Vihtavuori	4,23	65,30	RWS 5333	RWS	85,00
370	DEVA	SP (2610)	Hornady	6,48	100,00	R 905	Rottweil	4,54	70,00	RWS 5333	RWS	85,00
375	DEVA	Ballistic Tip (26120)	Nosler	7,78	120,00	Lov. S-070	Synthesia	3,95	61,00	WLRM	RWS	86,50
373	DEVA	AF/SS	Swift	7,78	120,00	Lov. S-070	Synthesia	3,91	60,30	WLRM	RWS	86,50
374	DEVA	AF/SS	Swift	7,78	120,00	R 905	Rottweil	3,99	61,50	WLRM	Hirtenberger	85,30
376	DEVA	ABC	Hirtenberger	7,97	123,00	R 905	Rottweil	4,02	62,10	HP 1215	Hirtenberger	85,00

377	DEVA	Partition (16320)	Nosler	8,10	125,00	R 905	Rottweil	3,96	61,10	HP 1215	Hirtenberger	85,50
378	DEVA	Partition (16320)	Nosler	8,10	125,00	N 160	Vihtavuori	3,76	58,00	RWS 5333	RWS	85,50
379	DEVA	SP (2620)	Hornady	8,36	129,00	IMR 4831	IMR	4,03	62,20	Remington 9 1/2	MRWS	84,00
381	DEVA	XS (26403)	Barnes	8,42	130,00	N 560	Vihtavuori	4,08	63,00	CCI 250	RWS	86,00
380	DEVA	XS (26403)	Barnes	8,42	130,00	IMR 4831	IMR	3,82	59,00	WLRM	RWS	86,50
382	DEVA	SPSP BT (66531)	Norma	9,01	139,00	IMR 7828	IMR	4,00	61,70	CCI 250	RWS	86,00
384	DEVA	Partition (16321)	Nosler	9,07	140,00	R 905	Rottweil	3,79	58,50	HP 1215	Hirtenberger	86,50
383	DEVA	AF/SS	Swift	9,07	140,00	WMR	Winchester	3,88	59,90	WLRM	RWS	86,50

#### 6,5 x 68 (R)

1729	DEVA	TMS (2145669)	RWS	6,03	93,00	204	Norma	4,31	66,50	Federal 215	RWS	82,60
1730	DEVA	X	Barnes	6,48	100,00	N 160	Vihtavuori	3,86	59,50	WLRM	RWS	84,70
1731	DEVA	KS (2146320)	RWS	7,00	108,00	R 905	Rottweil	4,31	66,50	Federal 215	RWS	82,60
1732	DEVA	Ballistic Tip (26120)	Nosler	7,78	120,00	R 905	Rottweil	3,76	58,00	WLRM	RWS	85,40
438	DEVA	AF/SS	Swift	7,78	120,00	R 905	Rottweil	3,79	58,50	WLRM	RWS	84,50
437	DEVA	KS (2146460)	RWS	8,23	127,00	MRP	Norma	4,08	63,00	CCI 250	RWS	83,00
439	DEVA	SP (2620)	Hornady	8,36	129,00	IMR 4831	IMR	3,89	60,00	Remington 9 1/2	MRWS	84,00
436	DEVA	XS (26403)	Barnes	8,42	130,00	R 905	Rottweil	3,69	57,00	WLRM	RWS	84,00
570	DEVA	Partition (16321)	Nosler	9,07	140,00	R 905	Rottweil	3,71	57,20	CCI 250	RWS	83,60

#### 7 mm Remington Magnum

2007-05-12

21:44:32

Seite 39

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
564	DEVA	X BT (28426)	Barnes	9,07	140,00	H 1000	Hodgdon	4,67	72,00	CCI 250	Remington	82,50
566	DEVA	Partition (16325)	Nosler	9,07	140,00	R 905	Rottweil	4,02	62,10	HP 1215	Hirtenberger	83,00
565	DEVA	AF/SS	Swift	9,07	140,00	Reloder 19	Alliant	4,08	63,00	CCI 250	Hirtenberger	80,50
568	DEVA	SP (67002)	Norma	9,72	150,00	N 140	Vihtavuori	3,75	57,90	RWS 5333	RWS	79,50
567	DEVA	SP (67002)	Norma	9,72	150,00	N 160	Vihtavuori	4,40	67,90	RWS 5333	RWS	79,50

569	DEVA	Partition (16326)	Nosler	9,72	150,00	MRP	Norma	4,50	69,50	RWS 5333	RWS	83,50
571	DEVA	ABC	Hirtenberger	9,98	154,00	R 905	Rottweil	3,58	55,20	HP 1215	Hirtenberger	81,00
433	DEVA	SST (28302)	Hornady	9,98	154,00	N 160	Vihtavuori	4,02	62,00	RWS 5333	RWS	82,00
572	DEVA	CDP	SM-Thun	9,98	154,00	N 165	Vihtavuori	4,21	65,00	CCI 250	SM-Thun	82,30
574	DEVA	XS (28435)	Barnes	10,37	160,00	N 560	Vihtavuori	4,02	62,00	RWS 5333	Remington	82,00
573	DEVA	XS (28435)	Barnes	10,37	160,00	PCL 513	PB Clermont	4,86	75,00	RWS 5333	Norma	82,00
576	DEVA	AF/SS	Swift	10,37	160,00	WMR	Winchester	4,21	65,00	RWS 5333	RWS	82,50
575	DEVA	Fail Safe	Winchester	10,37	160,00	MRP	Norma	3,89	60,00	RWS 5333	RWS	81,00
578	DEVA	TIG (2145529)	RWS	10,50	162,00	MRP	Norma	4,04	62,40	RWS 5333	RWS	81,00
577	DEVA	TIG (2145529)	RWS	10,50	162,00	R 905	Rottweil	3,98	61,40	RWS 5333	RWS	81,00
579	DEVA	HMK (2146029)	RWS	11,21	173,00	R 905	Rottweil	4,21	65,00	RWS 5333	RWS	83,00
581	DEVA	SP (2850)	Hornady	11,34	175,00	H 870	Hodgdon	5,05	78,00	RWS 5333	Norma	83,50
583	DEVA	Partition (35645)	Nosler	11,34	175,00	R 905	Rottweil	3,76	58,00	HP 1215	Hirtenberger	83,50
582	DEVA	Partition (35645)	Nosler	11,34	175,00	MRP	Norma	4,23	65,30	Remington 9 1/2 M	Norma	83,50
580	DEVA	AF/SS	Swift	11,34	175,00	204	Norma	3,63	56,00	RWS 5333	RWS	83,00
584	DEVA	TIG (2145537)	RWS	11,47	177,00	MRP	Norma	3,92	60,50	RWS 5333	RWS	82,00
585	DEVA	TIG (2145537)	RWS	11,47	177,00	R 905	Rottweil	4,01	61,90	RWS 5333	RWS	82,00

#### 7 mm SE vom Hofe

586	DEVA	X BT (28417)	Barnes	7,78	120,00	N 160	Vihtavuori	4,54	70,00	CCI 250	Gehmann	84,00
587	DEVA	Solid Base (30343)	Nosler	7,78	120,00	N 165	Vihtavuori	4,92	75,90	RWS 5333	Gehmann	83,50
588	DEVA	Solid Base (30343)	Nosler	7,78	120,00	R 905	Rottweil	4,80	74,00	RWS 5333	Gehmann	83,50
589	DEVA	KS (2146290)	RWS	7,97	123,00	R 905	Rottweil	4,86	75,00	RWS 5333	Gehmann	80,00
590	DEVA	X BT (28426)	Barnes	9,07	140,00	IMR 4831	IMR	4,42	68,20	CCI 250	Gehmann	84,00
592	DEVA	Solid Base (29599)	Nosler	9,07	140,00	R 905	Rottweil	4,56	70,30	RWS 5333	Gehmann	84,00
591	DEVA	AF/SS	Swift	9,07	140,00	Lov. S-070	Synthesia	4,28	66,00	CCI 250	Gehmann	83,70
595	DEVA	XS (28435)	Barnes	10,37	160,00	N 165	Vihtavuori	4,47	69,00	CCI 250	Gehmann	84,00
596	DEVA	SBT (1920)	Sierra	10,37	160,00	N 160	Vihtavuori	4,36	67,30	RWS 5333	Gehmann	86,50
593	DEVA	AF/SS	Swift	10,37	160,00	N 560	Vihtavuori	4,45	68,70	CCI 250	Gehmann	84,00
594	DEVA	Fail Safe	Winchester	10,37	160,00	WMR	Winchester	4,60	71,00	CCI 250	Gehmann	84,00

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
597	DEVA	KS (2146258)	RWS	10,50	162,00	IMR 4831	IMR	4,21	65,00	Remington 9 1/2 M	Gehmann	84,50
599	DEVA	Stopring	Gehmann	11,02	170,00	N 165	Vihtavuori	4,55	70,20	RWS 5333	Gehmann	83,20
598	DEVA	Stopring	Gehmann	11,02	170,00	R 905	Rottweil	4,45	68,60	RWS 5333	Gehmann	83,20
600	DEVA	Partition (35645)	Nosler	11,34	175,00	N 165	Vihtavuori	4,34	67,00	RWS 5333	Gehmann	85,50
602	DEVA	GSSP (1643)	Speer	11,34	175,00	N 165	Vihtavuori	4,34	67,00	RWS 5333	Gehmann	84,20
601	DEVA	AF/SS	Swift	11,34	175,00	IMR 7828	IMR	4,52	69,70	CCI 250	Gehmann	84,00

7 x 49 GJW

410	DEVA	Ballistic Tip (28150)	Nosler	9,72	150,00	N 120	Vihtavuori	1,59	24,50	RWS 4033	MFT	72,00
411	DEVA	Ballistic Tip (28150)	Nosler	9,72	150,00	R 901	Rottweil	1,68	26,00	RWS 4033	MFT	72,00
412	DEVA	Partition (16326)	Nosler	9,72	150,00	N 135	Vihtavuori	1,94	30,00	RWS 4033	RWS /U	74,00
409	DEVA	SPBT (1913)	Sierra	9,72	150,00	R 901	Rottweil	1,68	26,00	RWS 4033	MFT	72,00
414	DEVA	HPBT (1925)	Sierra	10,37	160,00	N 135	Vihtavuori	1,88	29,00	Remington 7 1/2	RWS /U	72,20
413	DEVA	SP (1635)	Speer	10,37	160,00	R 901	Rottweil	1,68	26,00	RWS 4033	MFT	74,00
415	DEVA	HPBT (2840)	Hornady	10,50	162,00	202	Norma	1,94	30,00	RWS 4033	MFT	73,50
427	DEVA	HPBT (1930)	Sierra	10,89	168,00	IMR 3031	IMR	1,68	26,00	CCI 400	MFT	75,00
428	DEVA	HPBT (1930)	Sierra	10,89	168,00	Sp9	SNPE	1,80	27,80	Federal 205 M	MFT	75,00
419	DEVA	HPBT (1930)	Sierra	10,89	168,00	N 135	Vihtavuori	1,68	26,00	Remington 7 1/2	MFT	75,00
421	DEVA	HPBT (1930)	Sierra	10,89	168,00	N 135	Vihtavuori	1,81	28,00	Remington 7 1/2	MFT	75,00
422	DEVA	HPBT (1930)	Sierra	10,89	168,00	N 135	Vihtavuori	1,88	29,00	Remington 7 1/2	MFT	75,00
423	DEVA	HPBT (1930)	Sierra	10,89	168,00	N 140	Vihtavuori	1,81	28,00	Remington 7 1/2	MFT	72,50
424	DEVA	HPBT (1930)	Sierra	10,89	168,00	Reloder 7	Alliant	1,56	24,00	Remington 7 1/2	MFT	75,00
425	DEVA	HPBT (1930)	Sierra	10,89	168,00	Reloder 12	Alliant	1,81	28,00	Remington 7 1/2	MFT	75,00
426	DEVA	HPBT (1930)	Sierra	10,89	168,00	Reloder 12	Alliant	1,94	30,00	Remington 7 1/2	MFT	75,00
418	DEVA	HPBT (1930)	Sierra	10,89	168,00	N 130	Vihtavuori	1,68	26,00	RWS 4033	MFT	74,50
420	DEVA	HPBT (1930)	Sierra	10,89	168,00	N 135	Vihtavuori	1,75	27,00	RWS 4033	MFT	75,50
416	DEVA	HPBT (1930)	Sierra	10,89	168,00	R 903	Rottweil	1,68	26,00	RWS 4033	RWS /U	74,20

417	DEVA	HPBT (1930)	Sierra	10,89	168,00	R 903	Rottweil	1,81	28,00	RWS 4033	RWS /U	74,20
7 x 57												
430	DEVA	X BT (28417)	Barnes	7,78	120,00	204	Norma	3,24	50,00	CCI 200	PMC	76,00
429	DEVA	X BT (28417)	Barnes	7,78	120,00	N 140	Vihtavuori	2,75	42,50	CCI 200	PMC	75,00
463	DEVA	X BT (28417)	Barnes	7,78	120,00	N 140	Vihtavuori	2,75	42,40	CCI 200	RWS	75,50
431	DEVA	KS (2146290)	RWS	7,97	123,00	R 902	Rottweil	2,95	45,50	RWS 5341	RWS	72,00

2007-05-12  
21:44:32

Seite 41

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
432	DEVA	KS (2146290)	RWS	7,97	123,00	Sp7	SNPE	2,83	43,60	RWS 5341	RWS	72,00
466	DEVA	Interbond (28309)	Hornady	9,01	139,00	N 140	Vihtavuori	2,66	41,00	CCI 200	PMC	77,50
434	DEVA	X BT (28426)	Barnes	9,07	140,00	H 380	Hodgdon	3,05	47,00	CCI 200	PMC	76,00
1091	DEVA	Partition (16325)	Nosler	9,07	140,00	R 903	Rottweil	2,72	42,00	HP 1215	PMC	76,00
435	DEVA	AF/SS	Swift	9,07	140,00	Reloder 22	Alliant	3,11	48,00	CCI 200	Hirtenberger	74,60
443	DEVA	ABC	Hirtenberger	9,98	154,00	R 904	Rottweil	2,81	43,40	HP 1215	Hirtenberger	74,00
1092	DEVA	Interbond (28309)	Hornady	9,98	154,00	N 150	Vihtavuori	2,72	42,00	CCI 200	PMC	77,50
442	DEVA	SP (2830)	Hornady	9,98	154,00	IMR 4064	IMR	2,85	44,00	Remington 9 1/2	RWS	76,80
1093	DEVA	SST (28302)	Hornady	9,98	154,00	N 150	Vihtavuori	2,72	42,00	CCI 200	PMC	77,50
440	DEVA	DK (2146037)	RWS	9,98	154,00	H 380	Hodgdon	2,92	45,00	CCI 200	PMC	76,00
441	DEVA	DK (2146037)	RWS	9,98	154,00	Reloder 15	Alliant	2,66	41,00	WLR	PMC	75,00
444	DEVA	CDP	SM-Thun	9,98	154,00	N 550	Vihtavuori	2,79	43,00	CCI BR-2	SM-Thun	76,00
1734	DEVA	Oryx (67004)	Norma	10,11	156,00	204	Norma	3,05	47,00	CCI 200	PMC	77,00
447	DEVA	XS (28435)	Barnes	10,37	160,00	N 160	Vihtavuori	2,92	45,00	CCI 250	PMC	78,00
448	DEVA	GSSP (1638)	Speer	10,37	160,00	R 905	Rottweil	3,25	50,20	RWS 5333	RWS	74,00
446	DEVA	AF/SS	Swift	10,37	160,00	4350	Accurate	2,85	44,00	CCI BR-2	Hirtenberger	75,00
445	DEVA	Fail Safe	Winchester	10,37	160,00	760	Winchester	2,85	44,00	WLR	PMC	76,00
1733	DEVA	SST (28452)	Hornady	10,50	162,00	R 904	Rottweil	3,11	48,00	CCI 200	PMC	75,50
449	DEVA	TIG (2145529)	RWS	10,50	162,00	N 160	Vihtavuori	3,08	47,50	RWS 5341	RWS	75,00

450	DEVA	TIG (2145529)	RWS	10,50	162,00	R 903	Rottweil	2,61	40,30	RWS 5341	RWS	75,00
451	DEVA	TMR (2145405)	Geco	10,69	165,00	N 160	Vihtavuori	3,05	47,00	CCI 250	PMC	76,00
453	DEVA	SP (2850)	Hornady	11,34	175,00	R 903	Rottweil	2,59	40,00	RWS 5341	Norma	77,00
452	DEVA	Partition (35645)	Nosler	11,34	175,00	R 905	Rottweil	3,08	47,50	HP 1215	Hirtenberger	76,00
454	DEVA	TIG (2145537)	RWS	11,47	177,00	204	Norma	2,88	44,40	RWS 5341	RWS	75,00
455	DEVA	TIG (2145537)	RWS	11,47	177,00	N 160	Vihtavuori	3,00	46,30	RWS 5341	RWS	75,00

7 x 57 R

456	DEVA	X	Barnes	6,48	100,00	R 903	Rottweil	3,03	46,80	HP 1225	RWS	73,50
460	DEVA	HP (2815)	Hornady	7,78	120,00	R 903	Rottweil	2,92	45,00	RWS 5341	RWS	69,00
458	DEVA	SP (2810)	Hornady	7,78	120,00	IMR 4895	IMR	2,58	39,80	RWS 5341	RWS	73,00
459	DEVA	SP (2810)	Hornady	7,78	120,00	R 907	Rottweil	2,66	41,00	RWS 5341	RWS	73,00
461	DEVA	KS (2146290)	RWS	7,97	123,00	N 110	Vihtavuori	0,58	9,00	CCI 200	Samereier	74,00
462	DEVA	KS (2146290)	RWS	7,97	123,00	R 902	Rottweil	2,82	43,50	RWS 5341	RWS	72,00
502	DEVA	Interbond (28209)	Hornady	9,01	139,00	N 140	Vihtavuori	2,53	39,00	CCI 200	RWS	77,50
457	DEVA	X BT (28426)	Barnes	9,07	140,00	N 140	Vihtavuori	2,60	40,20	CCI 200	RWS	76,50

2007-05-12

21:44:32

Seite 42

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
465	DEVA	Partition (16325)	Nosler	9,07	140,00	R 903	Rottweil	2,69	41,50	HP 1225	Hirtenberger	76,00
464	DEVA	AF/SS	Swift	9,07	140,00	N 550	Vihtavuori	2,92	45,00	CCI 200	RWS	74,50
471	DEVA	ABC	Hirtenberger	9,98	154,00	R 904	Rottweil	2,81	43,30	HP 1225	Hirtenberger	74,00
513	DEVA	Interbond (28309)	Hornady	9,98	154,00	N 150	Vihtavuori	2,59	40,00	CCI 200	RWS	77,50
468	DEVA	SP (2830)	Hornady	9,98	154,00	IMR 4350	IMR	3,11	48,00	Remington 9 1/2	RWS	76,80
469	DEVA	SP (2830)	Hornady	9,98	154,00	204	Norma	3,06	47,20	RWS 5341	RWS	76,80
470	DEVA	SP (2830)	Hornady	9,98	154,00	H 450	Hodgdon	3,37	52,00	RWS 5341	RWS	76,80
495	DEVA	SST (28302)	Hornady	9,98	154,00	N 150	Vihtavuori	2,59	40,00	CCI 200	RWS	77,50
467	DEVA	DK (2146037)	RWS	9,98	154,00	N 550	Vihtavuori	2,73	42,20	CCI 200	RWS	75,00
472	DEVA	CDP	SM-Thun	9,98	154,00	N 550	Vihtavuori	2,66	41,00	CCI 200	SM-Thun	76,00

520	DEVA	Oryx (67004)	Norma	10,11	156,00	204	Norma	2,85	44,00	CCI 200	Norma	77,00
475	DEVA	Partition (16327)	Nosler	10,37	160,00	R 904	Rottweil	2,92	45,00	RWS 5341	RWS	78,00
474	DEVA	GSSP (1638)	Speer	10,37	160,00	R 905	Rottweil	3,07	47,30	RWS 5333	RWS	76,50
473	DEVA	GSSP (1638)	Speer	10,37	160,00	R 904	Rottweil	2,95	45,60	RWS 5341	Norma	76,50
1088	DEVA	SST (28452)	Hornady	10,50	162,00	R 904	Rottweil	2,92	45,00	CCI 200	RWS	75,50
477	DEVA	TIG (2145529)	RWS	10,50	162,00	N 160	Vihtavuori	2,89	44,60	RWS 5341	RWS	75,00
476	DEVA	TIG (2145529)	RWS	10,50	162,00	R 904	Rottweil	2,94	45,40	RWS 5341	RWS	75,00
478	DEVA	TMR (2145405)	Geco	10,69	165,00	N 160	Vihtavuori	2,92	45,00	CCI 200	RWS	75,00
479	DEVA	RN (2855)	Hornady	11,34	175,00	R 905	Rottweil	3,03	46,80	RWS 5333	RWS	76,50
480	DEVA	Partition (35645)	Nosler	11,34	175,00	R 905	Rottweil	3,05	47,00	HP 1225	Hirtenberger	76,00
481	DEVA	TIG (2145537)	RWS	11,47	177,00	N 160	Vihtavuori	2,91	44,90	RWS 5341	RWS	75,00
482	DEVA	TIG (2145537)	RWS	11,47	177,00	R 907	Rottweil	2,67	41,20	RWS 5341	RWS	75,00

7 x 64

486	DEVA	X BT (28417)	Barnes	7,78	120,00	H 4350	Hodgdon	3,55	54,80	RWS 5341	RWS	84,30
485	DEVA	X BT (28417)	Barnes	7,78	120,00	R 904	Rottweil	3,73	57,50	RWS 5341	RWS	84,30
484	DEVA	X BT (28417)	Barnes	7,78	120,00	N 550	Vihtavuori	3,60	55,50	CCI 200	RWS	83,00
483	DEVA	X BT (28417)	Barnes	7,78	120,00	N 140	Vihtavuori	3,18	49,00	RWS 5341	RWS	83,00
488	DEVA	HP (2815)	Hornady	7,78	120,00	N 140	Vihtavuori	3,27	50,50	HP 1215	RWS	80,50
487	DEVA	HP (2815)	Hornady	7,78	120,00	AS0300	Wasag	2,92	45,00	RWS 5341	RWS	80,50
490	DEVA	KS (2146290)	RWS	7,97	123,00	N 140	Vihtavuori	3,19	49,20	CCI 200	RWS	80,40
489	DEVA	KS (2146290)	RWS	7,97	123,00	R 903	Rottweil	3,40	52,50	RWS 5341	RWS	80,40
536	DEVA	Interbond (28209)	Hornady	9,01	139,00	R 904	Rottweil	3,56	55,00	CCI 200	SM-Thun	83,00
492	DEVA	SP (2822)	Hornady	9,01	139,00	IMR 4350	IMR	3,59	55,40	RWS 5341	RWS	83,50
491	DEVA	SP (2822)	Hornady	9,01	139,00	N 140	Vihtavuori	3,05	47,00	RWS 5341	RWS	83,50

2007-05-12

21:44:32

Seite 43

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
494	DEVA	SF	MEN	9,01	139,00	N 160	Vihtavuori	3,76	58,00	RWS 5341	MEN	82,90



493	DEVA	SF	MEN	9,01	139,00	R 904	Rottweil	3,51	54,10	RWS 5341	MEN	82,90
499	DEVA	X BT (28426)	Barnes	9,07	140,00	Tubal 5000	SNPE	3,05	47,10	CCI 200	RWS	83,00
498	DEVA	X BT (28426)	Barnes	9,07	140,00	N 140	Vihtavuori	2,98	46,00	RWS 5341	RWS	82,00
501	DEVA	Partition (16325)	Nosler	9,07	140,00	R 903	Rottweil	3,14	48,50	HP 1215	Hirtenberger	83,00
500	DEVA	SPT (1910)	Sierra	9,07	140,00	R 905	Rottweil	3,72	57,40	CCI 250	RWS	83,00
496	DEVA	AF/SS	Swift	9,07	140,00	N 540	Vihtavuori	3,05	47,00	RWS 5341	RWS	81,50
497	DEVA	AF/SS	Swift	9,07	140,00	N 550	Vihtavuori	3,35	51,70	RWS 5341	RWS	81,50
505	DEVA	ABC	Hirtenberger	9,98	154,00	R 904	Rottweil	3,46	53,40	HP 1215	Hirtenberger	81,50
504	DEVA	ABC	Hirtenberger	9,98	154,00	IMR 4350	IMR	3,56	55,00	Remington 9 1/2	RWS	81,50
553	DEVA	Interbond (28309)	Hornady	9,98	154,00	N 160	Vihtavuori	3,40	52,50	CCI 250	SM-Thun	83,00
507	DEVA	SP (2830)	Hornady	9,98	154,00	R 905	Rottweil	3,65	56,30	CCI 250	RWS	84,00
506	DEVA	SP (2830)	Hornady	9,98	154,00	N 160	Vihtavuori	3,76	58,00	RWS 5333	Hirtenberger	84,00
708	DEVA	SST (28302)	Hornady	9,98	154,00	N 160	Vihtavuori	3,43	53,00	RWS 5333	Hirtenberger	84,00
503	DEVA	DK (2146037)	RWS	9,98	154,00	N 160	Vihtavuori	3,49	53,80	RWS 5341	RWS	81,50
508	DEVA	CDP	SM-Thun	9,98	154,00	N 160	Vihtavuori	3,34	51,50	CCI 250	SM-Thun	82,00
878	DEVA	Oryx (67004)	Norma	10,11	156,00	204	Norma	3,40	52,50	CCI 250	SM-Thun	82,00
509	DEVA	XS (28435)	Barnes	10,37	160,00	N 160	Vihtavuori	3,42	52,80	RWS 5341	RWS	84,00
952	DEVA	AccuBond (54932)	Nosler	10,37	160,00	204	Norma	3,30	51,00	CCI 250	SM-Thun	82,50
956	DEVA	Partition (16327)	Nosler	10,37	160,00	N 160	Vihtavuori	3,37	52,00	RWS 5333	RWS	82,50
512	DEVA	SBT (1920)	Sierra	10,37	160,00	Tubal 7000	SNPE	3,37	52,00	CCI 200	RWS	84,80
510	DEVA	AF/SS	Swift	10,37	160,00	N 560	Vihtavuori	3,73	57,50	RWS 5341	RWS	82,00
511	DEVA	Fail Safe	Winchester	10,37	160,00	N 560	Vihtavuori	3,80	58,70	RWS 5341	RWS	84,00
516	DEVA	KS (2146258)	RWS	10,50	162,00	MRP	Norma	3,89	60,00	RWS 5333	Norma	82,70
515	DEVA	TIG (2145529)	RWS	10,50	162,00	MRP	Norma	3,73	57,50	RWS 5341	RWS	81,50
514	DEVA	TIG (2145529)	RWS	10,50	162,00	N 160	Vihtavuori	3,58	55,30	RWS 5341	RWS	81,50
517	DEVA	TMR (2145405)	Geco	10,69	165,00	N 160	Vihtavuori	3,42	52,80	RWS 5341	RWS	82,00
518	DEVA	HMK (2146029)	RWS	11,21	173,00	R 905	Rottweil	3,56	55,00	RWS 5341	RWS	83,20
521	DEVA	SP (2850)	Hornady	11,34	175,00	IMR 4831	IMR	3,29	50,70	Remington 9 1/2	MRWS	84,00
522	DEVA	SP (2850)	Hornady	11,34	175,00	H 4831	Hodgdon	3,56	55,00	RWS 5333	RWS	84,00
523	DEVA	SP (2850)	Hornady	11,34	175,00	N 165	Vihtavuori	3,99	61,50	RWS 5341	RWS	84,00

1089	DEVA	SP (2850)	Hornady	11,34	175,00	N 160	Vihtavuori	3,37	52,00	RWS 5333	Hirtenberger	84,00
526	DEVA	Partition (35645)	Nosler	11,34	175,00	R 905	Rottweil	3,60	55,50	HP 1215	Hirtenberger	83,00
525	DEVA	Partition (35645)	Nosler	11,34	175,00	MRP	Norma	3,58	55,20	RWS 5341	RWS	84,50
524	DEVA	SBT (1940)	Sierra	11,34	175,00	IMR 4831	IMR	3,43	53,00	Remington 9 1/2	MRWS	84,00

2007-05-12

21:44:32

Seite 44

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
519	DEVA	AF/SS	Swift	11,34	175,00	N 560	Vihtavuori	3,66	56,50	RWS 5341	RWS	82,50
527	DEVA	TIG (2145537)	RWS	11,47	177,00	MRP	Norma	3,67	56,60	RWS 5333	RWS	82,00
528	DEVA	TIG (2145537)	RWS	11,47	177,00	R 904	Rottweil	3,25	50,20	RWS 5333	RWS	82,00
1793	DWJ 09-2006	KS (2146290)	RWS	7,97	123,00	R 904	Rottweil	3,79	58,50	WLR	RWS	80,40
1794	DWJ 09-2006	SP (2820)	Hornady	9,01	139,00	204	Norma	3,50	54,00	WLRM	Norma	83,50
1795	DWJ 09-2006	DK (2146037)	RWS	9,98	154,00	R 905	Rottweil	3,69	57,00	WLRM	RWS	83,00
1796	DWJ 09-2006	Oryx (67004)	Norma	10,11	156,00	204	Norma	3,40	52,50	Remington 9 1/2 M	Norma	82,00
1797	DWJ 09-2006	KS (2146258)	RWS	10,50	162,00	MRP	Norma	3,86	59,50	WLRM	RWS	82,70
1798	DWJ 09-2006	TIG (2145529)	RWS	10,50	162,00	R 905	Rottweil	3,69	57,00	RWS 5333	RWS	81,20
1799	DWJ 09-2006	SpBT (1940)	Sierra	11,34	175,00	IMR 4831	IMR	3,42	52,80	RWS 5333	RWS	84,00
1800	DWJ 09-2006	Vulkan (67006)	Norma	11,34	175,00	MRP	Norma	3,66	56,50	RWS 5333	Norma	81,50
1801	DWJ 09-2006	TIG (2145537)	RWS	11,47	177,00	MRP	Norma	3,63	56,00	RWS 5333	RWS	82,00

7 x 65 R

529	DEVA	X BT (28417)	Barnes	7,78	120,00	N 150	Vihtavuori	3,18	49,00	RWS 5341	RWS	82,00
530	DEVA	KS (2146290)	RWS	7,97	123,00	R 903	Rottweil	3,40	52,50	RWS 5341	RWS	81,00
531	DEVA	KS (2146290)	RWS	7,97	123,00	N 110	Vihtavuori	0,65	10,00	WLR	Samereier	81,00
532	DEVA	Interbond (28209)	Hornady	9,01	139,00	N 160	Vihtavuori	3,34	51,50	CCI 250	RWS	82,00
534	DEVA	X BT (28426)	Barnes	9,07	140,00	N 160	Vihtavuori	3,08	47,50	RWS 5341	RWS	82,00
535	DEVA	Partition (16325)	Nosler	9,07	140,00	R 904	Rottweil	3,40	52,50	HP 1225	Hirtenberger	83,00
533	DEVA	AF/SS	Swift	9,07	140,00	N 540	Vihtavuori	3,05	47,00	RWS 5341	RWS	81,50
539	DEVA	ABC	Hirtenberger	9,98	154,00	R 904	Rottweil	3,25	50,20	HP 1225	Hirtenberger	82,00

541	DEVA	Interbond (28309)	Hornady	9,98	154,00	N 160	Vihtavuori	3,34	51,50	CCI 250	RWS	82,50
540	DEVA	SP (2830)	Hornady	9,98	154,00	R 904	Rottweil	3,40	52,50	RWS 5341	RWS	85,00
537	DEVA	DK (2146037)	RWS	9,98	154,00	H 4831	SCHodgdon	3,63	56,00	CCI BR-2	RWS	82,00
538	DEVA	DK (2146037)	RWS	9,98	154,00	Lov. S-070	Synthesia	3,32	51,20	RWS 5341	RWS	82,00
613	DEVA	CDP	SM-Thun	9,98	154,00	N 165	Vihtavuori	3,63	56,00	CCI 250	SM-Thun	82,00
604	DEVA	Oryx (67004)	Norma	10,11	156,00	R 905	Rottweil	3,40	52,50	CCI 250	RWS	81,50
542	DEVA	XS (28435)	Barnes	10,37	160,00	N 560	Vihtavuori	3,49	53,80	RWS 5341	RWS	83,00
547	DEVA	Partition (16327)	Nosler	10,37	160,00	N 165	Vihtavuori	3,50	54,00	RWS 5333	RWS	83,00
546	DEVA	Partition (16327)	Nosler	10,37	160,00	MRP	Norma	3,71	57,20	RWS 5341	RWS	83,00
545	DEVA	GSSP (1638)	Speer	10,37	160,00	R 905	Rottweil	3,40	52,50	CCI 250	RWS	85,00
548	DEVA	MT SP (1637)	Speer	10,37	160,00	IMR 4831	IMR	3,56	55,00	CCI BR-2	Hirtenberger	83,20
543	DEVA	AF/SS	Swift	10,37	160,00	N 560	Vihtavuori	3,40	52,50	RWS 5341	RWS	83,30
544	DEVA	Fail Safe	Winchester	10,37	160,00	N 560	Vihtavuori	3,40	52,50	RWS 5341	RWS	81,80

2007-05-12  
21:44:32

Seite 45

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
603	DEVA	Solid Base (35641)	Norma	10,50	162,00	R 904	Rottweil	3,37	52,00	RWS 5341	RWS	86,50
552	DEVA	KS (2146258)	RWS	10,50	162,00	N 160	Vihtavuori	3,37	52,00	CCI 200	RWS	82,50
549	DEVA	TIG (2145529)	RWS	10,50	162,00	IMR 4350	IMR	3,47	53,50	Remington 9 1/2	RWS	82,80
551	DEVA	TIG (2145529)	RWS	10,50	162,00	MRP	Norma	3,64	56,10	RWS 5333	RWS	82,80
550	DEVA	TIG (2145529)	RWS	10,50	162,00	R 905	Rottweil	3,53	54,50	RWS 5333	RWS	82,80
556	DEVA	Vulkan (67006)	Norma	11,02	170,00	R 905	Rottweil	3,47	53,50	RWS 5333	RWS	83,50
555	DEVA	Vulkan (67006)	Norma	11,02	170,00	MRP	Norma	3,60	55,50	RWS 5341	RWS	81,00
554	DEVA	Vulkan (67006)	Norma	11,02	170,00	N 160	Vihtavuori	3,37	52,00	RWS 5341	RWS	81,00
561	DEVA	Partition (35645)	Nosler	11,34	175,00	R 905	Rottweil	3,47	53,60	HP 1225	Hirtenberger	83,50
560	DEVA	Partition (35645)	Nosler	11,34	175,00	N 160	Vihtavuori	3,30	51,00	RWS 5333	RWS	83,50
559	DEVA	SBT (1940)	Sierra	11,34	175,00	IMR 4831	IMR	3,37	52,00	Remington 9 1/2 M	Hirtenberger	83,00
557	DEVA	GSSP (1643)	Speer	11,34	175,00	Reloder 22	Alliant	3,69	57,00	CCI 200	RWS	83,80

558	DEVA	MTSP (1641)	Speer	11,34	175,00	Lov. S-070	Synthesia	3,18	49,00	CCI 250	RWS	84,00
562	DEVA	TIG (2145537)	RWS	11,47	177,00	MRP	Norma	3,53	54,40	RWS 5333	RWS	83,00
563	DEVA	TIG (2145537)	RWS	11,47	177,00	R 905	Rottweil	3,40	52,50	RWS 5333	RWS	83,00

#### 7 x 75 R SE vom Hofe

605	DEVA	Partition (16325)	Nosler	9,07	140,00	MRP	Norma	4,47	69,00	CCI 250	Gehmann	94,50
606	DEVA	SP (2830)	Hornady	9,98	154,00	R 905	Rottweil	4,50	69,50	RWS 5333	Gehmann	95,00
608	DEVA	BTSP (2845)	Hornady	10,50	162,00	N 160	Vihtavuori	4,02	62,00	RWS 5333	Gehmann	95,00
607	DEVA	KS (2146258)	RWS	10,50	162,00	R 905	Rottweil	4,15	64,00	RWS 5333	Gehmann	94,00
609	DEVA	SBT (1940)	Sierra	11,34	175,00	IMR 4831	IMR	3,87	59,70	Remington 9 1/2 M	Gehmann	94,00
610	DEVA	TIG (2145537)	RWS	11,47	177,00	R 905	Rottweil	4,11	63,50	RWS 5333	Gehmann	93,50

#### 7,5 x 55 GP 31

611	DEVA	RK 308 HS	H&N	7,13	110,00	N 110	Vihtavuori	1,17	18,00	CCI 200	Norma	66,50
612	DEVA	RK 308 HS	H&N	7,13	110,00	PCL 512	PB Clermont	1,30	20,00	CCI 200	Norma	66,50
614	DEVA	TIG (2145480)	RWS	9,72	150,00	N 140	Vihtavuori	3,21	49,50	RWS 5341	Norma	71,00
615	DEVA	TIG (2145480)	RWS	9,72	150,00	R 907	Rottweil	3,34	51,50	RWS 5341	Norma	71,00
617	DEVA	RK 308 HS	H&N	10,69	165,00	N 110	Vihtavuori	1,23	19,00	CCI 200	Norma	72,50
616	DEVA	RK 308 HS	H&N	10,69	165,00	PCL 512	PB Clermont	1,23	19,00	CCI 200	Norma	72,50
618	DEVA	SBT (2145)	Sierra	10,69	165,00	4350	Accurate	3,34	51,60	CCI 200	Norma	75,00
619	DEVA	CDP	SM-Thun	10,69	165,00	N 140	Vihtavuori	2,92	45,00	CCI 200	SM-Thun	74,20
621	DEVA	HPBT Moly	Berger	10,89	168,00	IMR 4320	IMR	3,07	47,40	CCI 200	RWS	77,00

2007-05-12  
21:44:32

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA11sen
----	--------	-----	------------	-------	-------	--------	------------	-------	--------	---------	---------

620	DEVA	BTHP (3050)	Hornady	10,89	168,00	R 903	Rottweil	3,05	47,00	CCI BR-2	Norma	74,50
622	DEVA	SBT (2160)	Sierra	11,66	180,00	N 160	Vihtavuori	3,52	54,30	CCI 200	RWS	75,00
624	DEVA	TUG (2145499)	RWS	11,73	181,00	204	Norma	3,49	53,90	RWS 5341	Norma	71,50
623	DEVA	TUG (2145499)	RWS	11,73	181,00	R 903	Rottweil	2,97	45,80	RWS 5341	Norma	71,50
625	DEVA	FMJBT (D 46)	Lapua	11,99	185,00	N 160	Vihtavuori	3,24	50,00	Norma LR	Norma	75,50
627	DEVA	BTHP (3080)	Hornady	12,31	190,00	R 907	Rottweil	2,98	46,00	RWS 5341	Norma	77,50
626	DEVA	BTHP (3080)	Hornady	12,31	190,00	N 160	Vihtavuori	3,34	51,50	CCI 200	Norma	77,50
628	DEVA	MS (2146363)	RWS	12,31	190,00	204	Norma	3,36	51,80	Federal 210 M	Norma	76,80
629	DEVA	HPBT (2230)	Sierra	12,96	200,00	R 905	Rottweil	3,25	50,20	CCI 250	Norma	78,00

#### 7,62 x 39

631	DEVA	VMR	Geco	6,03	93,00	N 120	Vihtavuori	1,62	25,00	RWS 5341	Lapua	45,50
632	DEVA	VMR	Geco	6,03	93,00	N 125	Vihtavuori	1,56	24,00	RWS 5341	Lapua	45,50
630	DEVA	VMR	Geco	6,03	93,00	R 901	Rottweil	1,46	22,50	RWS 5341	Lapua	45,50
637	DEVA	SP (3140)	Hornady	7,97	123,00	200	Norma	1,62	25,00	CCI 200	Lapua	55,30
638	DEVA	SP (3140)	Hornady	7,97	123,00	N 120	Vihtavuori	1,68	26,00	CCI 200	Lapua	55,50
634	DEVA	FMJ (S 405)	Lapua	7,97	123,00	N 120	Vihtavuori	1,59	24,50	CCI 200	Lapua	55,40
635	DEVA	FMJ (S 405)	Lapua	7,97	123,00	Reloder 7	Alliant	1,72	26,50	CCI 200	Lapua	55,40
636	DEVA	FMJ (S 405)	Lapua	7,97	123,00	R 901	Rottweil	1,45	22,40	RWS 5341	Lapua	55,40
633	DEVA	FMJ (S 405)	Lapua	7,97	123,00	R 902	Rottweil	1,65	25,50	RWS 5341	Lapua	55,40
639	DEVA	SP (134A)	Sako	7,97	123,00	BL-C (2)	Hodgdon	2,04	31,50	CCI 200	Lapua	55,80
640	DEVA	SP (134A)	Sako	7,97	123,00	N 120	Vihtavuori	1,75	27,00	CCI 200	Lapua	56,00
642	DEVA	S-SP (2213)	Speer	8,10	125,00	H 322	Hodgdon	1,88	29,00	CCI 200	Lapua	56,00
641	DEVA	S-SP (2213)	Speer	8,10	125,00	N 120	Vihtavuori	1,68	26,00	CCI 200	Lapua	55,80
643	DEVA	S-SP (2213)	Speer	8,10	125,00	PCL 512	PB Clermont	1,23	19,00	CCI 200	Lapua	56,00

#### 7,62 x 54 R Mosin Nagant

704	DEVA	RK 308 HS	H&N	7,13	110,00	296	Winchester	1,56	24,00	CCI 200	Lapua	63,00
705	DEVA	RK 308 HS	H&N	7,13	110,00	N 110	Vihtavuori	1,43	22,00	CCI 200	Lapua	63,00
706	DEVA	RK 308 HS	H&N	7,13	110,00	PCL 512	PB Clermont	1,49	23,00	CCI 200	Lapua	63,00

707	DEVA	SP (3140)	Hornady	7,97	123,00	N 133	Vihtavuori	3,10	47,90	CCI 200	Lapua	70,00
710	DEVA	KS (2146304)	RWS	9,72	150,00	4350	Accurate	3,50	54,00	CCI 200	Lapua	70,50
709	DEVA	KS (2146304)	RWS	9,72	150,00	N 140	Vihtavuori	3,22	49,70	CCI 200	Lapua	70,50
711	DEVA	RK 308 HS	H&N	10,69	165,00	N 110	Vihtavuori	1,30	20,00	CCI 200	Lapua	70,00

2007-05-12  
21:44:32

Seite 47

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
712	DEVA	RK 308 HS	H&N	10,69	165,00	PCL 512	PB Clermont	1,36	21,00	CCI 200	Lapua	70,00
713	DEVA	SBT (2145)	Sierra	10,69	165,00	IMR 4320	IMR	3,05	47,00	CCI 200	Lapua	73,00
716	DEVA	TMR (2145413)	Geco	11,02	170,00	N 140	Vihtavuori	3,09	47,70	CCI 200	Lapua	70,00
715	DEVA	TMR (2145413)	Geco	11,02	170,00	N 150	Vihtavuori	3,24	50,00	CCI 200	Lapua	70,00
714	DEVA	TMR (2145413)	Geco	11,02	170,00	N 550	Vihtavuori	3,37	52,00	CCI 200	Lapua	70,00
717	DEVA	HPBT (3080)	Hornady	12,31	190,00	H 380	Hodgdon	3,23	49,80	CCI 200	Lapua	75,00
718	DEVA	HPBT (2210)	Sierra	12,31	190,00	760	Winchester	3,32	51,20	CCI 200	Lapua	74,00

#### 7,63 Mauser

1416	DEVA	VMR	Geco	4,73	73,00	N 340	Vihtavuori	0,45	7,00	CCI 500	Fiocchi	33,20
1417	DEVA	SWC 311 F	H&N	5,31	82,00	N 320	Vihtavuori	0,26	4,00	CCI 500	Fiocchi	33,50
1419	DEVA	VMR	Geco	6,03	93,00	N 340	Vihtavuori	0,42	6,50	CCI 500	Fiocchi	33,20
1420	DEVA	VMR	Geco	6,03	93,00	N 350	Vihtavuori	0,45	7,00	CCI 500	Fiocchi	33,20
1418	DEVA	VMR	Geco	6,03	93,00	Unique	Alliant	0,42	6,50	CCI 500	Fiocchi	33,20
1421	DEVA	RNSP (1805)	Speer	6,48	100,00	N 340	Vihtavuori	0,39	6,00	CCI 500	Fiocchi	35,00

#### 7,65 x 53 Argentinien

879	DEVA	TS (2217)	Speer	9,72	150,00	202	Norma	2,99	46,20	Federal 210 M	Norma	73,20
880	DEVA	RN (3130)	Hornady	11,28	174,00	202	Norma	2,80	43,20	RWS 5341	Norma	72,00
881	DEVA	TR (2223)	Speer	11,66	180,00	N 140	Vihtavuori	2,89	44,60	CCI BR-2	Norma	72,00

882	DEVA	MS (2146363)	RWS	12,31	190,00	R 907	Rottweil	2,88	44,40	CCI BR-2	Norma	75,20
8 x 57 I												
899	DEVA	TMR (318 196 01)	Delsing	12,70	196,00	N 140	Vihtavuori	3,08	47,50	CCI 200	RWS	76,50
897	DEVA	TR (67901)	Norma	12,70	196,00	202	Norma	3,11	48,00	RWS 5341	Norma	75,60
898	DEVA	TR (67901)	Norma	12,70	196,00	N 140	Vihtavuori	3,24	50,00	RWS 5341	RWS	75,60
901	DEVA	TMR (2145715)	RWS	12,70	196,00	IMR 4064	IMR	3,18	49,00	CCI 200	RWS	75,60
900	DEVA	TMR (2145715)	RWS	12,70	196,00	R 903	Rottweil	3,21	49,50	RWS 5341	RWS	75,60
902	DEVA	TIG .318"	IWK	12,83	198,00	R 907	Rottweil	3,37	52,00	RWS 5341	RWS	76,30
903	DEVA	TIG .318"	IWK	12,83	198,00	N 140	Vihtavuori	3,18	49,00	RWS 5341	RWS	76,30

8 x 57 I (R)

905	DEVA	TMR (318 196 01)	Delsing	12,70	196,00	N 140	Vihtavuori	3,01	46,50	RWS 5341	RWS	76,00
904	DEVA	TR (67901)	Norma	12,70	196,00	N 140	Vihtavuori	3,14	48,50	RWS 5341	RWS	76,00

2007-05-12  
21:44:32

Seite 48

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
906	DEVA	TMR (2145715)	RWS	12,70	196,00	IMR 4064	IMR	3,08	47,50	CCI 200	RWS	76,00
907	DEVA	TMR (2145715)	RWS	12,70	196,00	R 903	Rottweil	3,11	48,00	RWS 5341	RWS	76,30
909	DEVA	TIG .318"	IWK	12,83	198,00	N 140	Vihtavuori	3,05	47,00	RWS 5341	RWS	76,40
908	DEVA	TIG .318"	IWK	12,83	198,00	R 907	Rottweil	3,24	50,00	RWS 5341	RWS	76,40

8 x 57 IRS

950	DEVA	TMF (323 108 01)	Delsing	7,00	108,00	N 110	Vihtavuori	0,97	15,00	WLR	Samereier	65,60
951	DEVA	TMF (323 108 01)	Delsing	7,00	108,00	N 133	Vihtavuori	3,05	47,00	WLR	RWS	65,60
955	DEVA	SP (3232)	Hornady	9,72	150,00	201	Norma	3,01	46,50	Remington 9 1/2	RWS	76,50
953	DEVA	SpSP (2277)	Speer	9,72	150,00	N 140	Vihtavuori	3,18	49,00	RWS 5341	RWS	73,50
954	DEVA	SpSP (2277)	Speer	9,72	150,00	N 140	Vihtavuori	3,43	53,00	RWS 5341	RWS	73,50

960	DEVA	ABC	Hirtenberger	11,02	170,00	R 902	Rottweil	2,90	44,80	HP 1225	Hirtenberger	74,50
957	DEVA	RN (3235)	Hornady	11,02	170,00	201	Norma	2,93	45,20	Remington 9 1/2	RWS	73,00
958	DEVA	RN (3235)	Hornady	11,02	170,00	IMR 4895	IMR	3,05	47,00	RWS 5341	RWS	74,00
959	DEVA	SSpSP (2283)	Speer	11,02	170,00	N 140	Vihtavuori	3,18	49,00	RWS 5341	RWS	74,50
961	DEVA	KS (2146061)	RWS	11,73	181,00	IMR 4064	IMR	3,11	48,00	Remington 9 1/2	RWS	73,50
962	DEVA	KS (2146061)	RWS	11,73	181,00	N 140	Vihtavuori	3,18	49,00	RWS 5341	RWS	73,50
963	DEVA	TMR (2145421)	Geco	11,99	185,00	N 140	Vihtavuori	2,95	45,60	WLR	RWS	73,00
964	DEVA	HMK (2146053)	RWS	12,12	187,00	N 140	Vihtavuori	3,11	48,00	RWS 5341	RWS	77,20
936	DEVA	Oryx (68001)	Norma	12,70	196,00	N 140	Vihtavuori	2,85	44,00	CCI 200	SM-Thun	79,00
939	DEVA	Vulkan (68020)	Norma	12,70	196,00	N 140	Vihtavuori	2,85	44,00	CCI 200	SM-Thun	79,00
966	DEVA	CDP	SM-Thun	12,70	196,00	N 140	Vihtavuori	2,75	42,50	CCI BR-2	SM-Thun	77,00
965	DEVA	SN	Woodleigh	12,70	196,00	PCL 511	PB Clermont	2,89	44,60	WLR	RWS	77,00
967	DEVA	TIG (2145510)	RWS	12,83	198,00	N 140	Vihtavuori	2,90	44,70	RWS 5341	RWS	77,00
968	DEVA	TIG (2145510)	RWS	12,83	198,00	R 903	Rottweil	3,13	48,30	RWS 5341	RWS	77,00
969	DEVA	X	Barnes	12,96	200,00	N 550	Vihtavuori	2,98	46,00	WLR	RWS	80,40
971	DEVA	Partition (35277)	Nosler	12,96	200,00	R 903	Rottweil	2,85	44,00	HP 1225	Hirtenberger	77,00
970	DEVA	Partition (35277)	Nosler	12,96	200,00	R 902	Rottweil	2,75	42,40	RWS 5341	RWS	77,00
1090	DEVA	TOG	Brenneke	14,26	220,00	N 150	Vihtavuori	2,98	46,00	WLR	Brenneke	82,00

#### 8 x 57 IS

927	DEVA	TMF (323 108 01)	Delsing	7,00	108,00	N 110	Vihtavuori	1,62	25,00	RWS 5341	RWS	66,50
928	DEVA	TMF (323 108 01)	Delsing	7,00	108,00	PCL 512	PB Clermont	1,62	25,00	RWS 5341	RWS	66,50
929	DEVA	VM (68014)	Norma	7,97	123,00	N 110	Vihtavuori	1,94	30,00	RWS 5341	RWS	69,00

2007-05-12  
21:44:32

Seite 49

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
930	DEVA	SP (3232)	Hornady	9,72	150,00	N 130	Vihtavuori	3,00	46,30	RWS 5341	RWS	73,00



932	DEVA	ABC	Hirtenberger	11,02	170,00	R 902	Rottweil	3,05	47,00	HP 1215	Hirtenberger	74,50
931	DEVA	SSpSP (2283)	Speer	11,02	170,00	R 907	Rottweil	3,56	55,00	RWS 5341	RWS	74,50
934	DEVA	KS (2146061)	RWS	11,73	181,00	N 140	Vihtavuori	3,25	50,20	CCI 200	RWS	73,00
933	DEVA	KS (2146061)	RWS	11,73	181,00	R 903	Rottweil	3,40	52,50	RWS 5341	RWS	73,00
935	DEVA	TMR (2145421)	Geco	11,99	185,00	N 140	Vihtavuori	3,23	49,80	RWS 5341	RWS	73,00
982	DEVA	RN 323 HS	H&N	12,31	190,00	N 110	Vihtavuori	0,97	15,00	CCI 200	RWS	76,20
983	DEVA	Oryx (68001)	Norma	12,70	196,00	N 140	Vihtavuori	3,05	47,00	CCI 200	RWS	79,00
1086	DEVA	Vulkan (68020)	Norma	12,70	196,00	N 140	Vihtavuori	3,05	47,00	CCI 200	RWS	79,00
938	DEVA	TMR (2145715)	RWS	12,70	196,00	R 903	Rottweil	3,25	50,20	RWS 5341	RWS	76,50
940	DEVA	CDP	SM-Thun	12,70	196,00	N 140	Vihtavuori	2,92	45,00	CCI 200	SM-Thun	77,00
937	DEVA	SN	Woodleigh	12,70	196,00	N 140	Vihtavuori	3,16	48,70	RWS 5341	RWS	76,50
941	DEVA	TIG (2145510)	RWS	12,83	198,00	N 140	Vihtavuori	3,11	48,00	RWS 5341	RWS	76,30
942	DEVA	TIG (2145510)	RWS	12,83	198,00	R 903	Rottweil	3,18	49,00	RWS 5341	RWS	76,30
945	DEVA	Partition (35277)	Nosler	12,96	200,00	R 903	Rottweil	2,99	46,10	HP 1215	Hirtenberger	77,00
944	DEVA	SpSP (2285)	Speer	12,96	200,00	H 414	Hodgdon	3,50	54,00	RWS 5333	RWS	76,50
943	DEVA	SpSP (2285)	Speer	12,96	200,00	R 907	Rottweil	3,24	50,00	RWS 5341	RWS	76,50
946	DEVA	SP (3238)	Hornady	14,26	220,00	Lov. S 060	Synthesia	2,72	42,00	CCI 200	RWS	76,00
947	DEVA	SPT (2420)	Sierra	14,26	220,00	R 903	Rottweil	2,89	44,60	RWS 5341	RWS	78,00
948	DEVA	KS (2146312)	RWS	14,52	224,00	N 160	Vihtavuori	3,41	52,60	CCI 200	RWS	76,50
949	DEVA	KS (2146312)	RWS	14,52	224,00	R 904	Rottweil	3,24	50,00	RWS 5341	RWS	76,50

#### 8 x 57 R 360

895	DEVA	TR (67901)	Norma	12,70	196,00	202	Norma	2,07	32,00	RWS 5341	RWS /U	75,00
896	DEVA	TR (67901)	Norma	12,70	196,00	N 140	Vihtavuori	2,03	31,30	RWS 5341	RWS /U	75,00
890	DEVA	TMR (2145715)	RWS	12,70	196,00	N 550	Vihtavuori	2,69	41,50	CCI BR-2	RWS /U	75,80
893	DEVA	TMR (2145715)	RWS	12,70	196,00	IMR 4350	IMR	2,40	37,00	RWS 5341	RWS /U	75,00
891	DEVA	TMR (2145715)	RWS	12,70	196,00	IMR 4895	IMR	2,07	32,00	RWS 5341	RWS /U	75,00
892	DEVA	TMR (2145715)	RWS	12,70	196,00	R 904	Rottweil	2,43	37,50	RWS 5341	RWS /U	75,00
894	DEVA	TMR (2145715)	RWS	12,70	196,00	R 907	Rottweil	2,27	35,00	RWS 5341	RWS /U	75,00

#### 8 x 58 R

914	DEVA	TR (67901)	Norma	12,70	196,00	N 140	Vihtavuori	2,07	31,90	RWS 5341	RWS /U	76,00
-----	------	------------	-------	-------	--------	-------	------------	------	-------	----------	--------	-------

913	DEVA	TMR (2145715)	RWS	12,70	196,00	IMR 4064	IMR	2,24	34,50	Remington 9 1/2	RWS /U	76,00
-----	------	---------------	-----	-------	--------	----------	-----	------	-------	-----------------	--------	-------

2007-05-12  
21:44:32

Seite 50

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
912	DEVA	TMR (2145715)	RWS	12,70	196,00	R 902	Rottweil	2,02	31,20	RWS 5341	RWS /U	76,00
910	DEVA	TMR (2145715)	RWS	12,70	196,00	R 904	Rottweil	2,59	40,00	RWS 5341	RWS /U	76,00
911	DEVA	TMR (2145715)	RWS	12,70	196,00	R 907	Rottweil	2,33	36,00	RWS 5341	RWS /U	76,00

#### 8 x 58 RD

1810	DWJ 07-2006	TMS	Sierra	11,34	175,00	R 903	Rottweil	3,11	48,00	RWS 5341	Horneber	78,50
1811	DWJ 07-2006	Ballistic Tip	Nosler	11,66	180,00	N 140	Vihtavuori	3,05	47,00	RWS 5341	Horneber	78,50
1812	DWJ 07-2006	TMS	S&B	12,70	196,00	N 201	Norma	2,75	42,50	RWS 5341	Horneber	77,50
1813	DWJ 07-2006	TMS	S&B	12,70	196,00	N 140	Vihtavuori	2,56	39,50	RWS 5341	Horneber	77,50
1814	DWJ 07-2006	TMS	Speer	12,96	200,00	R 902	Rottweil	2,79	43,00	RWS 5341	Horneber	78,90
1815	DWJ 07-2006	TMS	Speer	12,96	200,00	N 140	Vihtavuori	2,88	44,50	RWS 5341	Horneber	78,90
1816	DWJ 07-2006	TMS	Speer	12,96	200,00	R 903	Rottweil	2,88	44,50	RWS 5341	Horneber	78,90
1817	DWJ 07-2006	TMS	Speer	12,96	200,00	N 150	Vihtavuori	2,95	45,50	RWS 5341	Horneber	78,90

#### 8 x 60 R

915	DEVA	TR (67901)	Norma	12,70	196,00	IMR 4064	IMR	3,08	47,50	CCI 200	RWS /U	78,00
916	DEVA	TR (67901)	Norma	12,70	196,00	N 140	Vihtavuori	2,99	46,10	RWS 5341	RWS /U	78,00
918	DEVA	TMR (2145715)	RWS	12,70	196,00	R 903	Rottweil	3,11	48,00	RWS 5341	RWS /U	78,00
917	DEVA	TMR (2145715)	RWS	12,70	196,00	R 907	Rottweil	3,30	51,00	RWS 5341	RWS /U	78,00

#### 8 x 64 S

972	DEVA	SP (3230)	Hornady	8,10	125,00	R 903	Rottweil	3,95	61,00	RWS 5341	RWS /U	79,00
973	DEVA	SpSP (2277)	Speer	9,72	150,00	R 903	Rottweil	3,79	58,50	RWS 5341	Brenneke	80,50
974	DEVA	ABC	Hirtenberger	10,89	168,00	R 907	Rottweil	3,70	57,10	RWS 5341	Brenneke	81,50

975	DEVA	SSpSP (2283)	Speer	11,02	170,00	IMR 4895	IMR	3,38	52,20	CCI 200	RWS /U	81,50
976	DEVA	SSpSP (2283)	Speer	11,02	170,00	R 903	Rottweil	3,67	56,60	RWS 5341	Brenneke	81,50
977	DEVA	SSpSP (2283)	Speer	11,02	170,00	R 907	Rottweil	3,76	58,10	RWS 5341	Brenneke	81,50
1009	DEVA	Ballistic Tip (30180)	Nosler	11,66	180,00	H 414	Hodgdon	4,08	63,00	CCI BR-2	Brenneke	85,50
1008	DEVA	Ballistic Tip (30180)	Nosler	11,66	180,00	N 540	Vihtavuori	3,66	56,50	CCI BR-2	Brenneke	84,00
980	DEVA	KS (2146061)	RWS	11,73	181,00	R 904	Rottweil	4,09	63,10	CCI BR-2	RWS /U	82,00
978	DEVA	KS (2146061)	RWS	11,73	181,00	N 140	Vihtavuori	3,50	54,00	RWS 5341	RWS /U	82,00
979	DEVA	KS (2146061)	RWS	11,73	181,00	R 907	Rottweil	3,63	56,00	RWS 5341	Brenneke	82,00
981	DEVA	HMK (2146053)	RWS	12,12	187,00	R 907	Rottweil	3,54	54,60	RWS 5341	RWS /U	84,00
984	DEVA	TIG (2145510)	RWS	12,83	198,00	204	Norma	3,84	59,30	RWS 5341	Brenneke	84,00

2007-05-12  
21:44:32

Seite 51

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
986	DEVA	TIG (2145510)	RWS	12,83	198,00	R 904	Rottweil	3,87	59,70	RWS 5341	Brenneke	84,00
985	DEVA	TIG (2145510)	RWS	12,83	198,00	R 907	Rottweil	3,56	55,00	RWS 5341	Brenneke	84,00
987	DEVA	X	Barnes	12,96	200,00	N 550	Vihtavuori	3,56	55,00	HP 1225	Brenneke	87,00
990	DEVA	ABC	Hirtenberger	12,96	200,00	204	Norma	3,89	60,10	RWS 5341	Brenneke	85,00
1069	DEVA	Partition (35277)	Nosler	12,96	200,00	H 4350	Hodgdon	4,15	64,00	CCI BR-2	Brenneke	85,50
1038	DEVA	Partition (35277)	Nosler	12,96	200,00	N 550	Vihtavuori	3,76	58,00	CCI BR-2	Brenneke	85,50
991	DEVA	Partition (35277)	Nosler	12,96	200,00	R 904	Rottweil	3,78	58,30	RWS 5341	Brenneke	84,00
989	DEVA	SpSP (2285)	Speer	12,96	200,00	IMR 4064	IMR	3,29	50,70	CCI 200	RWS /U	83,50
988	DEVA	AF/SS	Swift	12,96	200,00	N 160	Vihtavuori	4,02	62,00	CCI 200	Brenneke	83,50
1070	DEVA	TOG	Brenneke	14,26	220,00	N 550	Vihtavuori	3,69	57,00	WLR	Brenneke	87,00
993	DEVA	SP (3238)	Hornady	14,26	220,00	204	Norma	3,73	57,60	RWS 5341	Brenneke	83,50
992	DEVA	SP (3238)	Hornady	14,26	220,00	N 160	Vihtavuori	3,82	59,00	RWS 5341	RWS /U	83,50
994	DEVA	KS (2146312)	RWS	14,52	224,00	IMR 4350	IMR	3,86	59,50	CCI 200	Brenneke	82,50

8 x 65 RS

995	DEVA	SP (3230)	Hornady	8,10	125,00	R 903	Rottweil	3,95	61,00	RWS 5341	RWS /U	80,00
-----	------	-----------	---------	------	--------	-------	----------	------	-------	----------	--------	-------

996	DEVA	SP (3232)	Hornady	9,72	150,00	IMR 3031	IMR	3,76	58,10	RWS 5341	Brenneke	81,00
997	DEVA	SSpSP (2283)	Speer	11,02	170,00	IMR 4895	IMR	3,41	52,70	CCI 200	RWS /U	82,50
998	DEVA	KS (2146061)	RWS	11,73	181,00	N 140	Vihtavuori	3,41	52,70	RWS 5341	RWS /U	82,00
999	DEVA	HMK (2146053)	RWS	12,12	187,00	R 907	Rottweil	3,63	56,00	RWS 5341	RWS /U	84,00
1000	DEVA	TIG (2145510)	RWS	12,83	198,00	204	Norma	3,89	60,00	RWS 5341	RWS /U	85,00
1001	DEVA	TIG (2145510)	RWS	12,83	198,00	R 907	Rottweil	3,56	55,00	RWS 5341	RWS /U	85,00
1002	DEVA	TIG (2145510)	RWS	12,83	198,00	R 907	Rottweil	3,40	52,40	WLR	RWS /U	83,50
1003	DEVA	X	Barnes	12,96	200,00	N 150	Vihtavuori	3,45	53,20	CCI 200	RWS /U	85,00
1005	DEVA	SpSP (2285)	Speer	12,96	200,00	IMR 4064	IMR	3,29	50,70	CCI 200	RWS /U	84,50
1004	DEVA	AF/SS	Swift	12,96	200,00	N 150	Vihtavuori	3,41	52,70	CCI 200	RWS /U	83,20
1006	DEVA	SP (3238)	Hornady	14,26	220,00	N 160	Vihtavuori	3,82	59,00	RWS 5341	RWS /U	84,50
1007	DEVA	SP (3238)	Hornady	14,26	220,00	R 904	Rottweil	3,69	57,00	RWS 5341	RWS /U	84,50

8 x 68 S

1010	DEVA	SSpSP (2283)	Speer	11,00	170,00	N 160	Vihtavuori	4,96	76,50	RWS 5333	RWS	86,50
1012	DEVA	KS (2146061)	RWS	11,73	181,00	MRP	Norma	5,05	78,00	RWS 5333	RWS	83,70
1011	DEVA	KS (2146061)	RWS	11,73	181,00	R 905	Rottweil	4,86	75,00	RWS 5333	RWS	83,70
1014	DEVA	HMK (2146053)	RWS	12,12	187,00	R 905	Rottweil	4,96	76,50	CCI 250	RWS	86,20

2007-05-12

21:44:32

Seite 52

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1013	DEVA	HMK (2146053)	RWS	12,12	187,00	R 905	Rottweil	5,12	79,00	RWS 5333	RWS	86,20
1017	DEVA	TMR (2145715)	RWS	12,70	196,00	R 905	Rottweil	5,05	78,00	CCI 250	RWS	86,40
1018	DEVA	CDP	SM-Thun	12,70	196,00	N 160	Vihtavuori	4,80	74,00	CCI 250	SM-Thun	85,00
1016	DEVA	SN	Woodleigh	12,70	196,00	H 4831	SC Hodgdon	4,94	76,20	WLRM	RWS	86,50
1015	DEVA	SN	Woodleigh	12,70	196,00	N 560	Vihtavuori	4,92	76,00	WLRM	RWS	86,50
1020	DEVA	TIG (2145510)	RWS	12,83	198,00	N 160	Vihtavuori	4,73	73,00	RWS 5333	RWS	85,30
1019	DEVA	TIG (2145510)	RWS	12,83	198,00	R 905	Rottweil	4,89	75,50	RWS 5333	RWS	85,30
1021	DEVA	X	Barnes	12,96	200,00	Reloder 22	Alliant	4,99	77,00	WLRM	RWS	87,00

1025	DEVA	Partition (35277)	Nosler	12,96	200,00	R 905	Rottweil	4,78	73,80	RWS 5333	RWS	87,50
1023	DEVA	SpSP (2285)	Speer	12,96	200,00	N 160	Vihtavuori	4,56	70,30	RWS 5333	RWS	88,00
1024	DEVA	SpSP (2285)	Speer	12,96	200,00	R 905	Rottweil	4,93	76,10	RWS 5333	RWS	88,00
1022	DEVA	AF/SS	Swift	12,96	200,00	N 560	Vihtavuori	4,89	75,50	WLRM	RWS	86,70
1026	DEVA	SP (3238)	Hornady	14,26	220,00	IMR 4831	IMR	4,43	68,30	Remington 9 1/2	MRWS	88,00
1027	DEVA	SP (3238)	Hornady	14,26	220,00	IMR 4350	IMR	4,17	64,40	RWS 5333	RWS	88,00
1028	DEVA	PSP	Remington	14,26	220,00	IMR 4831	IMR	4,34	67,00	CCI 250	RWS	87,00
1029	DEVA	SBT (2420)	Sierra	14,26	220,00	MRP	Norma	4,73	73,00	RWS 5333	RWS	87,50
1030	DEVA	KS (2146312)	RWS	14,52	224,00	R 905	Rottweil	4,54	70,00	RWS 5333	RWS	85,00

#### 8 x 72 R

919	DEVA	TMR (318 196 01)	Delsing	12,70	196,00	N 540	Vihtavuori	2,59	40,00	CCI 200	RWS /U	91,40
920	DEVA	TMR (318 196 01)	Delsing	12,70	196,00	Varget	Hodgdon	2,27	35,00	CCI 200	RWS /U	91,40
921	DEVA	TMR (2145715)	RWS	12,70	196,00	IMR 4895	IMR	2,59	40,00	RWS 5341	RWS /U	90,00
924	DEVA	TMR (2145715)	RWS	12,70	196,00	N 140	Vihtavuori	2,59	40,00	RWS 5341	RWS /U	90,00
923	DEVA	TMR (2145715)	RWS	12,70	196,00	N 140	Vihtavuori	2,66	41,00	RWS 5341	RWS /U	90,00
922	DEVA	TMR (2145715)	RWS	12,70	196,00	R 903	Rottweil	2,79	43,00	RWS 5341	RWS /U	90,00
925	DEVA	TIG .318"	IWK	12,83	198,00	N 140	Vihtavuori	2,66	41,00	RWS 5341	RWS /U	91,40
926	DEVA	TIG .318"	IWK	12,83	198,00	R 903	Rottweil	2,79	43,00	RWS 5341	RWS /U	91,40

#### 8 x 75 RS

1035	DEVA	SP (3232)	Hornady	9,72	150,00	N 140	Vihtavuori	3,89	60,00	Federal 210	MEN	93,00
1033	DEVA	SPT (2400)	Sierra	9,72	150,00	204	Norma	4,67	72,10	Federal 210 M	Knipp	94,00
1034	DEVA	SPT (2400)	Sierra	9,72	150,00	N 160	Vihtavuori	4,80	74,00	Federal 210 M	Knipp	94,00
1032	DEVA	SPT (2400)	Sierra	9,72	150,00	204	Norma	4,34	67,00	HP 1225	RWS /U	92,50
1031	DEVA	SPT (2400)	Sierra	9,72	150,00	202	Norma	3,84	59,20	RWS 5341	RWS /U	92,50

2007-05-12

21:44:32

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1037	DEVA	SF	MEN	10,50	162,00	N 160	Vihtavuori	4,76	73,50	RWS 5341	MEN	96,50
1036	DEVA	SF	MEN	10,50	162,00	R 904	Rottweil	4,56	70,30	RWS 5341	MEN	96,50
1039	DEVA	RN (3235)	Hornady	11,02	170,00	N 160	Vihtavuori	4,47	69,00	HP 1225	MEN	94,00
1041	DEVA	KS (2146061)	RWS	11,73	181,00	R 905	Rottweil	4,63	71,50	RWS 5341	RWS /U	93,00
1040	DEVA	KS (2146061)	RWS	11,73	181,00	R 907	Rottweil	3,78	58,40	RWS 5341	RWS /U	93,00
1056	DEVA	KS (2146061)	RWS	11,73	181,00	N 550	Vihtavuori	4,47	69,00	CCI 250	MEN	93,00
1044	DEVA	Starkmantel	MEN	11,99	185,00	N 160	Vihtavuori	4,52	69,80	RWS 5341	MEN	94,00
1042	DEVA	Starkmantel	MEN	11,99	185,00	R 904	Rottweil	4,35	67,20	RWS 5341	MEN	94,00
1043	DEVA	Starkmantel	MEN	11,99	185,00	R 905	Rottweil	4,60	71,00	RWS 5341	MEN	94,00
1045	DEVA	HMK (2146053)	RWS	12,12	187,00	R 904	Rottweil	4,22	65,10	RWS 5341	RWS /U	95,70
1046	DEVA	HMK (2146053)	RWS	12,12	187,00	R 905	Rottweil	4,46	68,80	RWS 5341	RWS /U	95,70
1048	DEVA	Alaska (68003)	Norma	12,70	196,00	R 905	Rottweil	4,54	70,00	CCI 200	MEN	92,50
1047	DEVA	SN	Woodleigh	12,70	196,00	Lov. S-070	Synthesia	4,52	69,80	WLR	MEN	96,00
1051	DEVA	TIG (2145510)	RWS	12,83	198,00	N 160	Vihtavuori	4,32	66,60	RWS 5333	RWS /U	94,50
1050	DEVA	TIG (2145510)	RWS	12,83	198,00	R 905	Rottweil	4,51	69,60	RWS 5333	RWS /U	94,50
1049	DEVA	TIG (2145510)	RWS	12,83	198,00	R 904	Rottweil	4,11	63,50	RWS 5341	RWS /U	94,50
1052	DEVA	X	Barnes	12,96	200,00	R 905	Rottweil	4,36	67,30	WLR	MEN	96,00
1054	DEVA	Partition (35277)	Nosler	12,96	200,00	MRP	Norma	4,46	68,80	HP 1225	MEN	96,80
1055	DEVA	Partition (35277)	Nosler	12,96	200,00	R 905	Rottweil	4,38	67,60	HP 1225	Knipp	95,50
1057	DEVA	Hammerhead	Sako	12,96	200,00	Reloder 22	Alliant	4,73	73,00	Federal 215	MEN	94,00
1058	DEVA	Hammerhead	Sako	12,96	200,00	Reloder 22	Alliant	4,73	73,00	RWS 5341	MEN	94,00
1053	DEVA	AF/SS	Swift	12,96	200,00	R 905	Rottweil	4,34	67,00	WLR	MEN	94,50
1059	DEVA	SP (3238)	Hornady	14,26	220,00	R 905	Rottweil	4,39	67,70	HP 1225	MEN	95,00
1061	DEVA	KS (2146312)	RWS	14,52	224,00	R 905	Rottweil	4,38	67,60	CCI 200	MEN	92,00
1060	DEVA	KS (2146312)	RWS	14,52	224,00	R 905	Rottweil	4,28	66,00	Federal 210	MEN	94,00
1062	DEVA	TR	MEN	14,71	227,00	MRP	Norma	4,38	67,60	HP 1225	MEN	92,00

8,15 x 46 R

1066	DEVA	KS 321 F	H&N	9,59	148,00	N 350	Vihtavuori	0,58	9,00	RWS 5337	RWS	63,00
1067	DEVA	KS 321 F	H&N	9,59	148,00	P 806	Rottweil	0,71	11,00	RWS 5337	RWS	63,00
1065	DEVA	KS 321 F	H&N	9,59	148,00	SR 4759	IMR	0,78	12,00	RWS 5337	RWS	63,00

1068	DEVA	KS 321 F	H&N	9,59	148,00	Unique	Alliant	0,52	8,00	RWS 5337	RWS	63,00
1063	DEVA	KS 321 HS	H&N	9,59	148,00	N 110	Vihtavuori	0,81	12,50	RWS 5337	RWS	60,00
1064	DEVA	KS 321 HS	H&N	9,59	148,00	N 110	Vihtavuori	0,94	14,50	RWS 5337	RWS	60,00
1087	DEVA	TMR (324 151 01)	Delsing	9,78	151,00	R 902	Rottweil	1,75	27,00	HP 1225	RWS	62,50

2007-05-12  
21:44:32

Seite 54

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1073	DEVA	KS 318 F	H&N	11,02	170,00	N 110	Vihtavuori	0,78	12,00	RWS 5337	RWS	63,00
1074	DEVA	KS 318 F	H&N	11,02	170,00	N 350	Vihtavuori	0,58	9,00	RWS 5337	RWS	63,00
1077	DEVA	KS 318 F	H&N	11,02	170,00	P 806	Rottweil	0,71	11,00	RWS 5337	RWS	63,00
1075	DEVA	KS 318 F	H&N	11,02	170,00	Unique	Alliant	0,52	8,00	RWS 5337	RWS	63,00
1076	DEVA	KS 318 F	H&N	11,02	170,00	SR 4759	IMR	0,81	12,50	RWS 5337	RWS	62,50
1072	DEVA	KS 321 HS	H&N	11,02	170,00	N 110	Vihtavuori	0,84	13,00	RWS 5337	RWS	60,00
1071	DEVA	FP (3210)	Hornady	11,00	170,00	N 130	Vihtavuori	1,30	20,00	RWS 5337	RWS	60,00
1078	DEVA	KS 323 HS	H&N	12,31	190,00	N 110	Vihtavuori	0,78	12,00	RWS 5337	RWS	63,00

8,5 x 63

1079	DEVA	XS (33882)	Barnes	12,96	200,00	4350	Accurate	3,95	61,00	CCI 250	PMC	84,00
1080	DEVA	XS (33882)	Barnes	12,96	200,00	N 150	Vihtavuori	3,82	59,00	CCI 250	PMC	82,00
1082	DEVA	XS (33885)	Barnes	14,58	225,00	204	Norma	3,82	59,00	CCI 250	PMC	84,00
1081	DEVA	XS (33885)	Barnes	14,58	225,00	N 160	Vihtavuori	4,08	63,00	WLRM	PMC	84,00
1083	DEVA	PP	Woodleigh	14,58	225,00	760	Winchester	3,89	60,00	WLRM	PMC	81,30
1084	DEVA	XS (33890)	Barnes	16,20	250,00	204	Norma	3,69	57,00	CCI 250	PMC	84,00
1085	DEVA	AF/SS	Swift	16,20	250,00	N 160	Vihtavuori	4,02	62,00	WLRM	PMC	82,00

8,5 x 63 (R)

1735	DEVA	XS (33882)	Barnes	12,96	200,00	N 150	Vihtavuori	3,63	56,00	RWS 5333	RWS /U	82,50
1736	DEVA	Ballistic Tip (33200)	Nosler	12,96	200,00	PCL 511	PB Clermont	3,63	56,00	CCI BR-2	RWS /U	83,50

1737	DEVA	XS (33885)	Barnes	14,58	225,00	N 160	Vihtavuori	3,86	59,50	RWS 5333	RWS /U	84,00
1738	DEVA	SP (3320)	Hornady	14,58	225,00	N 160	Vihtavuori	4,02	62,00	CCI 200	RWS /U	83,80
1739	DEVA	AF/SS	Swift	14,58	225,00	N 160	Vihtavuori	3,92	60,50	CCI 200	RWS /U	81,50
1740	DEVA	Fail Safe	Winchester	14,90	230,00	H 4350	Hodgdon	3,82	59,00	CCI 200	RWS /U	83,70
1433	DEVA	SBT (2600)	Sierra	16,20	250,00	204	Norma	3,99	61,50	CCI BR-2	RWS /U	85,00
1431	DEVA	GSSP (2408)	Speer	16,20	250,00	N 560	Vihtavuori	4,21	65,00	CCI BR-2	RWS /U	83,80

#### 9 mm Luger

1428	DEVA	VMF	Geco	6,09	94,00	Bullseye	Alliant	0,26	4,00	RWS 4031	Hirtenberger	26,00
1427	DEVA	VMF	Geco	6,09	94,00	P 804	Rottweil	0,39	6,00	RWS 4031	Geco	26,00
1741	DEVA	HP/XTP #35540	Hornady	7,45	115,00	N 350	Vihtavuori	0,32	5,00	WSP	Winchester	27,30
1432	DEVA	VR	Sako	7,45	115,00	N 330	Vihtavuori	0,36	5,50	RWS 4031	Geco	29,50
1430	DEVA	VR	Winchester	7,45	115,00	N 340	Vihtavuori	0,34	5,20	CCI 500	Winchester	29,40

2007-05-12  
21:44:32

Seite 55

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1429	DEVA	VR	Winchester	7,45	115,00	Unique	Alliant	0,38	5,80	CCI 500	Winchester	29,40
1434	DEVA	FMJ (R 381)	Lapua	7,97	123,00	N 330	Vihtavuori	0,30	4,60	WSP	Geco	29,00
1437	DEVA	VMR (2145634)	Geco	8,04	124,00	N 340	Vihtavuori	0,34	5,20	CCI 500	Winchester	29,40
1438	DEVA	VMR (2145634)	Geco	8,04	124,00	Unique	Alliant	0,34	5,20	CCI 500	Winchester	29,40
1189	DEVA	HP/XTP #35571	Hornady	8,04	124,00	N 350	Vihtavuori	0,29	4,50	WSP	Winchester	27,30
1436	DEVA	TMJ (4004)	Speer	8,04	124,00	SP 2 Prac.	SNPE	0,51	7,80	WSP	Winchester	29,50
1435	DEVA	TMJ (4004)	Speer	8,04	124,00	WAP	Winchester	0,36	5,50	WSP	Winchester	28,50
1442	DEVA	SWC 356 F	H&N	8,10	125,00	700-X	IMR	0,26	4,00	Remington 1 1/2	Geco	28,50
1443	DEVA	SWC 356 F	H&N	8,10	125,00	Red Dot	Alliant	0,26	4,00	RWS 4031	Hirtenberger	28,50
1440	DEVA	RN (4601)	Speer	8,10	125,00	3N37	Vihtavuori	0,40	6,20	CCI 550	MEN	28,70
1439	DEVA	RN (4601)	Speer	8,10	125,00	N 320	Vihtavuori	0,22	3,40	RWS 4031	Geco	28,70
1441	DEVA	RN (4601)	Speer	8,10	125,00	N 330	Vihtavuori	0,30	4,60	WSP	Geco	28,70
1445	DEVA	KS 355 HS	H&N	8,42	130,00	Ba 10	SNPE	0,17	2,70	HP 1206	Geco	28,00



1444	DEVA	FMJ (8345)	Sierra	8,42	130,00	SP 2 Prac.	SNPE	0,47	7,30	WSP	Winchester	29,50
1446	DEVA	RN BB .356"	Jebens	8,75	135,00	N 340	Vihtavuori	0,26	4,00	WSP	Winchester	29,00
1447	DEVA	RN BB .357"	Jebens	8,75	135,00	N 340	Vihtavuori	0,26	4,00	WSP	Winchester	29,00
1449	DEVA	FMJ (3559)	Hornady	9,53	147,00	N 330	Vihtavuori	0,27	4,10	WSP	Winchester	29,20
1448	DEVA	FN BB .355"	Jebens	9,53	147,00	N 330	Vihtavuori	0,24	3,70	WSP	Winchester	29,00

#### 9 mm Steyr

1456	DEVA	VMF	Geco	6,09	94,00	N 340	Vihtavuori	0,33	5,10	RWS 4031	Hirtenberger	31,00
1457	DEVA	VMF	Geco	6,09	94,00	P 804	Rottweil	0,34	5,20	RWS 4031	Hirtenberger	31,00
1458	DEVA	VMR	Hirtenberger	7,45	115,00	N 340	Vihtavuori	0,31	4,80	RWS 4031	Hirtenberger	32,00
1459	DEVA	VMR	Hirtenberger	7,45	115,00	P 804	Rottweil	0,32	4,90	RWS 4031	Hirtenberger	32,00
1460	DEVA	VMR (2145634)	Geco	7,97	123,00	P 803	Rottweil	0,33	5,10	RWS 4031	Hirtenberger	32,20
1454	DEVA	FMJ (8345)	Sierra	8,42	130,00	WAP	Winchester	0,51	7,90	WSP	PMP-U	29,90
1462	DEVA	L-RN (4601)	Speer	8,10	125,00	N 340	Vihtavuori	0,28	4,30	CCI 500	Hirtenberger	32,50
1461	DEVA	L-RN (4601)	Speer	8,10	125,00	P 804	Rottweil	0,29	4,40	CCI 550	Hirtenberger	32,50

#### 9 x 22 MJR

1450	DEVA	TMJ (4004)	Speer	8,04	124,00	No. 9	Accurate	0,75	11,50	Remington 1 1/2	PMP/U	29,50
1451	DEVA	TMJ (4004)	Speer	8,04	124,00	3N37	Vihtavuori	0,52	8,00	WSP	PMP/U	29,50
1452	DEVA	TMJ (4362)	Speer	8,10	125,00	No. 7	Accurate	0,66	10,20	Remington 1 1/2	PMP/U	29,00
1453	DEVA	TMJ (4362)	Speer	8,10	125,00	SP 2 Prac.	SNPE	0,65	10,00	Remington 1 1/2	PMP/U	29,00

2007-05-12

21:44:32

Seite 56

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1455	DEVA	TMJ (4006)	Speer	9,53	147,00	PCL 501	PB Clermont	0,45	7,00	WSP	PMP/U	30,70

#### 9 x 57 (R)

1138	DEVA	JSP (8340)	Sierra	10,20	158,00	IMR 3031	IMR	2,98	46,00	RWS 5341	RWS	67,00
1139	DEVA	FMJ (8350)	Sierra	11,02	170,00	N 130	Vihtavuori	3,05	47,00	RWS 5341	RWS	67,50
1140	DEVA	FMJ (8350)	Sierra	11,02	170,00	R 901	Rottweil	2,92	45,00	RWS 5341	RWS	67,50
1141	DEVA	SpSP (2453)	Speer	16,20	250,00	202	Norma	2,98	46,00	RWS 5341	RWS	79,00
1144	DEVA	SpSP (2453)	Speer	16,20	250,00	IMR 4895	IMR	2,98	46,00	RWS 5341	RWS	79,00
1142	DEVA	SpSP (2453)	Speer	16,20	250,00	N 140	Vihtavuori	3,05	47,00	RWS 5341	RWS	79,00
1143	DEVA	SpSP (2453)	Speer	16,20	250,00	R 902	Rottweil	2,92	45,00	RWS 5341	RWS	79,00

9,3 x 62

1163	DEVA	VR	Norma	9,98	154,00	N 135	Vihtavuori	3,89	60,00	CCI 200	RWS	71,00
1164	DEVA	Oryx	Norma	14,97	231,00	IMR 3031	IMR	3,82	59,00	RWS 5341	RWS	79,00
1167	DEVA	Vulkan (69305)	Norma	15,03	232,00	N 135	Vihtavuori	3,89	60,00	CCI 200	RWS	78,00
1165	DEVA	Vulkan (69305)	Norma	15,03	232,00	IMR 3031	IMR	3,91	60,30	RWS 5341	RWS	80,00
1166	DEVA	Vulkan (69305)	Norma	15,03	232,00	R 902	Rottweil	3,88	59,80	RWS 5341	RWS	78,00
1168	DEVA	Vulkan (69305)	Norma	15,03	232,00	R 903	Rottweil	4,19	64,70	RWS 5341	RWS	78,00
1171	DEVA	KS (2146452)	RWS	16,01	247,00	N 135	Vihtavuori	3,76	58,00	CCI 200	RWS	80,50
1172	DEVA	KS (2146452)	RWS	16,01	247,00	202	Norma	3,86	59,50	RWS 5341	RWS	81,00
1170	DEVA	KS (2146452)	RWS	16,01	247,00	R 902	Rottweil	3,75	57,80	RWS 5341	RWS	80,50
1169	DEVA	KS (2146452)	RWS	16,01	247,00	R 903	Rottweil	4,16	64,20	RWS 5341	RWS	80,05
1742	DEVA	KS (2146452)	RWS	16,01	247,00	202	Norma	4,05	62,50	RWS 5341	RWS	81,00
1176	DEVA	XS (36605)	Barnes	16,20	250,00	IMR 4320	IMR	3,76	58,00	CCI 200	RWS	84,00
1743	DEVA	Ballistic Tip (36250)	Nosler	16,20	250,00	202	Norma	3,95	61,00	RWS 5341	RWS	83,00
1744	DEVA	Ballistic Tip (36250)	Nosler	16,20	250,00	R 903	Rottweil	4,02	62,00	RWS 5341	RWS	83,00
1745	DEVA	Ballistic Tip (36250)	Nosler	16,20	250,00	N 140	Vihtavuori	3,82	59,00	RWS 5341	RWS	83,00
1174	DEVA	AF/SS	Swift	16,20	250,00	202	Norma	3,76	58,00	CCI 200	RWS	79,20
1175	DEVA	AF/SS	Swift	16,20	250,00	N 133	Vihtavuori	3,43	53,00	CCI 200	RWS	79,20
1173	DEVA	AF/SS	Swift	16,20	250,00	R 907	Rottweil	3,89	60,00	RWS 5341	Norma	79,20
1177	DEVA	TR	Sako	16,59	256,00	202	Norma	3,76	58,00	RWS 5341	RWS	81,50
1179	DEVA	HMK (2146088)	RWS	16,72	258,00	N 140	Vihtavuori	3,82	59,00	CCI 200	RWS	82,00
1178	DEVA	HMK (2146088)	RWS	16,72	258,00	R 903	Rottweil	4,11	63,50	RWS 5341	Norma	83,00
1181	DEVA	Starkmantel	MEN	16,98	262,00	N 140	Vihtavuori	3,80	58,60	RWS 5341	RWS	81,50

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1180	DEVA	Starkmantel	MEN	16,98	262,00	R 903	Rottweil	4,07	62,80	RWS 5341	RWS	81,50
1746	DEVA	Naturalis (N 506)	Lapua	17,50	270,00	202	Norma	3,60	55,50	CCI 200	RWS	83,00
1182	DEVA	SSpSP (2459)	Speer	17,50	270,00	Reloder 15	Alliant	3,86	59,50	CCI 200	Norma	82,50
1184	DEVA	Dual Core	Norma	18,47	285,00	201	Norma	3,54	54,70	RWS 5341	RWS	80,50
1183	DEVA	TMR (2145774)	RWS	18,47	285,00	IMR 3031	IMR	3,56	55,00	Remington 9 1/2	RWS	81,50
1185	DEVA	TMR/VMR	RWS	18,47	285,00	R 902	Rottweil	3,50	54,00	RWS 5341	RWS	81,50
1747	DEVA	CDP	SM-Thun	18,47	285,00	N 135	Vihtavuori	3,56	55,00	RWS 5341	RWS	82,00
1186	DEVA	SN	Woodleigh	18,47	285,00	IMR 4320	IMR	3,63	56,00	CCI 200	RWS	80,00
1748	DEVA	XS (36615)	Barnes	18,53	286,00	N 540	Vihtavuori	3,70	57,10	Federal 210	RWS	82,20
1187	DEVA	Partition (44750)	Nosler	18,53	286,00	202	Norma	3,76	58,00	WLR	RWS	82,00
1188	DEVA	Partition (44750)	Nosler	18,53	286,00	N 140	Vihtavuori	3,79	58,50	WLR	RWS	82,00
1190	DEVA	TUG (2145502)	RWS	18,99	293,00	R 903	Rottweil	3,68	56,80	RWS 5341	RWS	82,00
1749	DEVA	TUG (2145502)	RWS	18,99	293,00	202	Norma	3,54	54,70	RWS 5341	RWS	82,00

9,3 x 64 Brenneke

1191	DEVA	Oryx	Norma	14,97	231,00	N 140	Vihtavuori	4,62	71,30	CCI 250	RWS	81,60
1193	DEVA	Vulkan (69305)	Norma	15,03	232,00	N 140	Vihtavuori	4,56	70,40	RWS 5333	RWS	80,50
1192	DEVA	Vulkan (69305)	Norma	15,03	232,00	R 903	Rottweil	4,80	74,00	RWS 5333	RWS	80,50
1195	DEVA	XS (36605)	Barnes	16,20	250,00	N 150	Vihtavuori	4,57	70,50	CCI 250	RWS	85,50
1196	DEVA	XS (36605)	Barnes	16,20	250,00	PCL 516	PB Clermont	4,39	67,80	CCI 250	RWS	85,50
1750	DEVA	Ballistic Tip (36250)	Nosler	16,20	250,00	N 550	Vihtavuori	4,80	74,00	CCI 250	RWS	84,00
1194	DEVA	AF/SS	Swift	16,20	250,00	N 150	Vihtavuori	4,58	70,70	CCI 250	RWS	81,80
1197	DEVA	HMK (2146088)	RWS	16,72	258,00	N 140	Vihtavuori	4,36	67,30	RWS 5333	RWS	85,50
1751	DEVA	Naturalis (N 506)	Lapua	17,50	270,00	N 550	Vihtavuori	4,73	73,00	CCI 250	RWS	84,50
1198	DEVA	SSpSP (2459)	Speer	17,50	270,00	R 904	Rottweil	4,80	74,00	RWS 5333	RWS	85,00
1202	DEVA	Alaska (69316)	Norma	18,47	285,00	R 904	Rottweil	4,80	74,10	RWS 5333	RWS	83,50

1201	DEVA	Alaska (69316)	Norma	18,47	285,00	IMR 4350	IMR	4,92	76,00	CCI 250	RWS	84,50
1199	DEVA	TMR (2145774)	RWS	18,47	285,00	R 904	Rottweil	4,73	73,00	RWS 5333	RWS	84,50
1200	DEVA	TMR/VMR	RWS	18,47	285,00	N 140	Vihtavuori	4,30	66,30	RWS 5333	RWS	84,50
1752	DEVA	CDP	SM-Thun	18,47	285,00	R 905	Rottweil	5,09	78,50	CCI 250	RWS	86,00
1224	DEVA	CDP	SM-Thun	18,47	285,00	R 905	Rottweil	5,15	79,50	CCI 250	RWS	86,00
1204	DEVA	Partition (44750)	Nosler	18,53	286,00	760	Winchester	4,70	72,50	WLRM	RWS	84,20
1203	DEVA	Partition (44750)	Nosler	18,53	286,00	N 550	Vihtavuori	4,70	72,50	WLRM	RWS	84,20
1206	DEVA	FMJ	Woodleigh	18,53	286,00	N 150	Vihtavuori	4,39	67,70	CCI 250	RWS	84,40
1205	DEVA	SN	Woodleigh	18,53	286,00	N 150	Vihtavuori	4,44	68,50	CCI 250	RWS	84,00

2007-05-12

21:44:32

Seite 58

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1207	DEVA	TUG (2145502)	RWS	18,99	293,00	IMR 4895	IMR	4,04	62,40	Remington 9 1/2	RWS	85,50
1208	DEVA	TUG (2145502)	RWS	18,99	293,00	204	Norma	4,70	72,60	RWS 5341	RWS	85,50
1209	DEVA	TUG (2145502)	RWS	18,99	293,00	N 160	Vihtavuori	4,73	73,00	RWS 5341	RWS	85,50
1211	DEVA	AF/SS	Swift	19,44	300,00	N 160	Vihtavuori	4,88	75,30	CCI 250	RWS	82,50
1210	DEVA	AF/SS	Swift	19,44	300,00	R 904	Rottweil	4,69	72,40	CCI 250	RWS	82,50
1213	DEVA	FMJ	Woodleigh	20,74	320,00	4350	Accurate	4,47	69,00	CCI 250	RWS	84,10
1212	DEVA	SN	Woodleigh	20,74	320,00	4350	Accurate	4,47	69,00	CCI 250	RWS	85,50

9,3 x 72 R

1152	DEVA	TMF (364 193 01)	Delsing	12,51	193,00	N 540	Vihtavuori	3,43	53,00	WLR	RWS	86,00
1156	DEVA	TMF (2146223)	RWS	12,51	193,00	IMR 3031	IMR	2,40	37,00	HP 1225	RWS	85,40
1154	DEVA	TMF (2146223)	RWS	12,51	193,00	N 140	Vihtavuori	2,98	46,00	HP 1225	RWS	85,40
1155	DEVA	TMF (2146223)	RWS	12,51	193,00	SR 4759	IMR	1,91	29,50	HP 1225	RWS	85,40
1157	DEVA	TMF (2146223)	RWS	12,51	193,00	JSP No. 1	Rottweil	4,21	65,00	RWS 5341	RWS	85,40
1153	DEVA	TMF (2146223)	RWS	12,51	193,00	N 540	Vihtavuori	3,43	53,00	WLR	RWS	85,40
1159	DEVA	TMR (365 232 05)	Delsing	14,97	231,00	N 550	Vihtavuori	3,43	53,00	CCI 200	RWS	86,50
1158	DEVA	Vulkan (69305)	Norma	15,03	232,00	N 550	Vihtavuori	3,40	52,50	RWS 5341	RWS	89,00

1160	DEVA	KS (2146452)	RWS	16,01	247,00	N 550	Vihtavuori 3,21	49,50	CCI 200	RWS	91,50
1161	DEVA	TMR (365 250 02)	Delsing	16,20	250,00	N 550	Vihtavuori 3,34	51,50	CCI 200	RWS	87,00
1162	DEVA	TR	Sako	16,59	256,00	N 550	Vihtavuori 3,30	51,00	CCI 200	RWS	90,20

9,3 x 74 R

1215	DEVA	Oryx (69307)	Norma	14,97	231,00	N 133	Vihtavuori 3,73	57,50	CCI 200	RWS	91,50
1214	DEVA	Oryx (69307)	Norma	14,97	231,00	Varget	Hodgdon 4,07	62,80	CCI 200	RWS	91,50
1218	DEVA	Vulkan (69305)	Norma	15,03	232,00	N 135	Vihtavuori 3,78	58,30	Remington 9 1/2	RWS	92,60
1216	DEVA	Vulkan (69305)	Norma	15,03	232,00	201	Norma 4,02	62,00	RWS 5341	RWS	92,60
1217	DEVA	Vulkan (69305)	Norma	15,03	232,00	R 902	Rottweil 3,95	60,90	RWS 5341	RWS	92,60
1219	DEVA	KS (2146452)	RWS	16,01	247,00	N 140	Vihtavuori 3,95	61,00	RWS 5341	RWS	93,00
1220	DEVA	XS (36605)	Barnes	16,20	250,00	N 540	Vihtavuori 3,95	61,00	CCI 200	RWS	94,50
1754	DEVA	Ballistic Tip (36250)	Nosler	16,20	250,00	R 903	Rottweil 3,76	58,00	CCI 200	RWS	93,00
1221	DEVA	AF/SS	Swift	16,20	250,00	N 140	Vihtavuori 3,85	59,40	CCI 200	RWS	92,30
1753	DEVA	Naturalis (N 506)	Lapua	17,50	270,00	R 903	Rottweil 3,69	57,00	CCI 200	RWS	93,00
1222	DEVA	SSpSP (2459)	Speer	17,50	270,00	R 907	Rottweil 3,97	61,30	CCI 200	RWS	93,00
1226	DEVA	TMR (2145774)	RWS	18,47	285,00	R 902	Rottweil 3,68	56,80	HP 1225	RWS	94,00

2007-05-12

21:44:32

Seite 59

ID	Quelle	Typ	Hersteller	Gramm	Grain	Pulver	Hersteller	Gramm	Grains	ZA1nder	HA1lsen	
1225	DEVA	TMR (2145774)	RWS	18,47	285,00	IMR 4895	IMR	3,56	55,00	Remington 9 1/2	RWS	94,00
1223	DEVA	TMR (2145774)	RWS	18,47	285,00	N 140	Vihtavuori	3,76	58,00	RWS 5341	RWS	94,20
1227	DEVA	CDP	SM-Thun	18,47	285,00	N 540	Vihtavuori	3,47	53,50	CCI BR-2	SM-Thun	93,80
1231	DEVA	Partition (44750)	Nosler	18,53	286,00	N 140	Vihtavuori	3,58	55,30	WLR	RWS	94,00
1230	DEVA	Partition (44750)	Nosler	18,53	286,00	PCL 516	PB Clermont	3,76	58,00	WLR	RWS	94,00
1229	DEVA	FMJ	Woodleigh	18,53	286,00	R 903	Rottweil	3,76	58,00	RWS 5341	RWS	95,50
1228	DEVA	SN	Woodleigh	18,53	286,00	N 540	Vihtavuori	3,80	58,70	CCI 200	RWS	93,50
1233	DEVA	TUG (2145502)	RWS	18,99	293,00	R 903	Rottweil	3,82	59,00	Federal 210 M	RWS	96,00

1234	DEVA	TUG (2145502)	RWS	18,99	293,00	IMR 4350	IMR	3,96	61,10	Federal 215	RWS	97,00
1232	Dynamit Nobel	TUG (2145502)	RWS	18,99	293,00	N 140	Vihtavuori	3,63	56,00	RWS 5341	RWS	95,80

2007-05-12  
21:44:32