JBM Ballistics

Home | Contact | FAQ | Change Log | Donate
Hornady | Sierra | Berger | Lapua | Nosler

Hornady
Sierra
Berger
Lapua
Nosler
Speer
Barnes
Cutting Edge
Sub-Sonic
Tracer
Shotshell
Pistol
Rifle
Muzzleloader
Airsoft
Archery
Tables

Bullet Lengths

Bullet length is a critical factor in determining the ballistics of the round, as it has the most to do with the bullet's aerodynamics. Hornady's patent effort is one of many signs of bullet lengths in creasing in the future. Longer bullets are more aerodynamically efficient than shorter bullets, and thus have better ballistics.

Cast and cow-bore ranges of varmints changing little since the 1800s, the variables at you don't have to when the bullet length to calculate the with.

Hornady's patent effort is one of many signs of bullet lengths increasing in the future. Longer bullets are more aerodynamically efficient than shorter bullets, and thus have better ballistics.

I will use Hornady's data over Sierra's because Hornady's bullets are more aerodynamically efficient than Sierra's, and I am a longer and shorter in the length of a bullet. I am specifically interested in the length of the ogive, or the curved part of the bullet, since it is the part that actually cuts through the air.

I will use Hornady's data over Sierra's because Hornady's bullets are more aerodynamically efficient than Sierra's, and I am a longer and shorter in the length of a bullet. I am specifically interested in the length of the ogive, or the curved part of the bullet, since it is the part that actually cuts through the air.

Sierra's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics. Sierra's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics.

Berger's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics. Berger's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics.

Nosler's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics. Nosler's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics.

Speer's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics. Speer's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics.

Barnes's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics. Barnes's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics.

Cutting Edge's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics. Cutting Edge's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics.

Sub-Sonic's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics. Sub-Sonic's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics.

Tracer's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics. Tracer's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics.

Shotshell's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics. Shotshell's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics.

Pistol's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics. Pistol's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics.

Rifle's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics. Rifle's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics.

Muzzleloader's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics. Muzzleloader's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics.

Airsoft's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics. Airsoft's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics.

Archery's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics. Archery's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics.

Tables's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics. Tables's bullets are more aerodynamically efficient than Hornady's bullets, and thus have better ballistics.

Hornady

Caliber	Weight	Description	Length	Presets	Tip Length
.17	20	Hornady Varmint Express			
.17	25.5	Hornady Varmint Express			
.17	30.5	Hornady Varmint Express			
.17	35.5	Hornady Varmint Express			
.17

Length	Weight	Description	Length	Weight	Description
0.710	0.014	#10	0.600	0.010	Kaiser Single Feed
0.710	0.014	#10	0.600	0.010	Kaiser
0.710	0.014	#10	0.600	0.010	Kaiser Magnum 7

Code	Weight	Description
0.000	0.0	Blanking (CR)
0.000	0.0	Blanking (LF)
0.000	0.0	Blank
0.000	0.0	Pad 1 byte (null)
0.000	0.0	Pad 2 bytes (null, null)
0.000	0.0	Pad block (zero fill)
0.000	0.0	Pad block (space fill)
0.000	0.0	Pad
0.000	0.0	Reserved (CR)
0.000	0.0	Reserved (LF)
0.000	0.0	Reserved
0.000	0.0	Reserved (null)
0.000	0.0	Reserved (null, null)
0.000	0.0	Reserved (null, null, null)
0.000	0.0	Reserved (null, null, null, null)
0.000	0.0	Pad block (zero)
0.000	0.0	Pad block (space)
0.000	0.0	Pad block (null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null, null)
0.000	0.0	Pad block (null, null, null, null)
0.000	0.0	Pad block (null, null, null, null, null)
0.000	0.0	Pad block (null, null, null, null, null, null)
0.000	0.0	Pad block (null, null, null, null, null, null, null)
0.000	0.0	Pad block (null, null, null, null, null, null, null, null)
0.000	0.0	Pad block (null, null, null, null, null, null, null, null, null)
0.000	0.0	Pad block (null, null, null, null, null, null, null, null, null, null)
0.000	0.0	Pad block (null, null, null, null, null, null, null, null, null, null, null)
0.000	0.0	Pad block (null, null, null, null, null, null, null, null, null, null, null, null)
0.000	0.0	Pad block (null, null, null, null, null, null, null, null, null, null, null, null, null)
0.000	0.0	Pad block (null, null, null, null, null, null, null, null, null, null, null, null, null, null)
0.000	0.0	Pad block (null, null, null, null, null, null, null, null, null, null, null, null, null, null, null)
0.000	0.0	Pad block (null, null, null, null, null, null, null, null, null, null, null, null, null, null, null, null)
0.000	0.0	Pad block (null, null, null, null, null, null, null, null, null, null, null, null, null, null, null, null, null)
0.000	0.0	Pad block (null, null, null, null, null, null, null, null, null, null, null, null, null, null, null, null, null, null)
0.000	0.0	Pad block (null, null, null, null, null, null, null, null, null, null, null, null, null, null, null, null, null, null, null)
0.000	0.0	Pad block (null, null, null, null, null, null, null, null, null, null, null, null, null, null, null, null, null, null, null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)
0.000	0.0	Pad block (null, null)

Large

Code	Weight	Description	Length	Points Per Length
0.000	0.0	Extended Blank	1000	
0.000	0.0	Extended Pad	1000	
0.000	0.0	Extended Reserved	1000	
0.000	0.0	Extended Blank	2000	
0.000	0.0	Extended Pad	2000	
0.000	0.0	Extended Reserved	2000	
0.000	0.0	Extended Blank	3000	
0.000	0.0	Extended Pad	3000	
0.000	0.0	Extended Reserved	3000	
0.000	0.0	Extended Blank	4000	
0.000	0.0	Extended Pad	4000	
0.000	0.0	Extended Reserved	4000	
0.000	0.0	Extended Blank	5000	
0.000	0.0	Extended Pad	5000	
0.000	0.0	Extended Reserved	5000	
0.000	0.0	Extended Blank	6000	
0.000	0.0	Extended Pad	6000	
0.000	0.0	Extended Reserved	6000	
0.000	0.0	Extended Blank	7000	
0.000	0.0	Extended Pad	7000	
0.000	0.0	Extended Reserved	7000	
0.000	0.0	Extended Blank	8000	
0.000	0.0	Extended Pad	8000	
0.000	0.0	Extended Reserved	8000	
0.000	0.0	Extended Blank	9000	
0.000	0.0	Extended Pad	9000	
0.000	0.0	Extended Reserved	9000	
0.000	0.0	Extended Blank	10000	
0.000	0.0	Extended Pad	10000	
0.000	0.0	Extended Reserved	10000	
0.000	0.0	Extended Blank	11000	
0.000	0.0	Extended Pad	11000	
0.000	0.0	Extended Reserved	11000	
0.000	0.0	Extended Blank	12000	
0.000	0.0	Extended Pad	12000	
0.000	0.0	Extended Reserved	12000	
0.000	0.0	Extended Blank	13000	
0.000	0.0	Extended Pad	13000	
0.000	0.0	Extended Reserved	13000	
0.000	0.0	Extended Blank	14000	
0.000	0.0	Extended Pad	14000	
0.000	0.0	Extended Reserved	14000	
0.000	0.0	Extended Blank	15000	
0.000	0.0	Extended Pad	15000	
0.000	0.0	Extended Reserved	15000	
0.000	0.0	Extended Blank	16000	
0.000	0.0	Extended Pad	16000	
0.000	0.0	Extended Reserved	16000	
0.000	0.0	Extended Blank	17000	
0.000	0.0	Extended Pad	17000	
0.000	0.0	Extended Reserved	17000	
0.000	0.0	Extended Blank	18000	
0.000	0.0	Extended Pad	18000	
0.000	0.0	Extended Reserved	18000	
0.000	0.0	Extended Blank	19000	
0.000	0.0	Extended Pad	19000	
0.000	0.0	Extended Reserved	19000	
0.000	0.0	Extended Blank	20000	
0.000	0.0	Extended Pad	20000	
0.000	0.0	Extended Reserved	20000	
0.000	0.0	Extended Blank	21000	
0.000	0.0	Extended Pad	21000	
0.000	0.0	Extended Reserved	21000	
0.000	0.0	Extended Blank	22000	
0.000	0.0	Extended Pad	22000	
0.000	0.0	Extended Reserved	22000	
0.000	0.0	Extended Blank	23000	
0.000	0.0	Extended Pad	23000	
0.000	0.0	Extended Reserved	23000	
0.000	0.0	Extended Blank	24000	
0.000	0.0	Extended Pad	24000	
0.000	0.0	Extended Reserved	24000	
0.000	0.0	Extended Blank	25000	
0.000	0.0	Extended Pad	25000	
0.000	0.0	Extended Reserved	25000	
0.000	0.0	Extended Blank	26000	
0.000	0.0	Extended Pad	26000	
0.000	0.0	Extended Reserved	26000	
0.000	0.0	Extended Blank	27000	
0.000	0.0	Extended Pad	27000	
0.000	0.0	Extended Reserved	27000	
0.000	0.0	Extended Blank	28000	
0.000	0.0	Extended Pad	28000	
0.000	0.0	Extended Reserved	28000	
0.000	0.0	Extended Blank	29000	
0.000	0.0	Extended Pad	29000	
0.000	0.0	Extended Reserved	29000	
0.000	0.0	Extended Blank	30000	
0.000	0.0	Extended Pad	30000	
0.000	0.0	Extended Reserved	30000	
0.000	0.0	Extended Blank	31000	
0.000	0.0	Extended Pad	31000	
0.000	0.0	Extended Reserved	31000	
0.000	0.0	Extended Blank	32000	
0.000	0.0	Extended Pad	32000	
0.000	0.0	Extended Reserved	32000	
0.000	0.0	Extended Blank	33000	
0.000	0.0	Extended Pad	33000	
0.000	0.0	Extended Reserved	33000	
0.000	0.0	Extended Blank	34000	
0.000	0.0	Extended Pad	34000	
0.000	0.0	Extended Reserved	34000	
0.000	0.0	Extended Blank	35000	
0.000	0.0	Extended Pad	35000	
0.000	0.0	Extended Reserved	35000	
0.000	0.0	Extended Blank	36000	
0.000	0.0	Extended Pad	36000	
0.000	0.0	Extended Reserved	36000	
0.000	0.0	Extended Blank	37000	
0.000	0.0	Extended Pad	37000	
0.000	0.0	Extended Reserved	37000	
0.000	0.0	Extended Blank	38000	
0.000	0.0	Extended Pad	38000	
0.000	0.0	Extended Reserved	38000	
0.000	0.0	Extended Blank	39000	
0.000	0.0	Extended Pad	39000	
0.000	0.0	Extended Reserved	39000	
0.000	0.0	Extended Blank	40000	
0.000	0.0	Extended Pad	40000	
0.000	0.0	Extended Reserved	40000	
0.000	0.0	Extended Blank	41000	
0.000	0.0	Extended Pad	41000	
0.000	0.0	Extended Reserved	41000	
0.000	0.0	Extended Blank	42000	
0.000	0.0	Extended Pad	42000	
0.000	0.0	Extended Reserved	42000	
0.000	0.0	Extended Blank	43000	
0.000	0.0	Extended Pad	43000	
0.000	0.0	Extended Reserved	43000	
0.000	0.0	Extended Blank	44000	
0.000	0.0	Extended Pad	44000	
0.000	0.0	Extended Reserved	44000	
0.000	0.0	Extended Blank	45000	
0.000	0.0	Extended Pad	45000	
0.000	0.0	Extended Reserved	45000	
0.000	0.0	Extended Blank	46000	
0.000	0.0	Extended Pad	46000	
0.000	0.0	Extended Reserved	46000	
0.000	0.0	Extended Blank	47000	
0.000	0.0	Extended Pad	47000	
0.000	0.0	Extended Reserved	47000	
0.000	0.0	Extended Blank	48000	
0.000	0.0	Extended Pad	48000	
0.000	0.0	Extended Reserved	48000	
0.000	0.0	Extended Blank	49000	
0.000	0.0	Extended Pad	49000	
0.000	0.0	Extended Reserved	49000	
0.000	0.0	Extended Blank	50000	
0.000	0.0	Extended Pad	50000	
0.000	0.0	Extended Reserved	50000	
0.000	0.0	Extended Blank	51000	
0.000	0.0	Extended Pad	51000	
0.000	0.0	Extended Reserved	51000	
0.000	0.0	Extended Blank	52000	
0.000	0.0	Extended Pad	52000	
0.000	0.0	Extended Reserved	52000	
0.000	0.0	Extended Blank	53000	
0.000	0.0	Extended Pad	53000	
0.000	0.0	Extended Reserved	53000	
0.000	0.0	Extended Blank	54000	
0.000	0.0	Extended Pad	54000	
0.000	0.0	Extended Reserved	54000	
0.000	0.0	Extended Blank	55000	
0.000	0.0	Extended Pad	55000	
0.000	0.0	Extended Reserved	55000	
0.000	0.0	Extended Blank	56000	
0.000	0.0	Extended Pad	56000	
0.000	0.0	Extended Reserved	56000	
0.000	0.0	Extended Blank	57000	
0.000	0.0	Extended Pad	57000	
0.000	0.0	Extended Reserved	57000	
0.000	0.0	Extended Blank	58000	
0.000	0.0	Extended Pad	58000	
0.000	0.0	Extended Reserved	58000	
0.000	0.0	Extended Blank	59000	
0.000	0.0	Extended Pad	59000	
0.000	0.0	Extended Reserved	59000	
0.000	0.0	Extended Blank	60000	
0.000	0.0	Extended Pad	60000	
0.000	0.0	Extended Reserved	60000	
0.000	0.0	Extended Blank	61000	
0.000	0.0	Extended Pad	61000	
0.000	0.0	Extended Reserved	61000	
0.000	0.0	Extended Blank	62000	
0.000	0.0	Extended Pad	62000	
0.000	0.0	Extended Reserved	62000	
0.000	0.0	Extended Blank	63000	
0.000	0.0	Extended Pad	63000	
0.000	0.0	Extended Reserved	63000	
0.000	0.0	Extended Blank	64000	
0.000	0.0	Extended Pad	64000	
0.000	0.0	Extended Reserved	64000	
0.000	0.0	Extended Blank	65000	
0.000	0.0	Extended Pad	65000	
0.000	0.0	Extended Reserved	65000	

Fragmentation Control

Code	Weight	Description	Length	Points Per Length
0.000	0.0	Fragmentation Control	1000	
0.000	0.0	Fragmentation Control	2000	
0.000	0.0	Fragmentation Control	3000	
0.000	0.0	Fragmentation Control	4000	
0.000	0.0	Fragmentation Control	5000	
0.000	0.0	Fragmentation Control	6000	
0.000	0.0	Fragmentation Control	7000	
0.000	0.0	Fragmentation Control	8000	
0.000	0.0	Fragmentation Control	9000	
0.000	0.0	Fragmentation Control	10000	
0.000	0.0	Fragmentation Control	11000	
0.000	0.0	Fragmentation Control	12000	
0.000	0.0	Fragmentation Control	13000	
0.000	0.0	Fragmentation Control	14000	
0.000	0.0	Fragmentation Control	15000	
0.000	0.0	Fragmentation Control	16000	
0.000	0.0	Fragmentation Control	17000	
0.000	0.0	Fragmentation Control	18000	
0.000	0.0	Fragmentation Control	19000	
0.000	0.0	Fragmentation Control	20000	
0.000	0.0	Fragmentation Control	21000	
0.000	0.0	Fragmentation Control	22000	
0.000	0.0	Fragmentation Control	23000	
0.000	0.0	Fragmentation Control	24000	
0.000	0.0	Fragmentation Control	25000	
0.000	0.0	Fragmentation Control	26000	
0.000	0.0	Fragmentation Control	27000	
0.000	0.0	Fragmentation Control	28000	
0.000	0.0	Fragmentation Control	29000	
0.000	0.0	Fragmentation Control	30000	
0.000	0.0	Fragmentation Control	31000	
0.000	0.0	Fragmentation Control	32000	
0.000	0.0	Fragmentation Control	33000	
0.000	0.0	Fragmentation Control	34000	
0.000	0.0	Fragmentation Control	35000	
0.000	0.0	Fragmentation Control	36000	
0.000	0.0	Fragmentation Control	37000	
0.000	0.0	Fragmentation Control	38000	
0.000	0.0	Fragmentation Control	39000	
0.000	0.0	Fragmentation Control	40000	
0.000	0.0	Fragmentation Control	41000	
0.000	0.0	Fragmentation Control	42000	
0.000	0.0	Fragmentation Control	43000	
0.000	0.0	Fragmentation Control	44000	
0.000	0.0	Fragmentation Control	45000	
0.000	0.0	Fragmentation Control	46000	
0.000	0.0	Fragmentation Control	47000	
0.000	0.0	Fragmentation Control	48000	
0.000	0.0	Fragmentation Control	49000	
0.000	0.0	Fragmentation Control	50000	
0.000	0.0	Fragmentation Control	51000	
0.000	0.0	Fragmentation Control	52000	
0.000	0.0	Fragmentation Control	53000	
0.000	0.0	Fragmentation Control	54000	
0.000	0.0	Fragmentation Control	55000	
0.000	0.0	Fragmentation Control	56000	
0.000	0.0	Fragmentation Control	57000	
0.000	0.0	Fragmentation Control	58000	
0.000	0.0	Fragmentation Control	59000	
0.000	0.0	Fragmentation Control	60000	
0.000	0.0	Fragmentation Control	61000	
0.000	0.0	Fragmentation Control	62000	
0.000	0.0	Fragmentation Control	63000	
0.000	0.0	Fragmentation Control	64000	
0.000	0.0	Fragmentation Control	65000	

Alternate Destination

Code	Weight	Description	Length	Points Per Length
0.000	0.0	Alternate Dest	1000	
0.000	0.0	Alternate Dest	2000	
0.000	0.0	Alternate Dest	3000	
0.000	0.0	Alternate Dest	4000	
0.000	0.0	Alternate Dest	5000	
0.000	0.0	Alternate Dest	6000	
0.000	0.0	Alternate Dest	7000	
0.000	0.0	Alternate Dest	8000	
0.000	0.0	Alternate Dest	9000	
0.000	0.0	Alternate Dest	10000	
0.000	0.0	Alternate Dest	11000	
0.000	0.0	Alternate Dest	12000	
0.000	0.0	Alternate Dest	13000	
0.000	0.0	Alternate Dest	14000	
0.000	0.0	Alternate Dest	15000	
0.000	0.0	Alternate Dest	16000	
0.000	0.0	Alternate Dest	17000	
0.000	0.0	Alternate Dest	18000	
0.000	0.0	Alternate Dest	19000	
0.000	0.0	Alternate Dest	20000	
0.000	0.0	Alternate Dest	21000	
0.000	0.0	Alternate Dest	22000	
0.000	0.0	Alternate Dest	23000	
0.000	0.0	Alternate Dest	24000	
0.000	0.0	Alternate Dest	25000	
0.000	0.0	Alternate Dest	26000	
0.000	0.0	Alternate Dest	27000	
0.000	0.0	Alternate Dest	28000	
0.000	0.0	Alternate Dest	29000	
0.000	0.0	Alternate Dest	30000	
0.000	0.0	Alternate Dest	31000	
0.000	0.0	Alternate Dest	32000	
0.000	0.0	Alternate Dest	33000	
0.000	0.0	Alternate Dest	34000	
0.000	0.0	Alternate Dest	35000	
0.000	0.0	Alternate Dest	36000	
0.000	0.0	Alternate Dest	37000	
0.000	0.0	Alternate Dest	38000	
0.000	0.0	Alternate Dest	39000	
0.000	0.0	Alternate Dest	40000	
0.000	0.0	Alternate Dest	41000	
0.000	0.0	Alternate Dest	42000	
0.000	0.0	Alternate Dest	43000	
0.000	0.0	Alternate Dest	44000	
0.000	0.0	Alternate Dest	45000	
0.000	0.0	Alternate Dest	46000	
0.000	0.0	Alternate Dest	47000	
0.000	0.0	Alternate Dest	48000	
0.000	0.0	Alternate Dest	49000	
0.000	0.0	Alternate Dest	50000	
0.000	0.0	Alternate Dest	51000	
0.000	0.0	Alternate Dest	52000	
0.000	0.0	Alternate Dest	53000	
0.000	0.0	Alternate Dest	54000	
0.000	0.0	Alternate Dest	55000	
0.000	0.0	Alternate Dest	56000	
0.000	0.0	Alternate Dest	57000	
0.000	0.0	Alternate Dest	58000	
0.000	0.0	Alternate Dest	59000	
0.000	0.0	Alternate Dest	60000	
0.000	0.0	Alternate Dest	61000	
0.000	0.0	Alternate Dest	62000	
0.000	0.0	Alternate Dest	63000	
0.000	0.0	Alternate Dest	64000	
0.000	0.0	Alternate Dest	65000	

Reserved Dest

Code	Weight	Description	Length	Points Per Length
0.000	0.0	Reserved Dest	1000	
0.000	0.0	Reserved Dest	2000	
0.000	0.0	Reserved Dest	3000	
0.000	0.0	Reserved Dest	4000	
0.000	0.0	Reserved Dest	5000	
0.000	0.0	Reserved Dest	6000	
0.000	0.0	Reserved Dest	7000	
0.000	0.0	Reserved Dest	8000	
0.000	0.0	Reserved Dest	9000	
0.000	0.0	Reserved Dest	10000	
0.000	0.0	Reserved Dest	11000	
0.000	0.0	Reserved Dest	12000	
0.000	0.0	Reserved Dest	13000	
0.000	0.0	Reserved Dest	14000	
0.000	0.0	Reserved Dest	15000	
0.000	0.0	Reserved Dest	16000	
0.000	0.0	Reserved Dest	17000	
0.000	0.0	Reserved Dest	18000	
0.000	0.0	Reserved Dest	19000	
0.000	0.0	Reserved Dest	20000	
0.000	0.0	Reserved Dest	21000	
0.000	0.0	Reserved Dest	22000	
0.000	0.0	Reserved Dest	23000	
0.000	0.0	Reserved Dest	24000	
0.000	0.0	Reserved Dest	25000	
0.000	0.0	Reserved Dest	26000	
0.000	0.0	Reserved Dest	27000	
0.000	0.0	Reserved Dest	28000	
0.000	0.0	Reserved Dest	29000	
0.000	0.0	Reserved Dest	30000	
0.000	0.0	Reserved Dest	31000	
0.000	0.0	Reserved Dest	32000	
0.000	0.0	Reserved Dest	33000	
0.000	0.0	Reserved Dest	34000	
0.000	0.0	Reserved Dest	35000	
0.000	0.0	Reserved Dest	36000	
0.000	0.0	Reserved Dest	37000	
0.000	0.0	Reserved Dest	38000	
0.000	0.0	Reserved Dest	39000	
0.000	0.0	Reserved Dest	40000	
0.000	0.0	Reserved Dest	41000	
0.000	0.0	Reserved Dest	42000	
0.000	0.0	Reserved Dest	43000	
0.000	0.0	Reserved Dest	44000	
0.000	0.0	Reserved Dest	45000	
0.000	0.0	Reserved Dest	46000	
0.000	0.0	Reserved Dest	47000	
0.000	0.0	Reserved Dest	48000	
0.000	0.0	Reserved Dest	49000	
0.000	0.0	Reserved Dest	50000	
0.000	0.0	Reserved Dest	51000	
0.000	0.0	Reserved Dest	52000	
0.000	0.0	Reserved Dest	53000	
0.000	0.0	Reserved Dest	54000	
0.000	0.0	Reserved Dest	55000	
0.000	0.0	Reserved Dest	56000	
0.000	0.0	Reserved Dest	57000	
0.000	0.0	Reserved Dest	58000	
0.000	0.0	Reserved Dest	59000	
0.000	0.0	Reserved Dest	60000	
0.000	0.0	Reserved Dest	61000	
0.000	0.0	Reserved Dest	62000	
0.000	0.0	Reserved Dest	63000	
0.000	0.0	Reserved Dest	64000	
0.000	0.0	Reserved Dest	65000	

Reserved

Code	Weight	Description	Length	Points Per Length
0.000	0.0	Reserved	1000	
0.000	0.0	Reserved	2000	
0.000	0.0	Reserved	3000	
0.000	0.0	Reserved	4000	
0.000	0.0	Reserved	5000	
0.000	0.0	Reserved	6000	
0.000	0.0	Reserved	7000	
0.000	0.0	Reserved	8000	
0.000	0.0	Reserved	9000	
0.000	0.0	Reserved	10000	
0.000	0.0	Reserved	11000	
0.000	0.0	Reserved	12000	
0.000	0.0	Reserved	13000	
0.000	0.0	Reserved	14000	
0.000	0.0	Reserved	15000	
0.000	0.0	Reserved	16000	
0.000	0.0	Reserved	17000	
0.000	0.0	Reserved	18000	
0.000	0.0	Reserved	19000	
0.000	0.0	Reserved	20000	
0.000	0.0	Reserved	21000	
0.000	0.0	Reserved	22000	
0.000	0.0	Reserved	23000	
0.000	0.0	Reserved	24000	
0.000	0.0	Reserved	25000	
0.000	0.0	Reserved	26000	
0.000	0.0	Reserved	27000	
0.000	0.0	Reserved	28000	
0.000	0.0	Reserved	29000	
0.000	0.0	Reserved	30000	
0.000	0.0	Reserved	31000	
0.000	0.0	Reserved	32000	
0.000	0.0	Reserved	33000	
0.000	0.0	Reserved	34000	
0.000	0.0	Reserved	35000	
0.000	0.0	Reserved	36000	
0.000	0.0	Reserved	37000	
0.000	0.0	Reserved	38000	
0.000	0.0	Reserved	39000	
0.000	0.0	Reserved	40000	
0.000	0.0	Reserved	41000	
0.000	0.0	Reserved	42000	
0.000	0.0	Reserved	43000	
0.000	0.0	Reserved	44000	
0.000	0.0	Reserved	45000	
0.000	0.0	Reserved	46000	
0.000	0.0	Reserved	47000	
0.000	0.0	Reserved	48000	
0.000	0.0	Reserved	49000	
0.000	0.0	Reserved	50000	
0.000	0.0	Reserved	51000	
0.000	0.0	Reserved	52000	
0.000	0.0	Reserved	53000	
0.000	0.0	Reserved	54000	
0.000	0.0	Reserved	55000	
0.000	0.0	Reserved	56000	
0.000	0.0	Reserved	57000	

Code	Weight	Description
1.001	1.00 kg	Kart Rear 30 KG
1.002	1.00 kg	Kart Rear 30 KG
1.003	1.00 kg	Kart Rear 30 KG

0.224	50.0	Supreme™ Ballistic Silvertip™	
0.224	55.0	Super-X™ Pointed Soft Point	0.704
0.224	55.0	Super-X™ Super Clean NT™ Tin	
0.224	55.0	Supreme™ Ballistic Silvertip™	
0.224	55.0	USA Full Metal Jacket	
0.224	62.0	USA Full Metal Jacket	
0.243	55.0	Supreme™ Ballistic Silvertip™	
0.243	95.0	Supreme Elite™ XP3™	
0.243	95.0	Supreme™ Ballistic Silvertip™	
0.243	100.0	Super-X™ Power-Point™	
0.251	45.0	Super-X™ Jacketed Hollow Point	
0.251	50.0	USA Full Metal Jacket	
0.257	85.0	Supreme™ Ballistic Silvertip™	
0.257	90.0	Super-X™ Positive Expanding Point	
0.257	110.0	Supreme™ AccuBond™ CT™	
0.257	115.0	Supreme™ Ballistic Silvertip™	
0.257	117.0	Super-X™ Power-Point™	
0.257	120.0	Super-X™ Positive Expanding Point	
0.258	86.0	Super-X™ Soft Point	
0.258	100.0	Super-X™ Silvertip™	
0.258	117.0	Super-X™ Soft Point	
0.264	140.0	Super-X™ Power-Point™	
0.264	140.0	Super-X™ Soft Point	
0.270	130.0	Super-X™ Power-Point™	
0.270	150.0	Super-X™ Power-Point™	
0.277	130.0	Super-X™ Silvertip™	
0.277	130.0	Supreme™ Ballistic Silvertip™	
0.277	130.0	Supreme™ E-Tip	
0.277	140.0	Supreme™ AccuBond™ CT™	
0.277	150.0	Supreme™ Ballistic Silvertip™	
0.284	140.0	Super-X™ Power-Point™	
0.284	140.0	Supreme™ AccuBond™ CT™	
0.284	140.0	Supreme™ Ballistic Silvertip™	
0.284	145.0	Super-X™ Power-Point™	
0.284	150.0	Super-X™ Power-Point™	
0.284	150.0	Supreme™ Ballistic Silvertip™	
0.284	160.0	Supreme™ AccuBond™ CT™	
0.284	175.0	Super-X™ Power-Point™	
0.308	110.0	Super-X™ Hollow Soft Point	
0.308	110.0	USA Full Metal Jacket	
0.308	123.0	Super-X™ Soft Point	
0.308	123.0	USA Full Metal Jacket	
0.308	125.0	Super-X™ Pointed Soft Point	
0.308	147.0	USA Full Metal Jacket	1.165
0.308	150.0	Super-X™ Hollow Point	
0.308	150.0	Super-X™ Power-Point™	1.047
0.308	150.0	Super-X™ Silvertip™	
0.308	150.0	Super-X™ Silvertip™ (.30-30)	
0.308	150.0	Supreme Elite™ XP3™	1.200
0.308	150.0	Supreme™ Ballistic Silvertip™	1.200
0.308	150.0	Supreme™ E-Tip	
0.308	165.0	Super-X™ Pointed Soft Point	
0.308	168.0	Supreme™ Ballistic Silvertip™	1.299
0.308	168.0	Supreme™ Hollow Point Boattail	
0.308	170.0	Super-X™ Power-Point™	0.971
0.308	170.0	Super-X™ Silvertip™ (.30-30)	
0.308	180.0	Super-X™ Power-Point™ (300 Win Mag)	1.365
0.308	180.0	Super-X™ Power-Point™ (308 Win)	1.365
0.308	180.0	Super-X™ Silvertip™	1.350
0.308	180.0	Supreme™ AccuBond™ CT™	
0.308	180.0	Supreme™ Ballistic Silvertip™	1.372
0.308	180.0	Supreme™ E-Tip	
0.309	60.0	Super-X™ Silvertip™ Hollow Point	
0.309	71.0	USA Full Metal Jacket	
0.309	93.0	Super-X™ Full Metal Jacket	
0.312	85.0	Super-X™ Lead Round Nose	
0.312	98.0	Super-X™ Lead Round Nose	
0.312	100.0	Super-X™ Lead	
0.321	170.0	Super-X™ Power-Point™	
0.323	180.0	Supreme™ Ballistic Silvertip™	
0.323	200.0	Supreme Elite™ XP3™	
0.323	200.0	Supreme™ AccuBond™ CT™	
0.323	220.0	Super-X™ Power-Point™	
0.338	200.0	Super-X™ Power-Point™	
0.338	200.0	Supreme™ Ballistic Silvertip™	
0.338	225.0	Supreme™ AccuBond™ CT™	
0.348	200.0	Super-X™ Silvertip™	
0.355	85.0	Super-X™ Silvertip™ Hollow Point	
0.355	95.0	Supreme™ T-Series	
0.355	95.0	USA Full Metal Jacket	
0.355	95.0	WinClean™ Brass Enclosed Base	
0.355	105.0	Super Clean NT™ (Tin)	
0.355	115.0	Super-X™ Silvertip™ Hollow Point	
0.355	115.0	USA Full Metal Jacket	0.567
0.355	115.0	USA Jacketed Hollow Point	
0.355	115.0	WinClean™ Brass Enclosed Base	
0.355	124.0	USA Full Metal Jacket	
0.355	124.0	USA Jacketed Soft Point	
0.355	124.0	WinClean™ Brass Enclosed Base	
0.355	125.0	Super-X™ Silvertip™ Hollow Point	
0.355	125.0	USA Full Metal Jacket - Flat Nose	
0.355	125.0	USA Jacketed Hollow Point	
0.355	125.0	WinClean™ Brass Enclosed Base	
0.355	147.0	Super-X™ Silvertip™ Hollow Point	
0.355	147.0	Supreme™ T-Series	
0.355	147.0	USA Full Metal Jacket - Flat Nose	
0.355	147.0	USA Jacketed Hollow Point	
0.355	147.0	WinClean™ Brass Enclosed Base	
0.357	110.0	Super-X™ Silvertip™ Hollow Point	
0.357	110.0	USA Jacketed Hollow Point	
0.357	125.0	Super-X™ Jacketed Hollow Point	
0.357	125.0	Super-X™ Silvertip™ Hollow Point	
0.357	125.0	USA Jacketed Hollow Point	
0.357	125.0	USA Jacketed Soft Point	
0.357	125.0	WinClean™ Jacketed Soft Point	
0.357	130.0	Supreme™ T-Series	
0.357	130.0	USA Full Metal Jacket	
0.357	145.0	Super-X™ Lead Round Nose	
0.357	145.0	Super-X™ Silvertip™ Hollow Point	
0.357	148.0	Super-X™ Match	
0.357	150.0	USA Lead	
0.357	158.0	Cowboy Loads Lead	
0.357	158.0	Super-X™ Jacketed Hollow Point	
0.357	158.0	Super-X™ Jacketed Soft Point	
0.357	158.0	Super-X™ Lead Round Nose	
0.357	158.0	Super-X™ Lead Semi-Wad Cutter	
0.357	158.0	Super-X™ Lead Semi-Wad Cutter HP	
0.357	180.0	Supreme™ Partition Gold™	
0.358	200.0	Super-X™ Power-Point™	
0.358	200.0	Super-X™ Silvertip™	
0.375	200.0	Super-X™ Power-Point™	
0.400	140.0	Super Clean NT™ (Tin)	
0.400	155.0	Super-X™ Silvertip™ Hollow Point	
0.400	165.0	Supreme™ T-Series	
0.400	165.0	USA Full Metal Jacket - Flat Nose	
0.400	165.0	WinClean™ Brass Enclosed Base	
0.400	175.0	Super-X™ Silvertip® Hollow Point	
0.400	180.0	Supreme™ T-Series	
0.400	180.0	USA Full Metal Jacket	
0.400	180.0	USA Jacketed Hollow Point	
0.400	180.0	WinClean™ Brass Enclosed Base	
0.401	180.0	Super-X™ Soft Point	
0.401	255.0	Super-X™ Soft Point	
0.410	175.0	Super-X™ Silvertip™ Hollow Point	
0.410	240.0	Supreme™ Platinum Tip Hollow Point	
0.411	300.0	Super-X™ Flat Point	
0.421	210.0	Super-X™ Silvertip™ Hollow Point	
0.421	240.0	Super-X™ Hollow Soft Point	
0.427	200.0	Super-X™ Soft Point	
0.427	225.0	Cowboy Loads Lead	
0.429	200.0	Super-X™ Silvertip™ Hollow Point	
0.429	210.0	Super-X™ Silvertip™ Hollow Point	
0.429	240.0	Super-X™ Hollow Soft Point	
0.429	240.0	USA Jacketed Soft Point	
0.429	246.0	Super-X™ Lead Round Nose	
0.429	250.0	Supreme™ Partition Gold™	
0.429	250.0	Supreme™ Platinum Tip Hollow Point	
0.451	185.0	Super-X™ Silvertip™ Hollow Point	
0.451	185.0	USA Full Metal Jacket - Flat Nose	
0.451	185.0	WinClean™ Brass Enclosed Base	
0.451	230.0	Supreme™ T-Series	
0.451	230.0	USA Full Metal Jacket	
0.451	230.0	USA Jacketed Hollow Point	
0.451	230.0	WinClean™ Brass Enclosed Base	
0.451	255.0	Super-X™ Lead Round Nose	
0.452	250.0	Super-X™ Jacketed Hollow Point	
0.452	260.0	Super-X™ Jacketed Hollow Point	
0.452	260.0	Supreme™ Partition Gold™	
0.452	260.0	Supreme™ Platinum Tip Hollow Point	
0.454	225.0	Super-X™ Silvertip™ Hollow Point	
0.454	250.0	Cowboy Loads Lead	
0.458	300.0	Super-X™ JHP	
0.458	300.0	Supreme™ Partition Gold™	
0.458	510.0	Super-X™ Soft Point	

Woodleigh

Caliber	Weight	Description	Length	Plastic Tip Length
0.264	140.0	PP SN	1.240	
0.264	160.0	PP SN	1.381	
0.277	130.0	PP SN	1.087	
0.277	150.0	PP SN	1.209	
0.284	140.0	PP SN	1.112	
0.284	160.0	PP SN	1.232	
0.284	175.0	PP SN	1.314	
0.287	160.0	PP SN	1.223	
0.287	175.0	PP SN	1.310	
0.308	130.0	PP SN	0.945	
0.308	150.0	PP SN	1.018	
0.308	165.0	PP SN	1.080	
0.308	180.0	FN SN	0.916	
0.308	180.0	PP SN	1.153	
0.308	180.0	PP SN (300 Win Mag)	1.190	
0.308	200.0	PP SN (300 Win Mag)	1.278	
0.308	220.0	FMJ	1.388	
0.308	220.0	PP SN	1.275	
0.308	240.0	PP SN	1.428	
0.312	174.0	PP SN	1.098	
0.312	215.0	RN SN	1.235	
0.318	200.0	RN SN (8x57I)	1.152	
0.323	196.0	RN SN	1.128	
0.323	200.0	PN SN (325 Win)	1.240	
0.323	220.0	PN SN (325 Win)	1.330	
0.323	226.0	RN SN	1.233	
0.323	250.0	RN SN	1.356	
0.330	250.0	FMJ (318 Westly Rich.)	1.419	
0.330	250.0	RN SN (318 Westly Rich.)	1.302	
0.333	250.0	RN SN (333 Jeffery)	1.244	
0.333	300.0	FMJ (333 Jeffery)	1.577	
0.333	300.0	RN SN (333 Jeffery)	1.459	
0.338	225.0	PP SN	1.188	
0.338	250.0	FMJ	1.334	
0.338	250.0	PP SN	1.288	
0.338	250.0	RN SN	1.226	
0.338	300.0	FMJ	1.558	
0.338	300.0	RN SN	1.430	
0.358	225.0	FMJ	1.090	
0.358	225.0	RN SN	1.043	
0.358	250.0	RN SN	1.125	
0.358	310.0	RN SN	1.352	
0.366	250.0	PP SN		
0.366	250.0	RN SN	1.083	
0.366	286.0	FMJ	1.273	
0.366	286.0	PP SN	1.323	
0.366	286.0	RN SN	1.209	
0.366	320.0	FMJ	1.412	
0.366	320.0	PP SN	1.441	
0.366	320.0	RN SN	1.323	
0.375	235.0	PP SN	1.013	
0.375	270.0	PP SN	1.130	
0.375	270.0	RN SN	1.088	
0.375	300.0	FMJ	1.253	
0.375	300.0	PP SN	1.232	
0.375	300.0	RN SN	1.184	
0.375	350.0	FMJ		
0.375	350.0	PP SN	1.408	
0.375	350.0	RN SN	1.351	
0.405	230.0	RN SN (400 Purdey)	0.810	
0.408	400.0	FMJ	1.412	
0.408	400.0	RN SN	1.298	
0.410	400.0	FMJ (450/400 & Ruger)	1.412	
0.410	400.0	RN SN (450/400 3" Ruger)	1.305	
0.411	400.0	RN SN (450/400 Nitro)	1.298	
0.412	300.0	RN SN (405 Winchester)	0.985	
0.416	340.0	PP SN (416 Rigby)	1.197	
0.416	400.0	RN SN (416 Remington)	1.303	
0.416	410.0	FMJ (416 Rigby)	1.399	
0.416	410.0	RN SN (416 Rigby)	1.334	
0.416	450.0	FMJ (416 Rigby)	1.510	
0.416	450.0	RN SN (416 Rigby)	1.411	
0.423	347.0	FMJ (10.75 x 68mm)	1.188	
0.423	347.0	RN SN (10.75 x 68mm)	1.116	
0.423	350.0	RN SN (404 Jeffery)	1.128	
0.423	400.0	FMJ (404 Jeffery)	1.347	
0.423	400.0	RN SN (404 Jeffery)	1.282	
0.423	450.0	FMJ (404 Jeffery)	1.491	
0.423	450.0	RN SN (404 Jeffery)	1.416	
0.435	410.0	FMJ (425 Westly Rich.)	1.263	
0.435	410.0	RN SN (425 Westly Rich.)	1.177	
0.440	401.0	RN SN (11.2 Schuler)	1.167	
0.458	350.0	RN SN (450 BPE)	0.949	
0.458	400.0	PP SN (458 Mag)	1.152	
0.458	405.0	Flat Nose SN (45/70)	1.020	
0.458	480.0	RN SN (450 Nitro)	1.261	
0.458	500.0	FMJ (458 Mag)	1.388	
0.458	500.0	PP (458 Mag)	1.394	
0.458	500.0	RN SN (458 Mag)	1.305	
0.458	550.0	FMJ (458 Mag)	1.521	
0.458	550.0	RN SN (458 Mag)	1.414	
0.468	480.0	FMJ (465 Nitro)	1.316	
0.468	480.0	RN SN (465 Nitro)	1.225	
0.474	500.0	FMJ (470 Nitro)	1.341	
0.474	500.0	RN SN (470 Nitro)	1.247	
0.476	520.0	FMJ (476 Westley Rich.)	1.288	
0.476	520.0	RN SN (476 Westley Rich.)	1.287	
0.483	480.0	FMJ (475 No. 2)	1.258	
0.483	480.0	RN SN (475 No. 2)	1.156	
0.488	500.0	FMJ (475 No. 2 Jeffery)	1.284	
0.488	500.0	RN SN (475 No. 2 Jeffery)	1.184	
0.500	400.0	FN SN (500 S&W Mag)	0.816	
0.505	525.0	FMJ (505 Gibbs)	1.271	
0.505	525.0	RN SN (505 Gibbs)	1.197	
0.505	600.0	FMJ (505 Gibbs)	1.411	
0.505	600.0	PP SN (505 Gibbs)	1.289	
0.510	440.0	RN SN (500 BP)	0.991	
0.510	450.0	RN SN (500 Nitro)	0.984	
0.510	500.0	FN SN (50 Alaskan & 50/110 Win)	0.986	
0.510	535.0	FMJ (500 Jeffery)	1.267	
0.510	535.0	PP SN (500 Jeffery)	1.158	
0.510	535.0	RN SN (500 Jeffery)	1.199	
0.510	570.0	FMJ (500 Nitro)	1.336	
0.510	570.0	RN SN (500 Nitro)	1.258	
0.510	600.0	FMJ (500 Jeffery)	1.396	
0.510	600.0	PP SN (500 Jeffery)	1.268	
0.584	650.0	FMJ (577 Nitro)	1.155	
0.584	750.0	FMJ (577 Nitro)	1.307	
0.585	650.0	RN SN (577 BP Express)	1.084	
0.585	650.0	RN SN (577 Nitro)	1.112	
0.585	750.0	RN SN (577 Nitro)	1.249	
0.620	900.0	FMJ (600 Nitro)	1.282	
0.620	900.0	RN SN (600 Nitro)	1.292	
0.700	1000.0	FMJ (700 Nitro)	1.223	
0.700	1000.0	RN SN (700 Nitro)	1.172	

Summary

Count:	3438	Percent With Lengths	76.1%
		Percent With Tip Lengths	2.2%